ELSEVIER

Animal Feed Science and Technology 75 (1998) 171–216

ANIMAL FEED SCIENCE AND TECHNOLOGY

Author index

Animal Feed Science and Technology, volumes 51–75, 1995–1998

A

Abate, A., see Mbuthia, E.W., 67 (1997) 291

Abbas, T., Hasnain, A. and Ali, R., Black gram as a pollen substitute for honey bees, 54 (1995) 357

Abdullah, A.S. and Rajion, M.A., Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79

Abdullah, N., see Imai, S., 52 (1995) 345

Abdullah, N., see Jin, L.Z., 70 (1998) 197

Abo-Shehada, M., see Deshck, A., 73 (1998) 29

Abodabos, A., see Al Jassim, R.A.M., 64 (1997) 287

Abreu, J.M.F., see Bruno-Soares, A.M., 75 (1998) 15

Abreu, J.M.F. and Bruno-Soares, A.M., Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49

Abu-Tarboush, H.M., Al-Saiady, M.Y. and Keir El-Din, A.H., Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39

Acamovic, T., see Salawu, M.B., 69 (1997) 67, 207, 219

Acciaioli, A., see Franci, O., 67 (1997) 279

Acharya, S.N., see Iwaasa, A.D., 57 (1996) 225

Adamović, M., Grubić, G., Milenković, I., Jovanović, R., Protić, R., Sretenović, L. and Stoićević, L., The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 359

Adebowale, E.A., see Taiwo, A.A., 56 (1995) 133

Adekola, A.I., see Aning, K.G., 71 (1998) 185

Adekunle, I.O., see Larbi, A., 72 (1998) 81

Aderibigbe, A.O., Johnson, C.O.L.E., Makkar, H.P.S., Becker, K. and Foidl, N., Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

Adesogan, A.T., Owen, E. and Givens, D.I., Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Adinew, K., see Odenyo, A.A., 65 (1997) 99

Adogla-Bessa, T. and Owen, E., Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 1. Effect of crop growth stage and enzyme on silage composition and stability, 55 (1995) 335

Adogla-Bessa, T. and Owen, E., Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Adomako, D., see Tuah, A.K., 51 (1995) 269

Agnew, R.E., see Park, R.S., 68 (1997) 235

Agnew, R.E., see Park, R.S., 72 (1998) 155

Aguilar, C., see Chilibroste, P., 68 (1997) 259

Agyemang, K., Larbi, A. and Murty, D.S., Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Aharoni, Y., Gilboa, N. and Silanikove, N., Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

Aharoni, Y., see Holzer, Z., 64 (1997) 133

Aherne, F.X., see Baidoo, S.K., 62 (1996) 111

Aherne, F.X., see Darroch, C.S., 61 (1996) 173

Aherne, F.X., see Nam, D.S., 56 (1995) 265

Ahn, H.S., see Kim, C.W., 61 (1996) 343

Ahsan-ul-Haq, A., see Rasool, S., 72 (1998) 347

Aichinger, F., see Zollitsch, W., 66 (1997) 63

Ajakaiye, A., Atteh, J.O. and Leeson, S., Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Ajuyah, A.O., Balnave, D. and Annison, E.F., Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Akin, D.E., Kimball, B.A., Windham, W.R., Pinter Jr., P.J., Wall, G.W., Garcia, R.L., LaMorte, R.L. and Morrison III, W.H., Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Akin, D.E., Morrison III, W.H., Rigsby, L.L., Gamble, G.R., Sethuraman, A. and Eriksson, K.-E.L., Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Akin, D.E., see Ames, N., 54 (1995) 267

Akin, D.E., see Karunanandaa, K., 55 (1995) 179

Akinsoyinu, A.O., see Taiwo, A.A., 56 (1995) 133

Al Bustany, Z., The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283

Al Jassim, R.A.M., Awadeh, F.T. and Abodabos, A., Supplementary feeding value of urea-treaed olive cake when fed to growing Awassi lambs, 64 (1997) 287

Al-Rokayan, S.A., Naseer, Z. and Chaudhry, S.M., Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65
Al-Dehneh, A., Huber, J.T., Wanderley, R., Theurer, C.B., Pessarakli, M. and DeYoung, D., Incorporation of recycled urea–N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327
Al-Saiady, M.Y., see Abu-Tarboush, H.M., 57 (1996) 39
Al-Saiady, M.Y., see Attia, F.M., 65 (1997) 257
Alanis R., J., see Ramos, J.A., 70 (1998) 249
Alaviuhkola, T., see Siljander-Rasi, H., 60 (1996) 1
Alaviuhkola, T., see Valaja, J., 51 (1995) 193
Alawa, J.P., see Kallah, M.S., 68 (1997) 153
Alawa, J.P., see Lakpini, C.A.M., 67 (1997) 197
Albino, L.F.T., see Fialho, E.T., 55 (1995) 239
Alcaraz, G., see Julliand, V., 70 (1998) 161
Aldrich, J.M., Holden, L.A., Muller, L.D. and Varga, G.A., Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257
Alemán, T., see Nahed, J., 68 (1997) 213
Aletor, V.A., see Aning, K.G., 71 (1998) 185
Alexandrov, A.N., Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99
Ali, C.S., see Chaudhry, S.M., 57 (1996) 165
Ali, M.A. and Leeson, S., The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227
Ali, M.A., see Jin, L.Z., 70 (1998) 197
Ali, R., see Abbas, T., 54 (1995) 357
Allen, M.E., see Ullrey, D.E., 59 (1996) 27
Allen, M.S., Relationship between forage quality and dairy cattle production, 59 (1996) 51
Allen, M.S., see Kohn, R.A., 52 (1995) 1, 15
Allonby, E., see Deshck, A., 73 (1998) 29
Almirall, M. and Esteve-Garcia, E., In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
Alokan, J.A., see Aning, K.G., 71 (1998) 185
Alsobayel, A.A., see Attia, F.M., 65 (1997) 257
Alvarez, C., see García, J., 54 (1995) 33
Alvir, M.R., see González, J., 73 (1998) 71
Alvir, M.R., see Pereira, J.C., 74 (1998) 107
Alzueta, C., Rebolé, A., Barro, C., Treviño, J. and Caballero, R., Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249
Alzueta, C., see Rodríguez, M.L., 71 (1998) 341
Åman, P., see Dandanell Daveby, Y., 74 (1998) 229
Amaning, K.O., see Tuah, A.K., 51 (1995) 269
Ameny, G.A., Bunting, L.D., Sticker, L.S., Jenny, B.F. and Hintz, R.W., Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
Ames, N., McElroy, A.R., Akin, D.E. and Lyon, C.E., Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267
Ammerman, C.B., see Henry, P.R., 66 (1997) 237
Ammerman, C.B., see Luo, X.G., 57 (1996) 281
Ammerman, C.B., see Sandoval, M., 66 (1997) 223
Andersen, L.M., see Prawirodigdo, S., 67 (1997) 205
Anderson, D.M., Fredrickson, E.L., Nachman, P., Estell, R.E., Havstad, K.M. and Murray, L.W., Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315
Ando, Y., see Komaki, H., 70 (1998) 363
Andrés, S.G., see González, J., 73 (1998) 71
Andrieu, J., see Aufrère, J., 62 (1996) 77
Andrighetto, I., Cozzi, G., Magni, G., Hartman, B., Hinds, M. and Sapienza, D., Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287
Andrighetto, I., see Cozzi, G., 64 (1996) 43
Angel, C.R., A review of ratite nutrition, 60 (1996) 241
Angue, Y., see Nathier-Dufour, N., 51 (1995) 255
Angulo, E. and Cubiló, D., Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71
Angulo, E., Brufau, J. and Esteve-Garcia, E., Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25
Angulo, E., Brufau, J. and Esteve-Garcia, E., Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
Aning, K.G., Ologun, A.G., Onifade, A., Alokan, J.A., Adekola, A.I. and Aletor, V.A., Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185
Annison, E.F., see Ajuyah, A.O., 62 (1996) 131
Antongiovanni, M., see Franci, O., 67 (1997) 279
Antoniewicz, A., see Kosmala, I., 59 (1996) 245

Antoniewicz, A.M., A new feed description and numbering system designed for feed value database, 54 (1995) 1
Antoniewicz, A.M., Kowalczyk, J., Kanski, J., Gorska-Matusiak, Z. and Nalepka, M., Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
Aranda I., E., see Ramos, J.A., 70 (1998) 249
Arcaro, Jr., I., see de Castro, F.B., 52 (1995) 93
Archibald, K.A.E., see Garcia, G.W., 60 (1996) 29
Archimède, H., Sauvant, D., Dorléans, M., Chapoutot, P. and Poncet, C., Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
Archimède, H., Sauvant, D., Hervieu, J., Poncet, C. and Dorléans, M., Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327
Archimède, H., Sauvant, D., Hervieu, J., Ternois, F. and Poncet, C., Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267
Archimède, H., see Schmidely, P., 63 (1996) 163
Arieli, A., Bruckental, I., Kedar, O. and Sklan, D., In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
Arieli, A., Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97
Arija, I., Brenes, A., Viveros, A. and Elices, R., Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137
Aronen, I., see Vanhatalo, A., 55 (1995) 139
Arosemena, A., DePeters, E.J. and Fadel, J.G., Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
Arosemena, A., DePeters, E.J. and Fadel, J.G., Corrigendum to "Extent of variability in nutrient composition within selected by-product feedstuffs" [Animal Feed Science and Technology 54 (1995) 103–120], 66 (1997) 305
Arosemena, A., see DePeters, E.J., 67 (1997) 127
Arruda, M.A.Z., see Nogueira, A.R.A., 74 (1998) 79
Asante, F., see Atuahene, C.C., 72 (1998) 133
Ashbell, G., see Silva, A.G., 68 (1997) 247
Ashbell, G., see Weinberg, Z.G., 55 (1995) 287
Ashbell, G., Weinberg, Z.G. and Hen, Y., Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
Ashes, J.R., see Gulati, S.K., 64 (1997) 127
Ashes, J.R., see Gulati, S.K., 66 (1997) 159
Ashok, G., Turner, N.D., Byers, F.M., Holtzapple, M.T. and Overhulse, K.A., Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
Astigarraga, L., see Peyraud, J.L., 64 (1997) 155
Astigarraga, L., see Peyraud, J.L., 72 (1998) 235
Atkinson, J.L., see Nyachoti, C.M., 70 (1998) 295
Atreja, P.P., see Ghosh, M.K., 60 (1996) 43
Atreja, P.P., see Gupta, H.K., 74 (1998) 29, 45
Atteh, J.O., see Ajakaiye, A., 65 (1997) 293
Atteh, J.O., see Leeson, S., 57 (1996) 239
Attia, F.M., Alsobayel, A.A., Kriadees, M.S., Al-Saiady, M.Y. and Bayoumi, M.S., Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257
Atuahene, C.C., Donkoh, A. and Asante, F., Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133
Atwell, C.A., see Dibner, J.J., 62 (1996) 1
Audet, L., Emerging feed mill technology: keeping competitive, 53 (1995) 157
Aufrère, J., Graviou, D., Demarquilly, C., Perez, J.M. and Andrieu, J., Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
Aumaitre, A., see Comizzoli, P., 64 (1997) 215
Aumaitre, A., see Lizardo, R., 56 (1995) 67
Aumaitre, A., see Lizardo, R., 66 (1997) 1
Aumaitre, A., see Reis de Souza, T., 52 (1995) 77
Aumont, G., Caudron, I., Saminadin, G. and Xandé, A., Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1
Avondo, M., see Licitra, G., 69 (1997) 315
Awadeh, F.T., see Al Jassim, R.A.M., 64 (1997) 287
Axe, D.E., Factors affecting uniformity of a mix, 53 (1995) 211
Ayala, P.Pd., see Fuente, J.M., 56 (1995) 45
Ayers, A.C., Barrett, R.P. and Cheeke, P.R., Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
Azrieli, A., see Weinberg, Z.G., 55 (1995) 287

B

Baas, T.C., see Thacker, P.A., 63 (1996) 187
Baba, M., see Kallah, M.S., 68 (1997) 153

Babatunde, G.M., see Onifade, A.A., 62 (1996) 91
Babatunde, G.M., see Onifade, A.A., 64 (1997) 337
Babidis, V., see Christaki, E., 65 (1997) 287
Bach Knudsen, K.E., Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319
Bach Knudsen, K.E., see Børsting, C.F., 53 (1995) 317
Bach Knudsen, K.E., see Beames, R.M., 62 (1996) 189
Bach Knudsen, K.E., see Canibe, N., 64 (1997) 293
Bach Knudsen, K.E., see Gdala, J., 65 (1997) 15
Bach Knudsen, K.E., see Jensen, M.S., 72 (1998) 329
Bach Knudsen, K.E., see Steenfeldt, S., 54 (1995) 249
Bach Knudsen, K.E., Steenfeldt, S., Børsting, C.F. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205
Bae, H.D., McAllister, T.A., Kokko, E.G., Leggett, F.L., Yanke, L.J., Jakober, K.D., Ha, J.K., Shin, H.T. and Cheng, K.-J., Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165
Bahaa, A.O., see Corley III, R.N., 72 (1998) 295
Baidoo, S.K., Clowes, E.J. and Aherne, F.X., The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
Baker, R.T.M., The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35
Bakker, R., see Bruining, M., 73 (1998) 37
Bakshi, M.P.S. and Fontenot, J.P., Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
Bakshi, M.P.S., see Wadhwa, M., 72 (1998) 11
Balcells, J., see Martín-Orúe, S.M., 63 (1996) 341
Balcells, J., see Martín-Orúe, S.M., 71 (1998) 269
Balcells, J., see Perez, J.F., 62 (1996) 251
Ballet, N., Besle, J.M. and Demarquilly, C., Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69
Balnave, D., see Ajuyah, A.O., 62 (1996) 131
Balogun, B.I., see Lakpini, C.A.M., 67 (1997) 197
Balogun, T.F., see Kaankuka, F.G., 62 (1996) 229
Baloyi, J.J., Ngongoni, N.T., Topps, J.H. and Ndlovu, P., Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179
Barbosa, H.P., see Fialho, E.T., 55 (1995) 239
Barcena G.R., see Ramos, J.A., 70 (1998) 249
Bárcena, R., see Martínez-Avalos, A.M.M., 70 (1998) 257
Bárcena-Gama, J.R., see Roa V., M.L., 64 (1997) 327
Bárcena-Gama, J.R., see Miranda, R.L.A., 63 (1996) 289
Barej, W., see Puchała, R., 66 (1997) 75
Barnes, R.J., see Park, R.S., 68 (1997) 235
Barresi, S., see Licitra, G., 69 (1997) 315
Barreto, S.L., see Hossain, S.M., 71 (1998) 217
Barreto, S.L., see Hossain, S.M., 73 (1998) 307
Barrett, R.P., see Ayers, A.C., 57 (1996) 51
Barrière, Y., see Tovar-Gómez, M.R., 68 (1997) 77
Barrios Urdaneta, A., see González Ronquillo, M., 72 (1998) 19
Barro, C., see Alzueta, C., 52 (1995) 249
Barroeta, A.C., see Blanch, A., 61 (1996) 335
Barroeta, A.C., see Serrano, X., 70 (1998) 275
Barton, D., see Porter, M.G., 68 (1997) 67
Bas, P., see Schmidely, P., 63 (1996) 163
Basson, H.M., see Meeske, R., 70 (1998) 239
Batajoo, K.K. and Shaver, R.D., In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Batista, L.A.R., see Nogueira, A.R.A., 74 (1998) 79
Batterham, E.S., see Fernández, J.A., 53 (1995) 279
Batterham, E.S., see Prawirodigdo, S., 67 (1997) 205
Baucells, M.D., see Blanch, A., 61 (1996) 335
Baucells, M.D., see Serrano, X., 70 (1998) 275
Bayoumi, M.S., see Attia, F.M., 65 (1997) 257
Bayourthe, C., Moncoulon, R. and Enjalbert, F., Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121
Beames, R.M., Helm, J.H., Eggum, B.O., Boisen, S., Bach Knudsen, K.E. and Swift, M.L., A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
Beauchemin, K.A., see Iwaasa, A.D., 57 (1996) 225
Beauchemin, K.A., Using ADF and NDF in dairy cattle diet formulation—a western Canadian perspective, 58 (1996) 101
Becker, K., see Aderibigbe, A.O., 67 (1997) 223
Becker, K., see Blümmel, M., 69 (1997) 131
Becker, K., see Getachew, G., 72 (1998) 261

Becker, K., see Makkar, H.P.S., 55 (1995) 67
Becker, K., see Makkar, H.P.S., 61 (1996) 381
Becker, K., see Makkar, H.P.S., 63 (1996) 211
Becker, K., see Makkar, H.P.S., 67 (1997) 245
Beckers, Y., Théwis, A. and Maudoux, B., Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305
Bedford, M.R., Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
Beede, D.K., see Sanchez, W.K., 59 (1996) 3
Beek, S.D., see Dado, R.G., 73 (1998) 151
Behnke, K.C., Feed manufacturing technology: current issues and challenges, 62 (1996) 49
Bekaert, H., see Eeckhout, W., 52 (1995) 29
Belay, T., see Teeter, R.G., 58 (1996) 37, 127
Belibasakis, N.G. and Tsirgogianni, D., Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87
Belibasakis, N.G. and Tsirgogianni, D., Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227
Belibasakis, N.G. and Tsirgogianni, D., Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175
Belibasakis, N.G. and Tsirgogianni, D., Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53
Bello, M.G.D. and Escobar, A., Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91
Belyea, R.L., see Brown, I.E., 52 (1995) 299
Belyea, R.L., see Williams, J.E., 70 (1998) 123
Ben Salem, H., Nefzaoui, A., Ben Salem, L. and Tisserand, J.L., Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
Ben Salem, L., see Ben Salem, H., 68 (1997) 101
Ben-Ghedalia, D., see Miron, J., 51 (1995) 91
Ben-Ghedalia, D., see Miron, J., 57 (1996) 75
Ben-Ghedalia, D., see Miron, J., 67 (1997) 311
Berardo, N., Dzowela, B.H., Hove, L. and Odoardi, M., Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201
Berenpas, H.J., see Houdijk, J.G.M., 71 (1998) 35
Berger, L.L., Why do we need a new NRC data base?, 53 (1995) 99
Bernal-Santos, G., van Soest, P.J., Sniffen, C.J. and Thonney, M.L., Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201
Bertechini, A.G., see Hossain, S.M., 71 (1998) 305, 365
Bertechini, A.G., see Hossain, S.M., 73 (1998) 307
Bertin, G., see Giger-Reverdin, S., 63 (1996) 149
Bertin, G., see Jouany, J.P., 75 (1998) 1
Bertrand, D., see Nathier-Dufour, N., 51 (1995) 255
Berzaghi, P., see Cozzi, G., 64 (1996) 43
Besle, J.M., see Ballet, N., 67 (1997) 69
Besser, T.E., see Krytenburg, D.S., 75 (1998) 75
Bezault, N., see Giger-Reverdin, S., 63 (1996) 149
Biot, P., see Carré, B., 71 (1998) 19
Biswas, J.C., see Singh, P., 72 (1998) 183
Bittman, S., see Mir, P.S., 55 (1995) 275
Blümmel, M., Makkar, H.P.S., Chisanga, G., Mtimuni, J. and Becker, K., The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131
Blümmel, M., see Getachew, G., 72 (1998) 261
Blümmel, M., see Makkar, H.P.S., 67 (1997) 245
Blair, R., see Jacob, J.P., 61 (1996) 27, 41
Blanch, A., Barroeta, A.C., Baucells, M.D., Serrano, X. and Puchal, F., Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335
Blas, E., see Fernández-Carmona, J., 52 (1995) 289
Blas, E., see Fernández-Carmona, J., 64 (1996) 61
Boer, H., see Williams, B.A., 57 (1996) 183
Bohatier, J., see Jouany, J.P., 75 (1998) 1
Böhme, H., see Flachowsky, G., 64 (1997) 91
Boisen, S. and Fernández, J.A., Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
Boisen, S. and Fernández, J.A., Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
Boisen, S., see Beames, R.M., 62 (1996) 189
Bolsen, K.K., see Coblentz, W.K., 72 (1998) 53
Bonsi, M.L.K., Osuji, P.O. and Tuah, A.K., Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Bonsi, M.L.K., Tuah, A.K., Osuji, P.O., Nsahlai, V.I. and Umunna, N.N., The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
Boorman, K.N., see Short, F.J., 59 (1996) 215
Boros, D., see Marquardt, R.R., 60 (1996) 321
Borowy, N.K., see Makkar, H.P.S., 55 (1995) 67
Borowy, N.K., see Makkar, H.P.S., 61 (1996) 381
Børsting, C.F., Bach Knudsen, K.E., Steenfeldt, S., Mejborn, H. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
Børsting, C.F., see Bach Knudsen, K.E., 52 (1995) 205
Børsting, C.F., see Steenfeldt, S., 54 (1995) 249
Bosch, M.W., see Houdijk, J.G.M., 71 (1998) 35
Bosch, M.W., see Qin, G., 57 (1996) 313
Bosch, M.W., see van der Poel, A.F.B., 66 (1997) 289
Bossuyt, C., see Wittenberg, K.M., 60 (1996) 301
Boucqué, Ch.V., see de Boever, J.L., 51 (1995) 243
Boucqué, Ch.V., see De Boever, J.L., 60 (1996) 103
Boucqué, Ch.V., see De Boever, J.L., 66 (1997) 211
Boucqué, Ch.V., see De Boever, J.L., 75 (1998) 93
Boucqué, Ch.V., see Fiems, L.O., 71 (1998) 79
Boucqué, Ch.V., see de Smet, A.M., 51 (1995) 297
Bovolenta, S., see Malossini, F., 61 (1996) 155
Bowman, J.G.P., Sowell, B.F. and Paterson, J.A., Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
Bradley, G.L. and Savage, T.F., The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
Bradley, G.L. and Savage, T.F., The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
Brand, T.S. and Van der Merwe, J.P., Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139
Brand, T.S., Olckers, R.C. and van der Merwe, J.P., Triticale (*Tritico secale*) as substitute for maize in pig diets, 53 (1995) 345
Brenes, A., see Arija, I., 70 (1998) 137
Brenes, A., see Marquardt, R.R., 60 (1996) 321
Britton, R.A., see Mendoza, G.D., 54 (1995) 315
Britton, R.A., see Mendoza, G.D., 74 (1998) 329
Britton, R.A., see Richards, C.J., 55 (1995) 35
Broersma, K., see Mir, P.S., 55 (1995) 275
Brosh, A., see Holzer, Z., 64 (1997) 133
Brouns, F., Edwards, S.A. and English, P.R., Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301
Brown, D.L., see Wright, J.B., 69 (1997) 195
Brown, I.E., Fellner, V., Belyea, R.L. and Ellersieck, M.R., Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
Brownlee, A.G., see Faichney, G.J., 64 (1997) 193
Bruckental, I., see Arieli, A., 51 (1995) 287
Bruckental, I., see Miron, J., 57 (1996) 75
Brufau, J., see Angulo, E., 53 (1995) 233
Brufau, J., see Angulo, E., 63 (1996) 25
Bruining, M., Bakker, R., van Bruchem, J. and Tamminga, S., Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37
Bruni, R., see Franci, O., 67 (1997) 279
Bruno-Soares, A.M., Murray, I., Paterson, R.M. and Abreu, J.M.F., Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
Bruno-Soares, A.M., see Abreu, J.M.F., 70 (1998) 49
Bryden, W.L., see Hew, L.I., 75 (1998) 83
Bryden, W.L., see Ravindran, V., 63 (1996) 323
Buchanan-Smith, J.G., see Iwaasa, A.D., 57 (1996) 225
Bunting, L.D., see Ameny, G.A., 53 (1995) 305
Buraczewska, L., see Gdala, J., 67 (1997) 115
Buraczewska, L., Valaja, J., Buraczewski, S., Näsi, M. and Gdala, J., Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
Buraczewski, S., see Buraczewska, L., 58 (1996) 201
Burton, J.L., Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
Butler, L.G., see Wheeler, R.A., 64 (1996) 1
Buxton, D.R., Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
Byers, E.B., see Gulati, S.K., 66 (1997) 159
Byers, F.M, see Gandi, J., 68 (1997) 195

Byers, F.M., see Ashok, G., 53 (1995) 267
Byers, Y.G., see Gulati, S.K., 66 (1997) 159

C

Caballero, R., see Alzueta, C., 52 (1995) 249
Caine, W.R., see Imbeah, M., 52 (1995) 41
Caine, W.R., Verstegen, M.W.A., Sauer, W.C., Tamminga, S. and Schulze, H., Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177
Calsamiglia, S., see Howie, S.A., 63 (1996) 1
Campbell, L.D., see Simbaya, J., 61 (1996) 219
Campos, R., see de Blas, J.C., 70 (1998) 151
Cañeque, V., Velasco, S., Sancha, J.L., Manzanares, C. and Souza, O., Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241
Canibe, N. and Bach Knudsen, K.E., Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Canibe, N. and Eggum, B.O., Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Carabaño, R., Motta-Ferreira, W., de Blas, J.C. and Fraga, M.J., Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249
Carazzolo, A., see Xiccato, G., 71 (1998) 229
Carithers, S.N., see Corley III, R.N., 72 (1998) 295
Carlini, C.R., see Udedibie, A.B.I., 74 (1998) 95, 179
Carmona, J., see Nahed, J., 68 (1997) 213
Carpino, S., see Licitra, G., 69 (1997) 315
Carpino, S., see Licitra, G., 72 (1998) 1
Carré, B., Melcion, J.P., Widiez, J.L. and Biot, P., Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19
Carro, M.D., see López, S., 73 (1998) 99
Carro, M.D., see Pereira, J.C., 74 (1998) 107
Carroll, D.J., see Evers, D.J., 59 (1996) 233
Carroll, D.J., see Evers, D.J., 71 (1998) 241
Casler, M.D., Schneider, D.K. and Combs, D.K., Development and application of a selection criterion for particle size breakdown of smooth bromegrass leaves, 61 (1996) 57
Castañón, A.A.R., see Pieltain, M.C., 62 (1996) 271
Castañón, J.I.R., Flores, M.P. and Pettersson, D., Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361
Castañón, J.I.R., see Pieltain, M.C., 62 (1996) 271
Castañón, J.I.R., see Pieltain, M.C., 73 (1998) 187
Castaño, A., see Lopez-Bote, C.J., 70 (1998) 1
Castaño, A., see Lopez-Bote, C.J., 72 (1998) 33
Castell, A.G., Guenter, W. and Igbasan, F.A., Nutritive value of peas for nonruminant diets, 60 (1996) 209
Castell, A.G., see McNiven, M.A., 52 (1995) 333
Castrillo, C., Fondevila, M., Guada, J.A. and de Vega, A., Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Castrillo, C., see Martín-Orúe, S.M., 63 (1996) 341
Castrillo, C., see Martín-Orúe, S.M., 71 (1998) 269
Caudron, I., see Aumont, G., 51 (1995) 1
Centeno, C., see Rodríguez, M.L., 71 (1998) 341
Cervera, C., see Fernández-Carmona, J., 52 (1995) 289
Cervera, C., see Fernández-Carmona, J., 64 (1996) 61
Chai, W. and Udén, P., An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281
Chalupa, W. and Sniffen, C.J., Protein and amino acid nutrition of lactating dairy cattle—today and tomorrow, 58 (1996) 65
Chalupa, W., Galligan, D.T. and Ferguson, J.D., Animal nutrition and management in the 21st century: dairy cattle, 58 (1996) 1
Chaney, W.R., see Wheeler, R.A., 64 (1996) 1
Chang, S., see Gandi, J., 68 (1997) 195
Chapoutot, P. and Sauvant, D., Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
Chapoutot, P., see Archimède, H., 54 (1995) 341
Chase, L.E., see Hall, M.B., 70 (1998) 23
Chaudhary, L.C. and Srivastava, A., Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281
Chaudhary, L.C., Srivastava, A. and Singh, K.K., Rumen fermentation pattern and digestion of structural carbohydrates in buffalo (Bubalus bubalis) calves as affected by ciliate protozoa, 56 (1995) 111

Chaudhry, A.S. and Miller, E.L., The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Chaudhry, A.S., In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Chaudhry, A.S., Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Chaudhry, S.M., Fontenot, J.P. and Naseer, Z., Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Chaudhry, S.M., Fontenot, J.P., Naseer, Z. and Ali, C.S., Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165

Chaudhry, S.M., see Al-Rokayan, S.A., 75 (1998) 65

Che, X., see Li, D., 73 (1998) 173

Cheeke, P.R., see Ayers, A.C., 57 (1996) 51

Cheeke, P.R., see Hussain, I., 51 (1995) 231

Cheeke, P.R., see Hussain, I., 57 (1996) 1, 195

Cheeke, P.R., see Hussain, I., 62 (1996) 121

Cheeke, P.R., see Wang, Y., 74 (1998) 143

Chen, C.R., see Wen-Shyg Chiou, P., 74 (1998) 123

Chen, H.P., see Tan, Z.L., 53 (1995) 337

Chen, K.-L., see Wen-shyg Chiou, P., 73 (1998) 161

Chen, K.J., see Wen-Shyg Chiou, P., 74 (1998) 123

Chen, K.-C., see Chiou, P.W.-S., 54 (1995) 93

Chen, K.-J., see Chiou, P.W.-S., 55 (1995) 215

Chen, K.-J., see Chiou, P.W.-S., 68 (1997) 339

Chen, K.-L., see Wen-shyg Chiou, P., 67 (1997) 49

Chen, T.C., see Lin, C.D., 54 (1995) 217

Chen, X.B., see Chikunya, S., 63 (1996) 333

Cheng, K.-J., see Wang, Y., 74 (1998) 143

Cheng, K.-J., see Bae, H.D., 65 (1997) 165

Cheng, K.-J., see McAllister, T.A., 62 (1996) 29

Chew, B.P., Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Chhabra, A., see Ghosh, M.K., 60 (1996) 43

Chiba, L.I., Ivey, H.W., Cummins, K.A. and Gamble, B.E., Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

Chiba, L.I., Ivey, H.W., Cummins, K.A. and Gamble, B.E., Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Chigwada, W., see Galbraith, H., 67 (1997) 83

Chikunya, S., Newbold, C.J., Rode, L., Chen, X.B. and Wallace, R.J., Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Chilibroste, P., Aguilar, C. and García, F., Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen–reticulum, 68 (1997) 259

Chiou, P.W.S., see Hsu, J.-C., 60 (1996) 93

Chiou, P.W.S., see Yu, B., 70 (1998) 353

Chiou, P.W.-S., Chen, K.-J., Kuo, K.-S., Hsu, J.-C. and Yu, B., Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93

Chiou, P.W.-S., Chen, K.-J., Kuo, K.-S., Hsu, J.-C. and Yu, B., Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215

Chiou, P.W.-S., Yu, B., Wu, S.-S. and Chen, K.-J., Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Chisanga, G., see Blümmel, M., 69 (1997) 131

Chopra, R.C., see Ghosh, M.K., 60 (1996) 43

Christaki, E., Babidis, V., Florou-Paneri, P., Kufidis, D. and Spais, A.B., Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Christensen, D.A., see McKinnon, J.J., 56 (1995) 243

Christensen, D.A., see Mustafa, A.F., 64 (1997) 273

Chriyaa, A., Moore, K.J. and Waller, S.S., Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Chriyaa, A., Moore, K.J. and Waller, S.S., Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Chuzaemi, S., see Williams, B.A., 57 (1996) 183

Chwalibog, A., see Cilliers, S.C., 71 (1998) 371

Chwalibog, A., see Cilliers, S.C., 72 (1998) 283

Cid, J.M., see Madrid, J., 63 (1996) 89

Cid, J.M., see Madrid, J., 65 (1997) 129

Cilliers, J.W., Vermaak, L.M., Jaarsma, J.J. and Oosthuysen, D., Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Cilliers, S.C., Hayes, J.P., Chwalibog, A., Sales, J. and Du Preez, J.J., Determination of energy,

protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283
Cilliers, S.C., Hayes, J.P., Sales, J., Chwalibog, A. and Du Preez, J.J., The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 371
Classen, H.L., Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21
Classen, H.L., see Newkirk, R.W., 72 (1998) 315
Clowes, E.J., see Baidoo, S.K., 62 (1996) 111
Coblentz, W.K., Fritz, J.O., Bolsen, K.K., King, C.W. and Cochran, R.C., The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53
Cobos, M.A., see Martínez-Avalos, A.M.M., 70 (1998) 257
Cobos, P.M.A., see Miranda, R.L.A., 63 (1996) 289
Cochran, R.C., see Coblentz, W.K., 72 (1998) 53
Cohen, R.D.H., see McKinnon, J.J., 56 (1995) 243
Coic, J.P., see Fauduet, H., 56 (1995) 99
Coleman, S.W., see Dabo, S.M., 67 (1997) 299
Colin, M., see Peeters, J.E., 51 (1995) 123
Combs, D.K., see Casler, M.D., 61 (1996) 57
Comizzoli, P., Peiniau, J., Dutertre, C., Planquette, P. and Aumaitre, A., Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari, Tayassu tajacu*) raised in French Guyana, 64 (1997) 215
Cone, J.W., see Groot, J.C.J., 64 (1996) 77
Cone, J.W., van Gelder, A.H. and Driehuis, F., Description of gas production profiles with a three-phasic model, 66 (1997) 31
Cone, J.W., van Gelder, A.H., Visscher, G.J.W. and Oudshoorn, L., Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113
Coombes, N.E., see Nandra, K.S., 70 (1998) 281
Coon, C.N., see Leske, K.L., 54 (1995) 275
Coon, C.N., see Leske, K.L., 61 (1996) 377
Cooper, K.M., see Gordon, F.J., 70 (1998) 339
Corah, L., Trace mineral requirements of grazing cattle, 59 (1996) 61
Cordesse, R., see Zimmer, N., 61 (1996) 259
Corley III, R.N., Wold, J.E., Carithers, S.N., Bahaa, A.O. and Murphy, M.R., Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295
Corley, R.N., Woldeghebriel, A. and Murphy, M.R., Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183
Cortova, Z., see Lindberg, J.E., 56 (1995) 11
Cottyn, B.G., see de Boever, J.L., 51 (1995) 243
Cottyn, B.G., see De Boever, J.L., 60 (1996) 103
Cottyn, B.G., see De Boever, J.L., 66 (1997) 211
Cottyn, B.G., see De Boever, J.L., 75 (1998) 93
Cottyn, B.G., see Fiems, L.O., 71 (1998) 79
Cottyn, B.G., see Givens, D.I., 54 (1995) 55
Cousins, R.J., see Sandoval, M., 66 (1997) 223
Cowan, W.D., Korsbak, A., Hastrup, T. and Rasmussen, P.B., Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
Cozzi, G., Berzaghi, P., Gottardo, F., Gabai, G. and Andrighetto, I., Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43
Cozzi, G., see Andrighetto, I., 54 (1995) 287
Crawshaw, R., see Rooke, J.A., 64 (1997) 243
Crooker, B.A., see Yoon, I.K., 60 (1996) 13
Cubiló, D., see Angulo, E., 72 (1998) 71
Cummins, K.A., see Chiba, L.I., 53 (1995) 1
Cummins, K.A., see Chiba, L.I., 57 (1996) 15
Cyril, H.W., see Ravindran, V., 57 (1996) 335

D

Dabo, S.M., Taliaferro, C.M. and Coleman, S.W., Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299
Dado, R.G. and Beek, S.D., In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151
Dakowski, P., Weisbjerg, M.R. and Hvelplund, T., The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213
Dale, N., Variation in feed ingredient quality: oilseed meals, 59 (1996) 129
Dalibard, P. and Paillard, E., Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189
Dalzell, S.A. and Shelton, H.M., Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 153
Dandanell Daveby, Y., Razdan, A. and Åman, P., Effect of particle size and enzyme supplementation of diets based on dehulled peas on the

nutritive value for broiler chickens, 74 (1998) 229
Dapoza, C., see Martín-Orúe, S.M., 63 (1996) 341
Darroch, C.S., Aherne, F.X., Helm, J., Sauer, W.C. and Jaikaran, S., Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
Darroch, C.S., see Nam, D.S., 56 (1995) 265
Dass, R.S., see Toppo, S., 64 (1997) 101
Dass, R.S., see Verma, A.K., 59 (1996) 255
Dass, R.S., see Verma, A.K., 73 (1998) 339
Davis, J.J., see Puchala, R., 55 (1995) 253
Dawson, L. and Mayne, C.S., The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
Dawson, L.E.R. and Mayne, C.S., The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
Dawson, L.E.R. and Mayne, C.S., The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
Dawson, L.E.R. and Steen, R.W.J., The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61
de Blas, C., see García, J., 54 (1995) 33
de Blas, J.C., see Carabaño, R., 65 (1997) 249
de Blas, J.C., Taboada, E., Nicodemus, N., Campos, R., Piquer, J. and Méndez, J., Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151
De Boever, J., see Kosmala, I., 59 (1996) 245
De Boever, J.L., Cottyn, B.G., De Brabander, D.L., Vanacker, J.M. and Boucqué, Ch.V., Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103
De Boever, J.L., Cottyn, B.G., De Brabander, D.L., Vanacker, J.M. and Boucqué, Ch.V., Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211
de Boever, J.L., Cottyn, B.G., Vanacker, J.M. and Boucqué, C., The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
De Boever, J.L., Iantcheva, N., Cottyn, B.G., De Campeneere, S., Fiems, L.O. and Boucqué, Ch.V., Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93
de Boever, J.L., see de Smet, A.M., 51 (1995) 297
De Brabander, D.L., see De Boever, J.L., 60 (1996) 103
De Brabander, D.L., see De Boever, J.L., 66 (1997) 211
de Brabander, D.L., see de Smet, A.M., 51 (1995) 297
De Campeneere, S., see De Boever, J.L., 75 (1998) 93
De Campeneere, S., see Fiems, L.O., 71 (1998) 79
de Castro, F.B., Paiva, T.C.B. and Arcaro, Jr., I., Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
De Groote, G. and Huyghebaert, G., The bioavailability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329
de Lange, C.F.M., see Fan, M.Z., 52 (1995) 189
de Lange, C.F.M., see Patience, J.F., 58 (1996) 19
de Monredon, F.L.D., see Nathier-Dufour, N., 51 (1995) 255
de Paepe, M., see Eeckhout, W., 52 (1995) 29
de Queiroz, A.C., see Vieira, R.A.M., 66 (1997) 197
de Queiroz, A.C., see Vieira, R.A.M., 67 (1997) 153
De Schrijver, R., see Vande Ginste, J., 72 (1998) 303
de Smet, A.M., de Boever, J.L., de Brabander, D.L., Vanacker, J.M. and Boucqué, C.V., Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297
de Vaux, A., see Julliand, V., 70 (1998) 161
de Vega, A., see Castrillo, C., 51 (1995) 73
de Wit, J., see Schiere, J.B., 51 (1995) 45
de Wit, W., see van der Klis, J.D., 51 (1995) 15
Deaville, E.R. and Givens, D.I., Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41
Deaville, E.R., see Givens, D.I., 66 (1997) 247
Debersaques, F.M.A.J., see Groot, J.C.J., 64 (1996) 77
Degen, A., see Makkar, H.P.S., 55 (1995) 67
Degen, A., see Makkar, H.P.S., 61 (1996) 381
Delaby, L., see Delagarde, R., 66 (1997) 165
Delagarde, R., Peyraud, J.L. and Delaby, L., The effect of nitrogen fertilization level and protein

supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
Demarquilly, C., see Aufrère, J., 62 (1996) 77
Demarquilly, C., see Ballet, N., 67 (1997) 69
Demeyer, D., see Nollet, L., 71 (1998) 49
Demeyer, D., see Piattoni, F., 73 (1998) 353
Demeyer, D.I., see Mbanzamihigo, L., 62 (1996) 215
Demeyer, D.I., see Mbanzamihigo, L., 67 (1997) 339
Dent, J.B., see Herrero, M., 60 (1996) 51
Dent, J.B., see Herrero, M., 69 (1997) 281
DePeters, E.J., Fadel, J.G. and Arosemena, A., Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127
DePeters, E.J., see Arosemena, A., 54 (1995) 103
DePeters, E.J., see Arosemena, A., 66 (1997) 305
Deshck, A., Abo-Shehada, M., Allonby, E., Givens, D.I. and Hill, R., Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29
Devaux, M.-F., see Nathier-Dufour, N., 51 (1995) 255
Dewey, P.J.S., see Givens, D.I., 54 (1995) 55
Dewhurst, R.J., Hepper, D. and Webster, A.J.F., Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211
DeYoung, D., see Al-Dehneh, A., 68 (1997) 327
Dhanoa, M.S., see Sileshi, Z., 61 (1996) 73
Diéguez, F.J., see Ly, J., 72 (1998) 397
Dias-da-Silva, A.A., see Fonseca, A.J.M., 72 (1998) 205
Dibner, J.J., Atwell, C.A., Kitchell, M.L., Shermer, W.D. and Ivey, F.J., Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1
Dixon, R.M., see Paduano, D.C., 53 (1995) 55
Djouvinov, D., Pavlov, D., Ilchev, A. and Enev, E., Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
Djouvinov, D.S., Nakashima, Y., Todorov, N. and Pavlov, D., In situ degradation of feed purines, 71 (1998) 67
D'Mello, J.P.F. and Macdonald, A.M.C., Mycotoxins, 69 (1997) 155
Domingo, J.A., see Paduano, D.C., 53 (1995) 55
Dominguez, P.L., see Ly, J., 70 (1998) 265
Donawa, A.A., see Lallo, C.H.O., 67 (1997) 213
Donkoh, A., see Atuahene, C.C., 72 (1998) 133
Doré, J., see Faichney, G.J., 64 (1997) 193
Doreau, M., see Ottou, J.F., 58 (1996) 187
Dorléans, M., see Archimède, H., 54 (1995) 327, 341
Dorleans, M., Mandran, N. and Sauvant, D., Study of the use of a protease with the van Soest procedure, 61 (1996) 129
Driehuis, F., see Cone, J.W., 66 (1997) 31
Dryhurst, N. and Wood, C.D., The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131
Du Preez, J.J., see Cilliers, S.C., 71 (1998) 371
Du Preez, J.J., see Cilliers, S.C., 72 (1998) 283
Dunsdon, A.J., see Stewart, J.L., 75 (1998) 111
Dunshea, F.R., see Prawirodigdo, S., 67 (1997) 205
Dutertre, C., see Comizzoli, P., 64 (1997) 215
Dzowela, B.H., Hove, L., Maasdorp, B.V. and Mafongoya, P.L., Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
Dzowela, B.H., Hove, L., Topps, J.H. and Mafongoya, P.L., Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
Dzowela, B.H., see Berardo, N., 69 (1997) 201
Dzowela, B.H., see Nherera, F.V., 74 (1998) 15

E

Edwards, S.A., see Brouns, F., 54 (1995) 301
Eeckhout, W., de Paepe, M., Warnants, N. and Bekaert, H., An estimation of the minimal P requirements for growing–finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29
Eggum, B.O., see Børsting, C.F., 53 (1995) 317
Eggum, B.O., see Bach Knudsen, K.E., 52 (1995) 205
Eggum, B.O., see Beames, R.M., 62 (1996) 189
Eggum, B.O., see Canibe, N., 64 (1997) 311
Eggum, B.O., see Jensen, S.K., 53 (1995) 17
Eggum, B.O., see Jensen, S.K., 54 (1995) 9
Eggum, B.O., see Liu, Y., 52 (1995) 257
Eggum, B.O., see Pettersson, Å., 62 (1996) 203

Eggum, B.O., see Steenfeldt, S., 54 (1995) 249
Eggum, B.O., see Stritzler, N.P., 70 (1998) 11
Elices, R., see Arija, I., 70 (1998) 137
Elise Aakre, S., see Paus, J., 73 (1998) 195
Elizalde, J.C., Santini, F.J. and Pasinato, A.M., The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors.II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245
Ellersieck, M.R., see Brown, I.E., 52 (1995) 299
Ellis, W.C., see Ramirez Piñeres, M.A., 64 (1997) 113
Ellis, W.C., see Ramirez Piñeres, M.A., 65 (1997) 139
Emanuelson, M., see Gonda, H.L., 64 (1996) 27
Emile, J.C., see Tovar-Gómez, M.R., 68 (1997) 77
Endres, M.I., see Mansfield, H.R., 55 (1995) 47
Enev, E., see Djouvinov, D., 68 (1997) 287
English, P.R., see Brouns, F., 54 (1995) 301
Engstroma, D.F., see Goonewardene, L.A., 74 (1998) 135
Enjalbert, F., see Bayourthe, C., 72 (1998) 121
Erasmus, L.J., see Schroeder, G.E., 58 (1996) 249
Eriksson, K.-E.L., see Akin, D.E., 63 (1996) 305
Escobar, A., see Bello, M.G.D., 69 (1997) 91
Estell, R.E., see Anderson, D.M., 70 (1998) 315
Esteve-Garcia, E., see Almirall, M., 54 (1995) 149
Esteve-Garcia, E., see Angulo, E., 53 (1995) 233
Esteve-Garcia, E., see Angulo, E., 63 (1996) 25
Etheridge, R.D., Pesti, G.M. and Foster, E.H., A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21
Evers, D.J. and Carroll, D.J., Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241
Evers, D.J. and Carroll, D.J., Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

F

Faddy, M.J., see Kennedy, P.M., 66 (1997) 111
Fadel, J.G., see Arosemena, A., 54 (1995) 103
Fadel, J.G., see Arosemena, A., 66 (1997) 305
Fadel, J.G., see DePeters, E.J., 67 (1997) 127
Fagbenro, O.A. and Jauncey, K., Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11
Faichney, G.J., Poncet, C., Lassalas, B., Jouany, J.P., Millet, L., Doré, J. and Brownlee, A.G., Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
Fall-Toure, S. and Michalet-Doreau, B., Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65
Fan, M.Z., Sauer, W.C. and de Lange, C.F.M., Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Fang, R.J., see Tan, Z.L., 53 (1995) 337
Fanimo, A.O. and Fashina-Bombata, H.A., The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191
Farag, M.D.El-D.H., The nutritive value for chicks of full-fat soybeans irradiated at up to 60 kGy (Cairo, Egypt) 73 (1998) 319
Farnworth, E.R., Modler, H.W. and Mackie, D.A., Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153
Farrell, D.J., see Prawirodigdo, S., 67 (1997) 205
Fashina-Bombata, H.A., see Fanimo, A.O., 71 (1998) 191
Fauduet, H., Coic, J.P., Lessire, M., Quinsac, A., Ribaillier, D. and Rollin, P., Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99
Faverdin, P., see Peyraud, J.L., 64 (1997) 155
Fawcett, R.H., see Herrero, M., 60 (1996) 51
Fawcett, R.H., see Herrero, M., 69 (1997) 281
Fellner, V., see Brown, I.E., 52 (1995) 299
Fenton, T.F., see Walshaw, J., 71 (1998) 311
Ferguson, J.D., Diet, production and reproduction in dairy cows, 59 (1996) 173
Ferguson, J.D., see Chalupa, W., 58 (1996) 1
Ferguson, T.U., see Garcia, G.W., 60 (1996) 29
Fernández, C., Gallego, L. and Lopez-Bote, C.J., Effect of betaine on fat content in growing lambs, 73 (1998) 329
Fernández, E., see Tortuero, F., 53 (1995) 255

Fernández, J.A. and Batterham, E.S., The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
Fernández, J.A., see Boisen, S., 51 (1995) 29
Fernández, J.A., see Boisen, S., 68 (1997) 277
Fernández-Carmona, J., Cervera, C. and Blas, E., Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
Fernández-Carmona, J., Cervera, C., Sabater, C. and Blas, E., Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289
Ferrara, R., see Miranda, R.L.A., 63 (1996) 289
Ferrer, A., see Gandi, J., 68 (1997) 195
Fialho, E.T., Barbosa, H.P. and Albino, L.F.T., Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239
Fiems, L.O., Cottyn, B.G., De Campeneere, S. and Boucqué, C., Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79
Fiems, L.O., see De Boever, J.L., 75 (1998) 93
Firman, J.D., see Williams, J.E., 70 (1998) 123
Fisher, L.J., see Makoni, N.F., 53 (1995) 221
Fisher, L.J., see Tait, R.M., 62 (1996) 69
Flachowsky, G., Ochrimenko, W.I., Schneider, M. and Richter, G.H., Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117
Flachowsky, G., Schöne, F., Schaarmann, G., Lübbe, F. and Böhme, H., Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91
Flores, M.P., see Castañón, J.I.R., 68 (1997) 361
Flores, M.P., see Pieltain, M.C., 62 (1996) 271
Flores, M.P., see Pieltain, M.C., 73 (1998) 187
Florou-Paneri, P., see Christaki, E., 65 (1997) 287
Foidl, N., see Aderibigbe, A.O., 67 (1997) 223
Foltýn, J., see Komprda, T., 67 (1997) 141
Fondevila, M., see Castrillo, C., 51 (1995) 73
Fondevila, M., see González Ronquillo, M., 72 (1998) 19
Fonseca, A.J.M., Dias-da-Silva, A.A. and Ørskov, E.R., In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
Fontenot, J.P., see Bakshi, M.P.S., 74 (1998) 337
Fontenot, J.P., see Chaudhry, S.M., 57 (1996) 165
Fontenot, J.P., see Chaudhry, S.M., 74 (1998) 155
Fontenot, J.P., see Rogers, M., 65 (1997) 113
Fonty, G., see Julliand, V., 70 (1998) 161
Formal, M., see Toullec, R., 73 (1998) 115
Forster Jr., L.A., see Patil, A.R., 55 (1995) 87
Foster, E.H., see Etheridge, R.D., 73 (1998) 21
Foulkes, G.R., see Wilman, D., 63 (1996) 99, 111
Fraga, M.J., see Carabaño, R., 65 (1997) 249
Fraga, M.J., see Villamide, M.J., 70 (1998) 211
Franci, O., Antongiovanni, M., Acciaioli, A., Bruni, R. and Martini, A., Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279
Fransen, H.M.P., see van der Poel, A.F.B., 66 (1997) 289
František, J., see Komprda, T., 67 (1997) 141
Fraser, H., see Rooke, J.A., 70 (1998) 175
Fredeen, A.H., Considerations in the nutritional modification of milk composition, 59 (1996) 185
Fredrickson, E.L., see Anderson, D.M., 70 (1998) 315
Frejnagel, S., see Zdunczyk, Z., 72 (1998) 143
Friot, D., see Touré, S.F., 74 (1998) 63
Fris Jensen, J., see Steenfeldt, S., 75 (1998) 27, 45
Fritz, J.O., see Coblentz, W.K., 72 (1998) 53
Fron, M., Madeira, H., Richards, C. and Morrison, M., The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235
Frye, T.M., see Scherf, H., 59 (1996) 115
Fuente, J.M., Pérez de Ayala, P. and Villamide, M.J., Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45
Fujita, H., see Takahashi, J., 74 (1998) 273
Furuse, M., see Komaki, H., 70 (1998) 363

G

Gabai, G., see Cozzi, G., 64 (1996) 43
Gabert, V.M. and Sauer, W.C., The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
Gachuiri, C.K., see Mbuthia, E.W., 67 (1997) 291
Galbraith, H., Chigwada, W., Scaife, J.R. and Humphries, W.R., The effect of dietary molybdenum supplementation on tissue copper con-

centrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83
Galbraith, H., see Rouzbehan, Y., 59 (1996) 279
Galbraith, H., see Rouzbehan, Y., 62 (1996) 151
Gallego, L., see Fernández, C., 73 (1998) 329
Galligan, D.T., see Chalupa, W., 58 (1996) 1
Galloway Sr., D.L., see Patil, A.R., 55 (1995) 87
Galloway Sr., D.L., see Rossi, J.E., 62 (1996) 163
Galloway, Sr., D.L., see Goetsch, A.L., 66 (1997) 271
Galloway, Sr., D.L., see Rossi, J.E., 71 (1998) 145
Gamble, B.E., see Chiba, L.I., 53 (1995) 195
Gamble, B.E., see Chiba, L.I., 57 (1996) 15
Gamble, G.R., see Akin, D.E., 63 (1996) 305
Gandi, J., Holtzapple, M.T., Ferrer, A., Byers, F.M, Turner, N.D., Nagwani, M. and Chang, S., Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195
García B., C., see Roa V., M.L., 64 (1997) 327
García, A., see Ly, J., 72 (1998) 397
García, F., see Chilibroste, P., 68 (1997) 259
García-Bojalil, C.M., see Martínez-Avalos, A.M.M., 70 (1998) 257
García-Ciudad, A., Ruano-Ramos, A., Vázquez de Aldana, B.R. and García-Criado, B., Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257
García-Criado, B., see García-Ciudad, A., 66 (1997) 257
García, J., Pérez-Alba, L., Alvarez, C., Rocha, R., Ramos, M. and de Blas, C., Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33
Garcia, G.W., Ferguson, T.U., Neckles, F.A. and Archibald, K.A.E., The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
Garcia, R.L., see Akin, D.E., 53 (1995) 29
Garcia-Bojalil, C., see Ramos, J.A., 70 (1998) 249
Garnsworthy, P.C., see Moss, A.R., 55 (1995) 9
Garrido, A., see Guzmán, J.L., 57 (1996) 149
Gates, R.N., see Mandebvu, P., 73 (1998) 263, 281
Gay, C.C., see Krytenburg, D.S., 75 (1998) 75
Gay, J.M., see Krytenburg, D.S., 75 (1998) 75
Gdala, J., Jansman, A.J.M., Buraczewska, L., Huisman, J. and van Leeuwen, P., The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
Gdala, J., Jansman, A.J.M., van Leeuwen, P., Huisman, J. and Verstegen, M.W.A., Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
Gdala, J., Johansen, H.N., Bach Knudsen, K.E., Knap, I.H., Wagner, P. and Jørgensen, O.B., The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
Gdala, J., see Buraczewska, L., 58 (1996) 201
Gerdemann, M.M., see Kreuzer, M., 73 (1998) 1
Getachew, G., Blümmel, M., Makkar, H.P.S. and Becker, K., In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261
Ghosh, M.K., Chhabra, A., Atreja, P.P. and Chopra, R.C., Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43
Gidenne, T. and Jehl, N., Replacement of starch by digestible fibre in the feed for the growing rabbit.1. Consequences for digestibility and rate of passage, 61 (1996) 183
Gidenne, T., Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 255
Gidenne, T., see Jehl, N., 61 (1996) 193
Giger-Reverdin, S., Bezault, N., Sauvant, D. and Bertin, G., Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149
Giger-Reverdin, S., Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295
Gilboa, N., see Aharoni, Y., 71 (1998) 251
Gill, R.J., see Ravindran, V., 63 (1996) 323
Givens, D.I., Cottyn, B.G., Dewey, P.J.S. and Steg, A., A comparison of the neutral detergent–cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
Givens, D.I., Deaville, E.R. and Moss, A.R., The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247
Givens, D.I., see Adesogan, A.T., 74 (1998) 259
Givens, D.I., see Deaville, E.R., 72 (1998) 41
Givens, D.I., see Deshck, A., 73 (1998) 29
Givens, D.I., see Huntington, J.A., 64 (1997) 227
Givens, D.I., see Huntington, J.A., 68 (1997) 115, 131

Givens, D.I., see Moss, A.R., 55 (1995) 9
Givens, D.I., see Moss, A.R., 68 (1997) 11
Givens, D.I., see Wilman, D., 63 (1996) 99, 111
Gizzi, G., Zanchi, R. and Sciaraffia, F., Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291
Glenn, E.P., see Swingle, R.S., 63 (1996) 137
Goetsch, A.L., Patil, A.R., Wang, Z.S., Park, K.K., Galloway, Sr., D.L., Rossi, J.E. and Kouakou, B., Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271
Goetsch, A.L., see Park, K.K., 54 (1995) 159
Goetsch, A.L., see Patil, A.R., 55 (1995) 87
Goetsch, A.L., see Rossi, J.E., 62 (1996) 163
Goetsch, A.L., see Rossi, J.E., 71 (1998) 145
Gómez-Cabrera, A., see Guzmán, J.L., 57 (1996) 149
Gonda, H.L., Emanuelson, M. and Murphy, M., The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27
González M., S., see Roa V., M.L., 64 (1997) 327
González Ronquillo, M., Fondevila, M., Barrios Urdaneta, A. and Newman, Y., In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19
González, J., Rodríguez, C.A., Andrés, S.G. and Alvir, M.R., Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71
González, J., see Pereira, J.C., 74 (1998) 107
González, J.S., see López, S., 73 (1998) 99
González, M.S.S., see Miranda, R.L.A., 63 (1996) 289
González, S., see Martínez-Avalos, A.M.M., 70 (1998) 257
Gonzalez, J., see Perez, J.F., 62 (1996) 251
Goonewardene, L.A., Spicer, H.M., Engstroma, D.F., ZoBell, D.R. and Yaremcio, B.J., A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135
Gordon, F.J., Cooper, K.M., Park, R.S. and Steen, R.W.J., The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339
Gordon, F.J., see Park, R.S., 68 (1997) 235
Gordon, F.J., see Park, R.S., 72 (1998) 155
Gordon, F.J., see Pippard, C.J., 57 (1996) 87
Gordon, F.J., see Porter, M.G., 56 (1995) 217
Gorska-Matusiak, Z., see Antoniewicz, A.M., 54 (1995) 203
Gorton, P., see Short, F.J., 59 (1996) 215
Goto, M. and Yokoe, Y., Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239
Gottardo, F., see Cozzi, G., 64 (1996) 43
Grande, D., see Nahed, J., 68 (1997) 213
Grande, D., see Nahed, J., 73 (1998) 59
Graviou, D., see Aufrère, J., 62 (1996) 77
Greenhalgh, J.F.D., see Taiwo, A.A., 56 (1995) 133
Greenhalgh, J.F.D., see Tuah, A.K., 51 (1995) 269
Grela, E.R. and Günter, K.D., Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325
Grenet, E., see Migné, C., 58 (1996) 165
Grimmelt, B., see Zaman, M.S., 51 (1995) 329
Groot, J.C.J., Cone, J.W., Williams, B.A., Debersaques, F.M.A. and Lantinga, E.A., Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77
Grubić, G., see Adamović, M., 71 (1998) 359
Grundy, H.F., see Moss, A.R., 68 (1997) 11
Gruppen, H., see Marsman, G.J.P., 56 (1995) 21
Guada, J.A., see Castrillo, C., 51 (1995) 73
Guada, J.A., see Perez, J.F., 62 (1996) 251
Guenter, W., see Castell, A.G., 60 (1996) 209
Guenter, W., see Igbasan, F.A., 61 (1996) 205
Guenter, W., see Igbasan, F.A., 63 (1996) 9
Guenter, W., see Simbaya, J., 61 (1996) 219
Guenter, W., see Wang, G.J., 66 (1997) 47
Guerrero, J.E., see Guzmán, J.L., 57 (1996) 149
Gulati, S.K., Byers, E.B., Byers, Y.G., Ashes, J.R. and Scott, T.W., Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159
Gulati, S.K., Scott, T.W. and Ashes, J.R., In-vitro assessment of fat supplements for ruminants, 64 (1997) 127
Gulewicz, K., see Zdunczyk, Z., 72 (1998) 143
Günter, K.D., see Grela, E.R., 52 (1995) 325
Gupta, B.N., see Srinivas, B., 65 (1997) 275
Gupta, H.K. and Atreja, P.P., Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Gupta, H.K. and Atreja, P.P., Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45
Guzmán, J.L., Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Murray, I., Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149
Guzzon, P., Stefanon, B., Mills, C.R. and Susmel, P., Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
Gwiazda, S., see Szymczyk, B., 56 (1995) 169
Gwiazda, S., see Szymczyk, B., 63 (1996) 297

H

Ha, J.K., see Bae, H.D., 65 (1997) 165
Ha, S.D., Maciorowski, K.G., Kwon, Y.M., Jones, F.T. and Ricke, S.C., Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145
Habib, G., Hassan, M.F. and Siddiqui, M.M., Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373
Habib, G., Shah, S.B.A. and Inayat, K., Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263
Haffner, J., see Schwarz, F.J., 54 (1995) 237
Håkansson, J., see Thomke, S., 73 (1998) 207
Hall, J.W., see Mir, P.S., 55 (1995) 275
Hall, M.B., Pell, A.N. and Chase, L.E., Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23
Hamilton, R.M.G. and Proudfoot, F.G., Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203
Han, Z., see Wang, G.J., 66 (1997) 47
Hancock, D.D., see Krytenburg, D.S., 75 (1998) 75
Hanczakowski, P., see Szymczyk, B., 56 (1995) 169
Hanczakowski, P., see Szymczyk, B., 63 (1996) 297
Hanczakowski, P., Szymczyk, B. and Wawrzyński, M., Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339
Hanjra, S.H., see Rasool, S., 57 (1996) 325
Hanneken, H., see Kreuzer, M., 73 (1998) 1
Hanson, J., see Kaitho, R.J., 65 (1997) 151
Harazim, J., see Komprda, T., 61 (1996) 325
Hardy, R.W., Alternate protein sources for salmon and trout diets, 59 (1996) 71
Hart, S.P., see Puchała, R., 55 (1995) 253
Hartman, B., see Andrighetto, I., 54 (1995) 287
Hasnain, A., see Abbas, T., 54 (1995) 357
Hassan, M.F., see Habib, G., 72 (1998) 373
Hastrup, T., see Cowan, W.D., 60 (1996) 311
Havstad, K.M., see Anderson, D.M., 70 (1998) 315
Hayes, J.P., see Cilliers, S.C., 71 (1998) 371
Hayes, J.P., see Cilliers, S.C., 72 (1998) 283
He, L.H., see Tan, Z.L., 53 (1995) 337
Heaney, R., see Rosa, E., 57 (1996) 111
Hegde, B.P., see Venkatesh, M., 73 (1998) 271
Heinrichs, A.J., Nutrition and management of replacement cattle, 59 (1996) 155
Heinrichs, A.J., see Longenbach, J.I., 73 (1998) 85
Helander, E.H., see Näsi, J.M., 56 (1995) 83
Hellberg, S., see Weisbjerg, M.R., 62 (1996) 179
Helm, J., see Darroch, C.S., 61 (1996) 173
Helm, J.H., see Beames, R.M., 62 (1996) 189
Hen, Y., see Ashbell, G., 52 (1995) 271
Hen, Y., see Weinberg, Z.G., 55 (1995) 287
Henry, P.R., Littell, R.C. and Ammerman, C.B., Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237
Henry, P.R., see Luo, X.G., 57 (1996) 281
Henry, P.R., see Sandoval, M., 66 (1997) 223
Hepper, D., see Dewhurst, R.J., 51 (1995) 211
Hernández, A., Hernández, T. and Martínez, C., Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169
Hernández, E., see Ramos, A.J., 62 (1996) 263
Hernández, E., see Ramos, A.J., 65 (1997) 197
Hernández, F., see Madrid, J., 63 (1996) 89
Hernández, F., see Madrid, J., 65 (1997) 129
Hernández, T., see Hernández, A., 72 (1998) 169
Hernandez, T.M., see Licitra, G., 57 (1996) 347
Herrero, M., Jessop, N.S., Fawcett, R.H., Murray, I. and Dent, J.B., Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
Herrero, M., Murray, I., Fawcett, R.H. and Dent, J.B., Prediction of the in vitro gas production and

chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
Hervieu, J., see Archimède, H., 54 (1995) 327
Hervieu, J., see Archimède, H., 58 (1996) 267
Hew, L.I., Ravindran, V., Mollah, Y. and Bryden, W.L., Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83
Hidiroglou, N., see McDowell, L.R., 60 (1996) 273
Hill, G.M., see Mandebvu, P., 73 (1998) 263, 281
Hill, G.M., see McDowell, L.R., 60 (1996) 273
Hill, R., see Deshck, A., 73 (1998) 29
Hillman, K., Williams, A.G. and Lloyd, D., Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237
Hindle, V.A., Steg, A., van Vuuren, A.M. and Vroons-de Bruin, J., Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
Hinds, M., see Andrighetto, I., 54 (1995) 287
Hintz, R.W., see Ameny, G.A., 53 (1995) 305
Hirabayashi, M., see Matsui, T., 60 (1996) 131
Ho, Y.W., see Imai, S., 52 (1995) 345
Ho, Y.W., see Jin, L.Z., 70 (1998) 197
Holden, L.A., see Aldrich, J.M., 63 (1996) 257
Holmes, J.H.G., see Paduano, D.C., 53 (1995) 55
Holmes, J.H.G., see Wiryawan, K.G., 66 (1997) 297
Holtzapple, M.T., see Ashok, G., 53 (1995) 267
Holtzapple, M.T., see Gandi, J., 68 (1997) 195
Holzer, Z., Aharoni, Y., Lubimov, V. and Brosh, A., The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133
Homolka, P., see Komprda, T., 61 (1996) 325
Homolka, P., see Kopečný, J., 71 (1998) 109
Hong, C., see Li, D., 73 (1998) 173
Hongerholt, D.D., see Yoon, I.K., 60 (1996) 13
Hongerholt, D.D., Varga, G.A. and Muller, L.D., Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1
Honig, H., see Singh, K., 61 (1996) 137
Hood, R.L., see Ravindran, V., 63 (1996) 323
Horgan, G., see Vipond, J.E., 54 (1995) 65
Hossain, M.I., see Rahman, M.H., 65 (1997) 231
Hossain, S.M. and Bertechini, A.G., Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 305
Hossain, S.M. and Bertechini, A.G., Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 365
Hossain, S.M., Barreto, S.L. and Silva, C.G., Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217
Hossain, S.M., Barreto, S.L., Bertechini, A.G., Rios, A.M. and Silva, C.G., Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307
Houdijk, J.G.M., Bosch, M.W., Verstegen, M.W.A. and Berenpas, H.J., Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35
Hove, L., see Berardo, N., 69 (1997) 201
Hove, L., see Dzowela, B.H., 55 (1995) 207
Hove, L., see Dzowela, B.H., 69 (1997) 1
Hovell, F.D.D., see Manyuchi, B., 63 (1996) 123
Hovell, F.D.D., see Manyuchi, B., 69 (1997) 17
Hovell, F.D.D., see Salawu, M.B., 69 (1997) 67, 219
Howie, S.A., Calsamiglia, S. and Stern, M.D., Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1
Hristov, A.N. and Sandev, S.G., Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
Hristov, A.N., Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 353
Hsieh, F., see Huang, S., 56 (1995) 1
Hsieh, F., see Lin, S., 71 (1998) 283
Hsieh, F.H., see Williams, J.E., 70 (1998) 123
Hsu, H., see Walshaw, J., 71 (1998) 311
Hsu, J.-C., Lin, C.Y. and Chiou, P.W.-S., Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289
Hsu, J.-C., Lu, T.-W., Chiou, P.W.-S. and Yu, B., Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93
Hsu, J.-C., see Chiou, P.W.-S., 54 (1995) 93
Hsu, J.-C., see Chiou, P.W.-S., 55 (1995) 215
Hsu, J.-C., see Yu, B., 70 (1998) 353

Huang, S., Liang, M., Lardy, G., Huff, H.E., Kerley, M.S. and Hsieh, F., Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1
Huber, J.T., see Al-Dehneh, A., 68 (1997) 327
Huff, H.E., see Huang, S., 56 (1995) 1
Huff, H.E., see Lin, S., 71 (1998) 283
Huhtanen, P. and Kukkonen, U., Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
Huhtanen, P., Jaakkola, S. and Kukkonen, U., Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
Huhtanen, P., see Rinne, M., 67 (1997) 1, 19
Huisman, J., see Gdala, J., 62 (1996) 239
Huisman, J., see Gdala, J., 67 (1997) 115
Humphries, W.R., see Galbraith, H., 67 (1997) 83
Hunt, C.W., Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37
Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227
Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115
Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
Hussain, H.Y., see Imai, S., 52 (1995) 345
Hussain, I. and Cheeke, P.R., Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
Hussain, I. and Cheeke, P.R., Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195
Hussain, I., Cheeke, P.R. and Johnson, D.E., Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1
Hussain, I., Ismail, A.M. and Cheeke, P.R., Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121
Hutjens, M.F., Practical approaches to feeding the high producing cow, 59 (1996) 199
Huyghebaert, G., see De Groote, G., 69 (1997) 329
Huyghebaert, G., The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55
Hvelplund, T., see Dakowski, P., 58 (1996) 213
Hvelplund, T., see Kosmala, I., 59 (1996) 245
Hvelplund, T., see Madsen, J., 69 (1997) 53
Hvelplund, T., see Mupeta, B., 69 (1997) 271
Hvelplund, T., see Weisbjerg, M.R., 62 (1996) 179

I

Iantcheva, N., see De Boever, J.L., 75 (1998) 93
Ibrahim, M.N.M., Tamminga, S. and Zemmelink, G., Degradation of tropical roughages and concentrate feeds in the rumen, 54 (1995) 81
Igbasan, F.A. and Guenter, W., The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205
Igbasan, F.A. and Guenter, W., The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9
Igbasan, F.A., see Castell, A.G., 60 (1996) 209
Ikeda, M., see Takahashi, J., 74 (1998) 273
Ikurior, S.A., Preservation of brewers years slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353
Ikwuegbu, O.A., see Njwe, R.M., 51 (1995) 317
Ilchev, A., see Djouvinov, D., 68 (1997) 287
Imai, S., Abdullah, N., Ho, Y.W., Jalaludin, S., Hussain, H.Y., Onodera, R. and Kudo, H., Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
Imbeah, M., Sauer, W.C. and Caine, W.R., Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41
Inayat, K., see Habib, G., 55 (1995) 263

Inborr, J., see Jensen, M.S., 72 (1998) 329
Ingalls, J.R., Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297
Ingalls, J.R., see Undi, M., 63 (1996) 179
Isabel, B., see Lopez-Bote, C.J., 72 (1998) 33
Ismail, A.M., see Hussain, I., 62 (1996) 121
Itabashi, H., see Matsumoto, M., 56 (1995) 37
Ivey, F.J., see Dibner, J.J., 62 (1996) 1
Ivey, H.W., see Chiba, L.I., 53 (1995) 1
Ivey, H.W., see Chiba, L.I., 57 (1996) 15
Iwaasa, A.D., Beauchemin, K.A., Buchanan-Smith, J.G. and Acharya, S.N., A shearing technique measuring resistance properties of plant stems, 57 (1996) 225
Iwama, Y., see Matsui, T., 60 (1996) 131

J

Jaakkola, S., see Huhtanen, P., 52 (1995) 159
Jaakkola, S., see Rinne, M., 67 (1997) 1, 19
Jaarsma, J.J., see Cilliers, J.W., 53 (1995) 45
Jacob, J.P., Mitaru, B.N., Mbugua, P.N. and Blair, R., The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
Jacob, J.P., Mitaru, B.N., Mbugua, P.N. and Blair, R., The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41
Jacobsen, E.E., Skadhauge, B. and Jacobsen, S.-E., Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5
Jacobsen, S.-E., see Jacobsen, E.E., 65 (1997) 5
Jaikaran, S., see Darroch, C.S., 61 (1996) 173
Jakober, K.D., see Bae, H.D., 65 (1997) 165
Jakobsen, K., see Jensen, M.S., 72 (1998) 329
Jalaludin, S., see Imai, S., 52 (1995) 345
Jalaludin, S., see Jin, L.Z., 70 (1998) 197
Jamil, A., see Rasool, S., 57 (1996) 325
Jamil, A., see Rasool, S., 72 (1998) 347
Jamot, J., see Migné, C., 58 (1996) 165
Jansman, A.J.M., see Gdala, J., 62 (1996) 239
Jansman, A.J.M., see Gdala, J., 67 (1997) 115
Jauncey, K., see Fagbenro, O.A., 71 (1998) 11
Jehl, N. and Gidenne, T., Replacement of starch by digestible fibre in feed for the growing rabbit.2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
Jehl, N., see Gidenne, T., 61 (1996) 183
Jenny, B.F., see Ameny, G.A., 53 (1995) 305
Jensen, B.B., see Stritzler, N.P., 70 (1998) 11, 225
Jensen, M.S., Bach Knudsen, K.E., Inborr, J. and Jakobsen, K., Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329
Jensen, S.K., Liu, Y.-G. and Eggum, B.O., The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Jensen, S.K., Liu, Y.-G. and Eggum, B.O., The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
Jensen, S.K., see Liu, Y., 52 (1995) 257
Jeon, B.T., see Kim, C.W., 61 (1996) 343
Jeon, B.T., see Kim, K.H., 61 (1996) 351
Jessop, N.S., see Herrero, M., 69 (1997) 281
Jirí, T., Miroslav, Š. and Tomáš, K., The influence of a nylon bag carrier on alfalfa crude protein degradability, 57 (1996) 129
Jin, L.Z., Ho, Y.W., Abdullah, N., Ali, M.A. and Jalaludin, S., Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197
Jingura, R.M., see Sibanda, S., 68 (1997) 295
Johansen, H.N., see Gdala, J., 65 (1997) 15
Johnson, C.O.L.E., see Aderibigbe, A.O., 67 (1997) 223
Johnson, D.E., see Hussain, I., 57 (1996) 1
Johnson, K.D., see Wheeler, R.A., 64 (1996) 1
Johnson, Z.B. and Sellers, R.S., Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1
Johnson, Z.B., see Park, K.K., 54 (1995) 163
Johnson, Z.B., see Rossi, J.E., 62 (1996) 163
Jones, A.W., see Nandra, K.S., 70 (1998) 281
Jones, F.T., see Ha, S.D., 75 (1998) 145
Jongbloed, R., see Liu, Y., 52 (1995) 257
Joo, Y.-J., see Nam, K.-T., 72 (1998) 199
Jørgensen, O.B., see Gdala, J., 65 (1997) 15
Jouany, J.P., Mathieu, F., Senaud, J., Bohatier, J., Bertin, G. and Mercier, M., Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1
Jouany, J.P., see Faichney, G.J., 64 (1997) 193
Jouany, J.P., see Rogers, M., 65 (1997) 113
Joubert, H.W., see Snyman, L.D., 57 (1996) 63

Jovanović, R., see Adamović, M., 71 (1998) 359
Julliand, V., Riondet, C., de Vaux, A., Alcaraz, G. and Fonty, G., Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161
Juskiewicz, J., see Zdunczyk, Z., 72 (1998) 143

K

Kaankuka, F.G., Balogun, T.F. and Tegbe, T.S.B., Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
Kaitho, R.J., Umunna, N.N., Nsahlai, I.V., Tamminga, S. and Van Bruchem, J., Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
Kaitho, R.J., Umunna, N.N., Nsahlai, I.V., Tamminga, S., van Bruchem, J. and Hanson, J., Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
Kallah, M.S., Baba, M., Alawa, J.P., Muhammad, I.R. and Tanko, R.J., Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153
Kamalamma, U., Krishnamoorthy, U. and Krishnappa, P., Effect of feeding yeast culture (Yeasacc^{1026}) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247
Kamiya, N., see Komaki, H., 70 (1998) 363
Kang, C.-W., see Nam, K.-T., 66 (1997) 149
Kang, C.-W., see Nam, K.-T., 72 (1998) 199
Kanski, J., see Antoniewicz, A.M., 54 (1995) 203
Kappers, I.E., see Valk, H., 63 (1996) 63
Karachi, M., Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305
Karanfil, O., see Odenyo, A.A., 65 (1997) 99
Karanfil, O., see Odenyo, A.A., 67 (1997) 169
Karunanandaa, K. and Varga, G.A., Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
Karunanandaa, K. and Varga, G.A., Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273
Karunanandaa, K., Varga, G.A., Akin, D.E., Rigsby, L.L. and Royse, D.J., Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179
Kass, M., see Stewart, J.L., 75 (1998) 111
Kataria, P., see Wadhwa, M., 72 (1998) 11
Kato, S., see Suzuki, Y., 54 (1995) 227
Keane, M.G., see Moloney, A.P., 57 (1996) 97
Kedar, O., see Arieli, A., 51 (1995) 287
Keir El-Din, A.H., see Abu-Tarboush, H.M., 57 (1996) 39
Kennedy, P.M., Toscas, P.J., Faddy, M.J. and Minson, D.J., Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111
Kennelly, J.J., The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137
Kennelly, J.J., Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161
Kerley, M.S., see Huang, S., 56 (1995) 1
Kerr, B., see Li, S., 59 (1996) 223
Kershaw, S.J., see Lowe, J.A., 56 (1995) 187
Kershaw, S.J., see Lowe, J.A., 61 (1996) 379
Khazaal, K., see Tolera, A., 67 (1997) 181
Kiela, P., see Puchała, R., 66 (1997) 75
Kilpatrick, D.J., see Pippard, C.J., 57 (1996) 87
Kilpatrick, D.J., see Porter, M.G., 56 (1995) 217
Kim, C.W., Kwak, W.S., Ahn, H.S., Jeon, B.T. and Kim, K.H., Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343
Kim, C.W., see Kim, K.H., 61 (1996) 351
Kim, K.-H., see Nam, K.-T., 72 (1998) 199
Kim, K.H., Jeon, B.T., Kim, Y.C., Kyung, B.H. and Kim, C.W., A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351
Kim, K.H., see Kim, C.W., 61 (1996) 343

Kim, Y.C., see Kim, K.H., 61 (1996) 351
Kimambo, A.E., see Ndemanisho, E.E., 73 (1998) 365
Kimball, B.A., see Akin, D.E., 53 (1995) 29
Kimbi, E.F.C., see Ndemanisho, E.E., 73 (1998) 365
Kimura, E., see Ohshima, M., 66 (1997) 129
King, C.W., see Coblentz, W.K., 72 (1998) 53
Kirchgessner, M., see Schwarz, F.J., 54 (1995) 237
Kirchheim, U., see Schöne, F., 62 (1996) 97
Kitchell, M.L., see Dibner, J.J., 62 (1996) 1
Klobasa, F., see Mbuthia, E.W., 67 (1997) 291
Klopfenstein, T., Need for escape protein by grazing cattle, 60 (1996) 191
Klopfenstein, T., Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
Knabe, D.A., Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
Knap, I.H., see Gdala, J., 65 (1997) 15
Knaus, W., see Zollitsch, W., 66 (1997) 63
Kneale, C.R., see Ravindran, V., 63 (1996) 323
Kobayashi, T., see Matsumoto, M., 56 (1995) 37
Kodaira, M., see Melcion, J., 73 (1998) 217
Kohn, R.A. and Allen, M.S., Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1
Kohn, R.A. and Allen, M.S., In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15
Kojima, Y., see Matsui, H., 71 (1998) 209
Kokko, E.G., see Bae, H.D., 65 (1997) 165
Komaki, H., Yamashita, M., Niwa, Y., Tanaka, Y., Kamiya, N., Ando, Y. and Furuse, M., The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363
Komprda, T., František, J., Štohandlová, M. and Foltýn, J., In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141
Komprda, T., Homolka, P. and Harazim, J., Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325
Kopečný, J., see Tománková, O., 53 (1995) 71
Kopečný, J., Tománková, O. and Homolka, P., Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109
Kornegay, E.T., see Yi, Z., 61 (1996) 361
Korsbak, A., see Cowan, W.D., 60 (1996) 311
Kosmala, I., Antoniewicz, A., De Boever, J., Hvelplund, T. and Kowalczyk, J., Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245
Kostyukovsky, V. and Marounek, M., Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201
Kouakou, B., see Goetsch, A.L., 66 (1997) 271
Kouakou, B., see Park, K.K., 54 (1995) 159
Kouakou, B., see Patil, A.R., 55 (1995) 87
Kouakou, B., see Rossi, J.E., 62 (1996) 163
Kovács, P.L., Südekum, K.- and Stangassinger, M., Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143
Kovács, P.L., Südekum, K.-H. and Stangassinger, M., Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 327
Kowalczyk, J., see Antoniewicz, A.M., 54 (1995) 203
Kowalczyk, J., see Kosmala, I., 59 (1996) 245
Kowalski, Z.M., Marszałek, A. and Mills, C.R., The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
Kowalski, Z.M., Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289
Krautmann, B.A., see Scherf, H., 59 (1996) 115
Krehbiel, C.R., see Richards, C.J., 55 (1995) 35
Kreuzer, M., Machmüller, A., Gerdemann, M.M., Hanneken, H. and Wittmann, M., Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1
Kreuzer, M., see Machmüller, A., 71 (1998) 117
Kriadees, M.S., see Attia, F.M., 65 (1997) 257
Krishna, N., see Prakash, P., 63 (1996) 229
Krishnamoorthy, U., see Kamalamma, U., 57 (1996) 247
Krishnamoorthy, U., see Nataraja, M.B., 74 (1998) 169
Krishnamoorthy, U., see Venkatesh, M., 73 (1998) 271
Krishnamoorthy, U., Soller, H., Steingass, H. and Menke, K.H., Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal

digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
Krishnappa, P., see Kamalamma, U., 57 (1996) 247
Krishnappa, P., see Nataraja, M.B., 74 (1998) 169
Krytenburg, D.S., Hancock, D.D., Rice, D.H., Besser, T.E., Gay, C.C. and Gay, J.M., A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75
Kudo, H., see Imai, S., 52 (1995) 345
Kufidis, D., see Christaki, E., 65 (1997) 287
Kukkonen, U., see Huhtanen, P., 52 (1995) 141, 159
Kunelius, H.T., see Narasimhalu, P., 55 (1995) 77
Kung Jr., L. and Rode, L.M., Amino acid metabolism in ruminants, 59 (1996) 167
Kuo, K.-S., see Chiou, P.W.-S., 54 (1995) 93
Kuo, K.-S., see Chiou, P.W.-S., 55 (1995) 215
Kurdi, I.O., see Larbi, A., 72 (1998) 81
Kwak, W.S., see Kim, C.W., 61 (1996) 343
Kwakernaak, C., see van der Klis, J.D., 51 (1995) 15
Kwon, Y.M., see Ha, S.D., 75 (1998) 145
Kyung, B.H., see Kim, K.H., 61 (1996) 351

L

Ladipo, D.O., see Larbi, A., 72 (1998) 81
Lakpini, C.A.M., Balogun, B.I., Alawa, J.P., Onifade, O.S. and Otaru, S.M., Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197
Lallo, C.H.O., Singh, R., Donawa, A.A. and Madoo, G., The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
LaMorte, R.L., see Akin, D.E., 53 (1995) 29
Lantinga, E.A., see Groot, J.C.J., 64 (1996) 77
Larbi, A., see Agyemang, K., 72 (1998) 189
Larbi, A., see Stewart, J.L., 75 (1998) 111
Larbi, A., Smith, J.W., Kurdi, I.O., Adekunle, I.O., Raji, A.M. and Ladipo, D.O., Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
Lardy, G., see Huang, S., 56 (1995) 1
Lassalas, B., see Faichney, G.J., 64 (1997) 193
Laswai, G.H., Ocran, J.N., Lekule, F.P. and Sundstøl, F., Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45
Lauria, F., see Licitra, G., 72 (1998) 1
Laurinen, P., Valaja, J., Näsi, M. and Smeds, K., Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213
Lawrence, T.L.J., Rowan, T.G., Preston, M.R. and Turtle, L.P., Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Lawrence, T.L.J., see Subuh, A.M.H., 52 (1995) 51
Lawrence, T.L.J., see Subuh, A.M.H., 57 (1996) 257
Layug, D.V., see Ohshima, M., 62 (1996) 141
Le Liboux, S. and Peyraud, J.L., Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131
León, A., Vargas, R.E., Michelangeli, C., Melcion, J. and Picard, M., Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231
Leśniewska, V., see Puchała, R., 66 (1997) 75
Lebzien, P. and Paul, C., Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225
Lee, H.-A., see Nam, K.-T., 66 (1997) 149
Lee, H.-A., see Nam, K.-T., 72 (1998) 199
Leeson, S. and Atteh, J.O., Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
Leeson, S., see Ajakaiye, A., 65 (1997) 293
Leeson, S., see Ali, M.A., 55 (1995) 227
Leeson, S., see Nyachoti, C.M., 70 (1998) 295
Leggett, F.L., see Bae, H.D., 65 (1997) 165
Lekule, F.P., see Laswai, G.H., 65 (1997) 45
León, A., see Melcion, J.-P., 73 (1998) 217
Leske, K.L., Zhang, B. and Coon, C.N., The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275
Leske, K.L., Zhang, B. and Coon, C.N., Erratum to The use of low alpha-galactoside protein products as a protein source in chicken diets

[Animal Feed Science and Technology 54 (1995) 275], 61 (1996) 377
Lessire, M., see Fauduet, H., 56 (1995) 99
Lettner, F., see Zollitsch, W., 66 (1997) 63
Lewis, M., see Vipond, J.E., 54 (1995) 65
Li, D., Che, X., Wang, Y., Hong, C. and Thacker, P.A., Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173
Li, S., Sauer, W.C., Mosenthin, R. and Kerr, B., Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
Liang, M., see Huang, S., 56 (1995) 1
Licitra, G., Carpino, S., Schadt, I., Avondo, M. and Barresi, S., Forage quality of native pastures in a Mediterranean area, 69 (1997) 315
Licitra, G., Hernandez, T.M. and Van Soest, P.J., Standardization of procedures for nitrogen fractionation of ruminant feeds, 57 (1996) 347
Licitra, G., Lauria, F., Carpino, S., Schadt, I., Sniffen, C.J. and Van Soest, P.J., Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1
Lin, C.-Y., see Hsu, J.-C., 74 (1998) 289
Lin, C.D. and Chen, T.C., Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217
Lin, S., Hsieh, F. and Huff, H.E., Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283
Lindberg, J.E. and Cortova, Z., The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
Lindberg, J.E., see Pettersson, Å., 62 (1996) 203
Lindberg, J.E., see Pettersson, Å., 66 (1997) 97
Lindquist, K.J., see Yoon, I.K., 60 (1996) 13
Lister, S.J., see Longland, A.C., 55 (1995) 161
Littell, R.C., see Henry, P.R., 66 (1997) 237
Littell, R.C., see Sandoval, M., 66 (1997) 223
Little, D.A., see Njwe, R.M., 51 (1995) 317
Liu, J.-X., Wu, Y.-M. and Xu, N.-Y., Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
Liu, J.-X., Ye, J.-A. and Ye, H.-W., The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79
Liu, Y., Smits, B., Steg, A., Jongbloed, R., Jensen, S.K. and Eggum, B.O., Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
Liu, Y.-G., see Jensen, S.K., 53 (1995) 17
Liu, Y.-G., see Jensen, S.K., 54 (1995) 9
Lizardo, R., Peiniau, J. and Aumaitre, A., Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
Lizardo, R., Peiniau, J. and Aumaitre, A., Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
Lloyd, D., see Hillman, K., 52 (1995) 237
Longenbach, J.I. and Heinrichs, A.J., A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85
Longland, A.C., Theodorou, M.K., Sanderson, R., Lister, S.J., Powell, C.J. and Morris, P., Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Lopez-Bote, C.J., see Fernández, C., 73 (1998) 329
Lopez-Bote, C.J., Sanz Arias, R., Rey, A.I., Castaño, A., Isabel, B. and Thos, J., Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33
Lopez-Bote, C.J., Sanz, M., Rey, A., Castaño, A. and Thos, J., Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
López Ortíz, S., see Stewart, J.L., 75 (1998) 111
López, S., Carro, M.D., González, J.S. and Ovejero, F.J., Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99
Lowe, J.A. and Kershaw, S.J., Erratum to Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components [Animal Feed Science Technology 56 (1995) 187], 61 (1996) 379
Lowe, J.A. and Kershaw, S.J., Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187
Lu, T.-W., see Hsu, J.-C., 60 (1996) 93

Lübbe, F., see Flachowsky, G., 64 (1997) 91
Lubimov, V., see Holzer, Z., 64 (1997) 133
Lüdke, H., see Schöne, F., 62 (1996) 97
Luo, X.G., Henry, P.R., Ammerman, C.B. and Madison, J.B., Relative bioavailability of copper in a copper–lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281
Ly, J., Diéguez, F.J., Martinez, R.M. and García, A., Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397
Ly, J., Reyes, J.L., Macias, M., Martinez, V., Dominguez, P.L. and Ruiz, R., Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
Lyon, C.E., see Ames, N., 54 (1995) 267

M

Maasdorp, B., see Salawu, M.B., 69 (1997) 207
Maasdorp, B.V. and Titterton, M., Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241
Maasdorp, B.V., see Dzowela, B.H., 69 (1997) 1
Maasdorp, B.V., see Masama, E., 69 (1997) 233
Maasdorp, B.V., see Titterton, M., 69 (1997) 263
Macdonald, A.M.C., see D'Mello, J.P.F., 69 (1997) 155
Machlin, L.J., see Scherf, H., 59 (1996) 115
Machmüller, A., Ossowski, D.A., Wanner, M. and Kreuzer, M., Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117
Machmüller, A., see Kreuzer, M., 73 (1998) 1
Macias, M., see Ly, J., 70 (1998) 265
Maciorowski, K.G., see Ha, S.D., 75 (1998) 145
Mackie, D.A., see Farnworth, E.R., 55 (1995) 153
MacLeod, J.A., see Zaman, M.S., 51 (1995) 329
Madeira, H., see Fron, M., 61 (1996) 235
Madison, J.B., see Luo, X.G., 57 (1996) 281
Madoo, G., see Lallo, C.H.O., 67 (1997) 213
Madrid, J., Hernández, F., Pulgar, M.A. and Cid, J.M., Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89
Madrid, J., Hernández, F., Pulgar, M.A. and Cid, J.M., In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129
Madsen, J., Hvelplund, T. and Weisbjerg, M.R., Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
Madsen, J., see Mupeta, B., 69 (1997) 271
Maertens, L., see Peeters, J.E., 51 (1995) 123
Maertens, L., see Piattoni, F., 73 (1998) 353
Mafongoya, P.L., see Dzowela, B.H., 55 (1995) 207
Mafongoya, P.L., see Dzowela, B.H., 69 (1997) 1
Magni, G., see Andrighetto, I., 54 (1995) 287
Mahmood, S., Smithard, R. and Sarwar, M., Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215
Mäkelä, J., see Pölönen, I., 71 (1998) 197
Makkar, H.P.S. and Becker, K., Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211
Makkar, H.P.S., Blümmel, M. and Becker, K., In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245
Makkar, H.P.S., Borowy, N.K., Becker, K. and Degen, A., Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
Makkar, H.P.S., Borowy, N.K., Becker, K. and Degen, A., Corrigendum to Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies [Animal Feed Science and Technology 55 (1995) 67], 61 (1996) 381
Makkar, H.P.S., see Aderibigbe, A.O., 67 (1997) 223
Makkar, H.P.S., see Blümmel, M., 69 (1997) 131
Makkar, H.P.S., see Getachew, G., 72 (1998) 261
Makoni, N.F., von Keyserlingk, M.A.G., Shelford, J.A. and Fisher, L.J., Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
Malafaia, P.A.M., see Vieira, R.A.M., 66 (1997) 197
Malafaia, P.A.M., see Vieira, R.A.M., 67 (1997) 151
Malossini, F., Bovolenta, S., Piasentier, E., Piras, C. and Martillotti, F., Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
Mandebvu, P., West, J.W., Gates, R.N. and Hill, G.M., Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of

diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281
Mandebvu, P., West, J.W., Gates, R.N. and Hill, G.M., In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263
Mandisodza, K.T., see Maswaure, S.M., 54 (1995) 193
Mandran, N., see Dorleans, M., 61 (1996) 129
Mansfield, H.R., Endres, M.I. and Stern, M.D., Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47
Manyuchi, B., Deb Hovell, F.D., Ndlovu, L.R., Topps, J.H. and Tigere, A., Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
Manyuchi, B., Deb Hovell, F.D., Ndlovu, L.R., Topps, J.H. and Tigere, A., The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
Manyuchi, B., see Wood, C.D., 67 (1997) 265
Manzanares, C., see Cañeque, V., 74 (1998) 241
Marounek, M., see Kostyukovsky, V., 55 (1995) 201
Marquardt, R.R., Brenes, A., Zhang, Z. and Boros, D., Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
Marquardt, R.R., Effects of molds and their toxins on livestock performance: a western Canadian perspective, 58 (1996) 77
Marquardt, R.R., see Wang, G.J., 66 (1997) 47
Marsman, G.J.P., Gruppen, H., Van der Poel, A.F.B., Resink, J.W., Verstegen, M.W.A. and Voragen, A.G.J., The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
Marszałek, A., see Kowalski, Z.M., 65 (1997) 265
Martín-Orúe, S.M., Balcells, J., Zakraoui, F. and Castrillo, C., Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269
Martín-Orué, S.M., Dapoza, C., Balcells, J. and Castrillo, C., Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341
Martínez, C., see Hernández, A., 72 (1998) 169
Martínez-Avalos, A.M.M., Mendoza, G.D., Cobos, M.A., González, S., García-Bojalil, C.M. and Bárcena, R., Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
Martillotti, F., see Malossini, F., 61 (1996) 155
Martinez, R.M., see Ly, J., 72 (1998) 397
Martinez, V., see Ly, J., 70 (1998) 265
Martini, A., see Franci, O., 67 (1997) 279
Marx, G.D., see Schroeder, J.W., 72 (1998) 111
Masama, E., Topps, J.H., Ngongoni, N.T. and Maasdorp, B.V., Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
Maswaure, S.M. and Mandisodza, K.T., An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193
Mathers, A.I., see Rooke, J.A., 64 (1997) 243
Mathieu, F., see Jouany, J.P., 75 (1998) 1
Mathison, G.W., Effects of processing on the utilization of grain by cattle, 58 (1996) 113
Mathison, G.W., see Walshaw, J., 71 (1998) 311
Matizha, W., Ngongoni, N.T. and Topps, J.H., Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
Matsui, H., Ushida, K., Miyazaki, K. and Kojima, Y., Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207
Matsui, T., Hirabayashi, M., Iwama, Y., Nakajima, T., Yano, F. and Yano, H., Fermentation of soyabean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Matsumoto, M., Kobayashi, T., Itabashi, H. and Ørskov, E.R., Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37
Matsuoka, S., see Takahashi, J., 74 (1998) 273
Maudoux, B., see Beckers, Y., 61 (1996) 305
Mayne, C.S., see Dawson, L., 56 (1995) 119
Mayne, C.S., see Dawson, L.E.R., 63 (1996) 35
Mayne, C.S., see Dawson, L.E.R., 66 (1997) 15
Mayne, C.S., see Pippard, C.J., 57 (1996) 87
Mayne, C.S., see Porter, M.G., 56 (1995) 217

Mbanzamihigo, L., see Nollet, L., 71 (1998) 49
Mbanzamihigo, L., see Piattoni, F., 73 (1998) 353
Mbanzamihigo, L., van Nevel, C.J. and Demeyer, D.I., Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
Mbanzamihigo, L., Vandycke, E. and Demeyer, D.I., Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
Mbugua, P.N., see Jacob, J.P., 61 (1996) 27, 41
Mbuthia, E.W., Klobasa, F., Gachuiri, C.K. and Abate, A., Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291
Mbwile, R.P. and Udén, P., Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
Mbwile, R.P. and Udén, P., The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181
McAllister, T.A. and Cheng, K.-J., Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
McAllister, T.A., see Bae, H.D., 65 (1997) 165
McAllister, T.A., see Wang, Y., 74 (1998) 143
McDowell, L.R., Feeding minerals to cattle on pasture, 60 (1996) 247
McDowell, L.R., Williams, S.N., Hidiroglou, N., Njeru, C.A., Hill, G.M., Ochoa, L. and Wilkinson, N.S., Vitamin E supplementation for the ruminant, 60 (1996) 273
McElroy, A.R., see Ames, N., 54 (1995) 267
McKay, I., see Salawu, M.B., 69 (1997) 219
McKinnon, J.J., Olubobokun, J.A., Mustafa, A., Cohen, R.D.H. and Christensen, D.A., Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243
McKinnon, J.J., see Mustafa, A.F., 64 (1997) 273
McNiven, M.A. and Castell, A.G., Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
McNiven, M.A., see Singh, C.K., 52 (1995) 63
McNiven, M.A., see Zaman, M.S., 51 (1995) 329
McRae, K.B., see Narasimhalu, P., 55 (1995) 77
Meeske, R. and Basson, H.M., The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Mehra, U.R., see Toppo, S., 64 (1997) 101
Mehra, U.R., see Verma, A.K., 59 (1996) 255
Mehra, U.R., see Verma, A.K., 73 (1998) 339
Meissner, H.H., Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
Meissner, H.H., see Schroeder, G.E., 58 (1996) 249
Mejborn, H., see Børsting, C.F., 53 (1995) 317
Melcion, J.P., see León, A., 73 (1998) 231
Melcion, J.P., see Carré, B., 71 (1998) 19
Melcion, J.P., Kodaira, M., León, A., Michelangeli, C., Vargas, R.E. and Picard, M., Detoxification full-fat sunflower seed in broiler chick diets, 71 (1998) 341
Méndez, J., see de Blas, J.C., 70 (1998) 151
Mendoza M., G., see Roa V., M.L., 64 (1997) 327
Mendoza M., G.D., see Ramos, J.A., 70 (1998) 249
Mendoza, G.D., Britton, R.A. and Stock, R.A., Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
Mendoza, G.D., Britton, R.A. and Stock, R.A., Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329
Mendoza, G.D., see Martínez-Avalos, A.M.M., 70 (1998) 257
Mendoza, M.G.D., see Miranda, R.L.A., 63 (1996) 289
Menke, K.H., see Krishnamoorthy, U., 52 (1995) 177
Mercier, M., see Jouany, J.P., 74 (1998) 337
Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 340
Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: III. Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79
Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

Mero, R.N. and Uden, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387
Merwe, J.P.vd., see Brand, T.S., 57 (1996) 139
Michalet-Doreau, B., see Touré, S.F., 74 (1998) 63
Michalet-Doreau, B. and Nozière, P., Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41
Michalet-Doreau, B., see Fall-Toure, S., 51 (1995) 65
Michalet-Doreau, B., see Nozière, P., 57 (1996) 203
Michalet-Doreau, B., see Philippeau, C., 68 (1997) 25
Michalet-Doreau, B., see Tovar-Gómez, M.R., 68 (1997) 77
Michelangeli, C., see León, A., 73 (1998) 231
Michelangeli, C., see Melcion, J., C., Grenet, E. and Jamot, J., Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165
Michelangeli, C., see Melcion, J.-P., 73 (1998) 217
Milenković, I., see Adamović, M., 71 (1998) 359
Miller, E.L., see Chaudhry, A.S., 60 (1996) 69
Miller, H.M., see Wiryawan, K.G., 66 (1997) 297
Millet, L., see Faichney, G.J., 64 (1997) 193
Mills, C.R., see Guzzon, P., 67 (1997) 37
Mills, C.R., see Kowalski, Z.M., 65 (1997) 265
Mills, C.R., see Susmel, P., 53 (1995) 81
Min, B.-S., see Nam, K.-T., 66 (1997) 149
Minson, D.J., see Kennedy, P.M., 66 (1997) 111
Mir, P.S., Mir, Z., Broersma, K., Bittman, S. and Hall, J.W., Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
Mir, Z., see Mir, P.S., 55 (1995) 275
Miranda, R.L.A., Mendoza, M.G.D., Bárcena-Gama, J.R., González, M.S.S., Ferrara, R., Ortega, C.M.E. and Cobos, P.M.A., Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
Miron, J. and Ben-Ghedalia, D., Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311
Miron, J. and Ben-Ghedalia, D., Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
Miron, J., Solomon, R., Bruckental, I. and Ben-Ghedalia, D., Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75
Mirosh, L.W., see Nahashon, S.N., 57 (1996) 25
Mirosh, L.W., see Nahashon, S.N., 61 (1996) 17
Miroslav, Š., see Jiří, T., 57 (1996) 129
Mitaru, B.N., see Jacob, J.P., 61 (1996) 27, 41
Miyazaki, K., see Matsui, H., 71 (1998) 207
Miyazawa, M., see Nogueira, A.R.A., 74 (1998) 79
Modler, H.W., see Farnworth, E.R., 55 (1995) 153
Mohammed, F., see Venkatesh, M., 73 (1998) 271
Mollah, Y., see Hew, L.I., 75 (1998) 83
Moloney, A.P., Read, M.P. and Keane, M.G., Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97
Moncoulon, R., see Bayourthe, C., 72 (1998) 121
Moore, K.J., see Chriyaa, A., 65 (1997) 183
Moore, K.J., see Chriyaa, A., 66 (1997) 85
Moran Jr., E.T., Fat modification of animal products for human consumption, 58 (1996) 91
Morgan, A., see Simbaya, J., 61 (1996) 219
Morgan, J.B., see Smith, G.C., 59 (1996) 207
Morris, P., see Longland, A.C., 55 (1995) 161
Morrison III, W.H., see Akin, D.E., 53 (1995) 29
Morrison III, W.H., see Akin, D.E., 63 (1996) 305
Morrison, M., see Fron, M., 61 (1996) 235
Mosenthin, R., see Li, S., 59 (1996) 223
Moshtaghi-Nia, S.A., see Undi, M., 63 (1996) 179
Moslehuddin, R., see Rahman, M.H., 65 (1997) 231
Moss, A.R., Givens, D.I. and Garnsworthy, P.C., The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
Moss, A.R., Givens, D.I., Grundy, H.F. and Wheeler, K.P.A., The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
Moss, A.R., see Givens, D.I., 66 (1997) 247
Moss, A.R., see Rooke, J.A., 64 (1997) 243
Motta-Ferreira, W., see Carabaño, R., 65 (1997) 249
Mounier, A., see Reis de Souza, T., 52 (1995) 77
Mtenga, L.A., see Ndemanisho, E.E., 73 (1998) 365
Mtengeti, E.J., see Ndemanisho, E.E., 73 (1998) 365
Mtimuni, J., see Blümmel, M., 69 (1997) 131
Muhammad, I.R., see Kallah, M.S., 68 (1997) 153
Mulholland, J.G., see Nandra, K.S., 70 (1998) 281
Muller, L.D., see Aldrich, J.M., 63 (1996) 257
Muller, L.D., see Hongerholt, D.D., 74 (1998) 1

Müllertz, A., see Steenfeldt, S., 75 (1998) 27, 45
Munoz, S., see Schmidely, P., 63 (1996) 163
Mupangwa, J.F., Ngongoni, N.T., Topps, J.H. and Ndlovu, P., Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167
Mupeta, B., Weisbjerg, M.R., Hvelplund, T. and Madsen, J., Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271
Murphy, M., see Gonda, H.L., 64 (1996) 27
Murphy, M.R., see Corley III, R.N., 72 (1998) 295
Murphy, M.R., see Corley, R.N., 68 (1997) 183
Murray, I., see Bruno-Soares, A.M., 75 (1998) 15
Murray, I., see Guzmán, J.L., 57 (1996) 149
Murray, I., see Herrero, M., 60 (1996) 51
Murray, I., see Herrero, M., 69 (1997) 281
Murray, L.W., see Anderson, D.M., 70 (1998) 315
Murty, D.S., see Agyemang, K., 72 (1998) 189
Mustafa, A., see McKinnon, J.J., 56 (1995) 243
Mustafa, A.F., McKinnon, J.J., Thacker, P.A. and Christensen, D.A., Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

N

Nachman, P., see Anderson, D.M., 70 (1998) 315
Nagwani, M., see Gandi, J., 68 (1997) 195
Nahashon, S.N., Nakaue, H.S. and Mirosh, L.W., Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
Nahashon, S.N., Nakaue, H.S. and Mirosh, L.W., Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
Nahed, J., Sánchez, A., Grande, D. and Pérez-Gil, F., Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59
Nahed, J., Villafuerte, L., Grande, D., Pérez-Gil, F., Alemán, T. and Carmona, J., Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213
Nakajima, T., see Matsui, T., 60 (1996) 131
Nakashima, Y., see Djouvinov, D.S., 71 (1998) 67
Nakaue, H.S., see Nahashon, S.N., 57 (1996) 25
Nakaue, H.S., see Nahashon, S.N., 61 (1996) 17
Nalepka, M., see Antoniewicz, A.M., 54 (1995) 203
Nam, D.S., Aherne, F.X. and Darroch, C.S., Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265
Nam, K.-T., Lee, H.-A., Joo, Y.-J., Kim, K.-H. and Kang, C.-W., Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199
Nam, K.-T., Lee, H.-A., Min, B.-S. and Kang, C.-W., Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149
Nandra, K.S., Mulholland, J.G., Jones, A.W., Scott, G.B. and Coombes, N.E., Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281
Narasimhalu, P., McRae, K.B. and Kunelius, H.T., Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
Naseer, Z., see Al-Rokayan, S.A., 75 (1998) 65
Naseer, Z., see Chaudhry, S.M., 57 (1996) 165
Naseer, Z., see Chaudhry, S.M., 74 (1998) 155
Näsi, J.M., Helander, E.H. and Partanen, K.H., Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
Näsi, M., see Buraczewska, L., 58 (1996) 201
Näsi, M., see Laurinen, P., 74 (1998) 213
Näsi, M., see Partanen, K., 52 (1995) 279
Näsi, M., see Valaja, J., 57 (1996) 267
Nastis, A.S., see Yiakoulaki, M.D., 67 (1997) 163
Nataraja, M.B., Krishnamoorthy, U. and Krishnappa, P., Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169
Nathier-Dufour, N., Angue, Y., Devaux, M.-F., Bertrand, D. and de Monredon, F.L.D., Influence of wheat meal variability upon compacting behaviour during pelleting, 51 (1995) 255
Ndemanisho, E.E., Mtenga, L.A., Kimbi, E.F.C., Kimambo, A.E. and Mtengeti, E.J., Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement

to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365
Ndlovu, L.R. and Nherera, F.V., Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121
Ndlovu, L.R., see Manyuchi, B., 63 (1996) 123
Ndlovu, L.R., see Manyuchi, B., 69 (1997) 17
Ndlovu, L.R., see Nherera, F.V., 74 (1998) 15
Ndlovu, P., see Baloyi, J.J., 69 (1997) 179
Ndlovu, P., see Mupangwa, J.F., 69 (1997) 167
Neckles, F.A., see Garcia, G.W., 60 (1996) 29
Nefzaoui, A., see Ben Salem, H., 68 (1997) 101
Neil, M., see Thomke, S., 73 (1998) 207
Newbold, C.J., see Chikunya, S., 63 (1996) 333
Newbold, C.J., see Wang, Y., 74 (1998) 143
Newkirk, R.W. and Classen, H.L., In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315
Newman, C.W., see Svihus, B., 64 (1997) 257
Newman, R.K., see Svihus, B., 64 (1997) 257
Newman, Y., see González Ronquillo, M., 72 (1998) 19
Ngongoni, N.T., see Baloyi, J.J., 69 (1997) 179
Ngongoni, N.T., see Masama, E., 69 (1997) 233
Ngongoni, N.T., see Matizha, W., 69 (1997) 187
Ngongoni, N.T., see Mupangwa, J.F., 69 (1997) 167
Nguekouo Foyette, C., see Teguia, A., 66 (1997) 283
Nherera, F.V., Ndlovu, L.R. and H. Dzowela, B., Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15
Nherera, F.V., see Ndlovu, L.R., 69 (1997) 121
Ni, D.B., see Shen, H.S., 73 (1998) 243
Ni, D.B., see Shen, H.S., 74 (1998) 193
Nicodemus, N., see de Blas, J.C., 70 (1998) 151
Niwa, Y., see Komaki, H., 70 (1998) 363
Njeru, C.A., see McDowell, L.R., 60 (1996) 273
Njie, M. and Reed, J.D., Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
Njwe, R.M., Ikwuegbu, O.A., Tarawali, G. and Little, D.A., Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317
Njwe, R.M., see Teguia, A., 66 (1997) 283
Noble, R.C., see Vipond, J.E., 54 (1995) 65
Nockels, C.F., Antioxidants improve cattle immunity following stress, 62 (1996) 59
Nogueira, A.R.A., Souza, G.B., Batista, L.A.R., Arruda, M.A.Z. and Miyazawa, M., Catalytic determination of cobalt by flow injection spectrophotometryapplication in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79
Nollet, L., Mbanzamihigo, L., Demeyer, D. and Verstraete, W., Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49
Nollet, L., see Piattoni, F., 73 (1998) 353
Nordrum, S., see Paus, J., 73 (1998) 195
Nozière, P. and Michalet-Doreau, B., Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
Nozière, P., see Michalet-Doreau, B., 70 (1998) 41
Nsahlai, I.V. and Umunna, N.N., Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275
Nsahlai, I.V., see Kaitho, R.J., 65 (1997) 151
Nsahlai, I.V., see Kaitho, R.J., 72 (1998) 355
Nsahlai, V.I., see Bonsi, M.L.K., 64 (1996) 11
Nyachoti, C.M., Atkinson, J.L. and Leeson, S., Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

O

Obese, F.Y., see Tuah, A.K., 51 (1995) 269
Obitsu, T., see Zhao, Y., 59 (1996) 265
Ochoa, L., see McDowell, L.R., 60 (1996) 273
Ochrimenko, W.I., see Flachowsky, G., 60 (1996) 117
Ocran, J.N., see Laswai, G.H., 65 (1997) 45
Odenyo, A.A., Osuji, P.O. and Karanfil, O., Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169
Odenyo, A.A., Osuji, P.O., Karanfil, O. and Adinew, K., Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Odenyo, A.A., see Osuji, P.O., 69 (1997) 27
Odoardi, M., see Berardo, N., 69 (1997) 201
Officer, D.I., Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Ohshima, M., Kimura, E. and Yokota, H.-o., A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129
Ohshima, M., Layug, D.V., Yokota, H.-o. and Ostrowski-Meissner, H.T., Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
Okai, D.B., see Tuah, A.K., 51 (1995) 269
Okano, K., see Suzuki, Y., 54 (1995) 227
Oksbjerg, N., see Poulsen, H.D., 53 (1995) 297
Olckers, R.C., see Brand, T.S., 53 (1995) 345
Ologun, A.G., see Aning, K.G., 71 (1998) 185
Olsson, S., see Weisbjerg, M.R., 62 (1996) 179
Olubobokun, J.A., see McKinnon, J.J., 56 (1995) 243
Onifade, A., see Aning, K.G., 71 (1998) 185
Onifade, A.A. and Babatunde, G.M., Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91
Onifade, A.A. and Babatunde, G.M., Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337
Onifade, O.S., see Lakpini, C.A.M., 67 (1997) 197
Onodera, R., see Imai, S., 52 (1995) 345
Onwudike, O.C., Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
Oosthuysen, D., see Cilliers, J.W., 53 (1995) 45
Opara, C.C., see Udedibie, A.B.I., 71 (1998) 157
Orsenigo, R., see Peeters, J.E., 51 (1995) 123
Ørskov, E.R., see Fonseca, A.J.M., 72 (1998) 205
Ørskov, E.R., see Matsumoto, M., 56 (1995) 37
Ørskov, E.R., see Tolera, A., 67 (1997) 181
Ørskov, E.R., see Tuah, A.K., 51 (1995) 269
Ortega C.M.E., see Roa V., M.L., 64 (1997) 327
Ortega, C.M.E., see Miranda, R.L.A., 63 (1996) 289
Ortiz, L.T., see Rodríguez, M.L., 71 (1998) 341
Ossowski, D.A., see Machmüller, A., 71 (1998) 117
Ostrowski-Meissner, H.T., see Ohshima, M., 62 (1996) 141
Osuji, P.O. and Odenyo, A.A., The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27
Osuji, P.O., see Bonsi, M.L.K., 52 (1995) 101
Osuji, P.O., see Bonsi, M.L.K., 64 (1996) 11
Osuji, P.O., see Odenyo, A.A., 65 (1997) 99
Osuji, P.O., see Odenyo, A.A., 67 (1997) 169
Otaru, S.M., see Lakpini, C.A.M., 67 (1997) 197
Ottou, J.F. and Doreau, M., Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Oudshoorn, L., see Cone, J.W., 61 (1996) 113
Ouellet, D.R., Seoane, J.R., Veira, D.M. and Proulx, J.G., Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
Ovejero, F.J., see López, S., 73 (1998) 99
Overhulse, K.A., see Ashok, G., 53 (1995) 267
Owen, E., see Adesogan, A.T., 74 (1998) 259
Owen, E., see Adogla-Bessa, T., 55 (1995) 335, 349
Owen, E., see Sileshi, Z., 61 (1996) 73
Owen, E., see Zaman, M.S., 51 (1995) 165

P

Paduano, D.C., Dixon, R.M., Domingo, J.A. and Holmes, J.H.G., Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
Paillard, E., see Dalibard, P., 53 (1995) 189
Paiva, T.C.B., see de Castro, F.B., 52 (1995) 93
Palmquist, D.L., Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231
Papadoyannis, I.N., see Yiakoulaki, M.D., 67 (1997) 163
Pardio, V.T., see Waliszewski, K.N., 67 (1997) 253
Park, C.S., see Schroeder, J.W., 72 (1998) 111
Park, K.K., Goetsch, A.L., Patil, A.R., Kouakou, B. and Johnson, Z.B., Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
Park, K.K., see Goetsch, A.L., 66 (1997) 271
Park, K.K., see Patil, A.R., 55 (1995) 87
Park, K.K., see Rossi, J.E., 62 (1996) 163
Park, R.S., Agnew, R.E., Gordon, F.J. and Steen, R.W.J., The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155
Park, R.S., Gordon, F.J., Agnew, R.E., Barnes, R.J. and Steen, R.W.J., The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
Park, R.S., see Gordon, F.J., 70 (1998) 339

Parsons, C.M., Digestible amino acids for poultry and swine, 59 (1996) 147
Partanen, K. and Näsi, M., Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279
Partanen, K.H., see Näsi, J.M., 56 (1995) 83
Pasinato, A.M., see Elizalde, J.C., 63 (1996) 245
Paterson, J.A., see Bowman, J.G.P., 55 (1995) 105
Paterson, R.M., see Bruno-Soares, A.M., 75 (1998) 15
Paterson, R.T., see Roothaert, R.L., 69 (1997) 39
Pathak, N.N., see Singh, P., 72 (1998) 183
Patience, J.F. and de Lange, C.F.M., Swine nutrition in the 21st century, 58 (1996) 19
Patience, J.F., Meeting the energy and protein requirements of the high producing sow, 58 (1996) 49
Patience, J.F., Precision in swine feeding programs: An integrated approach, 59 (1996) 137
Patil, A.R., Goetsch, A.L., Kouakou, B., Galloway Sr., D.L., Forster Jr., L.A. and Park, K.K., Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Patil, A.R., see Goetsch, A.L., 66 (1997) 271
Patil, A.R., see Park, K.K., 54 (1995) 159
Patil, A.R., see Rossi, J.E., 62 (1996) 163
Paul, C., see Lebzien, P., 68 (1997) 225
Paul, D., see Wadhwa, M., 72 (1998) 11
Paus, J., Nordrum, S., Elise Aakre, S. and Schanche, J., A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195
Pavlov, D., see Djouvinov, D., 68 (1997) 287
Pavlov, D., see Djouvinov, D.S., 71 (1998) 67
Pedersen, J.F., see Richards, C.J., 55 (1995) 35
Pedroso, A.F., see Silva, A.G., 68 (1997) 247
Peeters, J.E., Maertens, L., Orsenigo, R. and Colin, M., Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123
Peiniau, J., see Comizzoli, P., 64 (1997) 215
Peiniau, J., see Lizardo, R., 56 (1995) 67
Peiniau, J., see Lizardo, R., 66 (1997) 1
Peiniau, J., see Reis de Souza, T., 52 (1995) 77
Pell, A.N., see Hall, M.B., 70 (1998) 23
Pereira, J.C., Carro, M.D., González, J., Alvir, M.R. and Rodríguez, C.A., Rumen degradability and intestinal digestibility of brewers'grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107
Pereira, J.C., see Vieira, R.A.M., 66 (1997) 197
Pereira, J.C., see Vieira, R.A.M., 67 (1997) 151
Pérez-Alba, L., see García, J., 54 (1995) 33
Pérez-Gil, F., see Nahed, J., 73 (1998) 59
Pérez-Gil, F., see Nahed, J., 68 (1997) 213
Perez, J.F., Rodriguez, C.A., Gonzalez, J., Balcells, J. and Guada, J.A., Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Perez, J.M., see Aufrère, J., 62 (1996) 77
Pessarakli, M., see Al-Dehneh, A., 68 (1997) 327
Pesti, G.M., see Etheridge, R.D., 73 (1998) 21
Petit, H.V., see Plaisance, R., 68 (1997) 139
Pettersson, Å. and Lindberg, J.E., Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
Pettersson, Å., Lindberg, J.E., Thomke, S. and Eggum, B.O., Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
Pettersson, D., see Castañón, J.I.R., 68 (1997) 361
Pettersson, H., see Thomke, S., 73 (1998) 207
Peyraud, J.L. and Astigarraga, L., Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
Peyraud, J.L., Astigarraga, L. and Faverdin, P., Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155
Peyraud, J.L., see Delagarde, R., 66 (1997) 165
Peyraud, J.L., see Le Liboux, S., 73 (1998) 131
Phang, O.C., see Vadiveloo, J., 61 (1996) 247
Philippeau, C. and Michalet-Doreau, B., Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
Piasentier, E., see Malossini, F., 61 (1996) 155
Piattoni, F., Mbanzamihigo, L., Demeyer, D., Nollet, L. and Maertens, L., Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353
Picard, M., see León, A., 73 (1998) 231
Picard, M., see Melcion, J.-P., 73 (1998) 217
Pieltain, M.C., Castañón, A.A.R., Flores, M.P. and Castañón, J.I.R., Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271
Pieltain, M.C., Castañón, J.I.R., Ventura, M.R. and Flores, M.P., Nutritive value of banana (*Musa*

acuminata L.) fruits for ruminants, 73 (1998) 187
Pinter Jr., P.J., see Akin, D.E., 53 (1995) 29
Pippard, C.J., Porter, M.G., Steen, R.W.J., Gordon, F.J., Mayne, C.S., Poots, R.E., Unsworth, E.F. and Kilpatrick, D.J., A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87
Pippard, C.J., see Porter, M.G., 56 (1995) 217
Piquer, J., see de Blas, J.C., 70 (1998) 151
Piras, C., see Malossini, F., 61 (1996) 155
Plaami, S., see Valaja, J., 72 (1998) 221
Plaisance, R., Petit, H.V., Seoane, J.R. and Rioux, R., The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
Planquette, P., see Comizzoli, P., 64 (1997) 215
Plavnik, I. and Sklan, D., Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247
Plumb, V.E., see Wood, C.D., 56 (1995) 195
Pölönen, I., Toivonen, V. and Mäkelä, J., Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197
Poncet, C., see Archimède, H., 54 (1995) 327, 341
Poncet, C., see Archimède, H., 58 (1996) 267
Poncet, C., see Faichney, G.J., 64 (1997) 193
Poots, R.E., see Pippard, C.J., 57 (1996) 87
Poots, R.E., see Porter, M.G., 56 (1995) 217
Porter, M.G. and Barton, D., A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67
Porter, M.G., see Pippard, C.J., 57 (1996) 87
Porter, M.G., Steen, R.W.J., Kilpatrick, D.J., Gordon, F.J., Mayne, C.S., Poots, R.E., Unsworth, E.F. and Pippard, C.J., Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217
Poulsen, H.D. and Oksbjerg, N., Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
Powell, C.J., see Longland, A.C., 55 (1995) 161
Powles, J., see Wiseman, J., 71 (1998) 1
Prakash, P., Reddy, D.V., Ramachandra Reddy, R. and Krishna, N., The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229
Prasad, R.D.D., Reddy, M.R. and Reddy, G.V.N., Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347
Prawirodigdo, S., Batterham, E.S., Andersen, L.M., Dunshea, F.R. and Farrell, D.J., Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205
Premaratne, S., see Stewart, J.L., 75 (1998) 111
Preston, M.R., see Lawrence, T.L.J., 51 (1995) 183
Protić, R., see Adamović, M., 71 (1998) 359
Proudfoot, F.G., see Hamilton, R.M.G., 51 (1995) 203
Proulx, J.G., see Ouellet, D.R., 68 (1997) 307
Przybecki, T., see Urbaniak, M., 54 (1995) 121
Puchała, R., Sahlu, T., Davis, J.J. and Hart, S.P., Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253
Puchała, R., Zabielski, R., Leśniewska, V., Kiela, P. and Barej, W., Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75
Puchal, F., see Blanch, A., 61 (1996) 335
Puchal, F., see Serrano, X., 70 (1998) 275
Puchala, R., see von Keyserlingk, M.A.G., 57 (1996) 291
Pulgar, M.A., see Madrid, J., 63 (1996) 89
Pulgar, M.A., see Madrid, J., 65 (1997) 129

Q

Qin, G., ter Elst, E.R., Bosch, M.W. and van der Poel, A.F.B., Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
Quinsac, A., see Fauduet, H., 56 (1995) 99

R

Rahal, A., Singh, A. and Singh, M., Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Rahman, M.H., Hossain, M.I. and Moslehuddin, R., Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231
Rai, S.N., see Sirohi, S.K., 74 (1998) 57
Raji, A.M., see Larbi, A., 72 (1998) 81
Rajion, M.A., see Abdullah, A.S., 69 (1997) 79
Raju, A.A., Rose, C. and Rao, N.M., Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139
Ramirez Piñeres, M.A., Ellis, W.C., Wu, G. and Ricke, S.C., Effects of protease inhibitors on degradation of $H_3[^{14}C]$-casein by ruminal microorganisms, 64 (1997) 113
Ramirez Piñeres, M.A., Ellis, W.C., Wu, G. and Ricke, S.C., Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139
Ramos, A.J. and Hernández, E., In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263
Ramos, A.J. and Hernández, E., Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197
Ramos, J.A., Mendoza M., G.D., Aranda I., E., Garcia-Bojalil, C., Barcena G., R. and Alanis R., J., Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249
Ramos, M., see García, J., 54 (1995) 33
Rantamäki, P., see Siljander-Rasi, H., 60 (1996) 1
Rao, N.M, see Raju, A.A, 66 (1997) 139
Rasmussen, P.B., see Cowan, W.D., 60 (1996) 311
Rasool, S., Hanjra, S.H. and Jamil, A., Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325
Rasool, S., Sial, M.A., Ahsan-ul-Haq, A. and Jamil, A., Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347
Ravindran, V., Hood, R.L., Gill, R.J., Kneale, C.R. and Bryden, W.L., Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323
Ravindran, V., see Hew, L.I., 75 (1998) 83
Ravindran, V., Sivakanesan, R. and Cyril, H.W., Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335
Razdan, A., see Dandanell Daveby, Y., 74 (1998) 229
Read, M.P., see Moloney, A.P., 57 (1996) 97
Rebolé, A., see Alzueta, C., 52 (1995) 249
Recinos-Diaz, G., see Walshaw, J., 71 (1998) 311
Rebolé, A., see Rodríguez, M.L., 71 (1998) 341
Reddy, D.V., Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
Reddy, D.V., see Prakash, P., 63 (1996) 229
Reddy, D.V., The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305
Reddy, G.V.N., see Prasad, R.D.D., 73 (1998) 347
Reddy, M.R., see Prasad, R.D.D., 73 (1998) 347
Ramachandra Reddy, R., see Prakash, P., 63 (1996) 229
Reed, J.D., see Njie, M., 52 (1995) 313
Reed, J.D., see Wiegand, R.O., 54 (1995) 175
Reed, J.D., see Woodward, A., 56 (1995) 207
Reis de Souza, T., Peiniau, J., Mounier, A. and Aumaitre, A., Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
Resink, J.W., see Marsman, G.J.P., 56 (1995) 21
Resnik-Čepon, M., see Verbič, J., 54 (1995) 133
Rey, A., see Lopez-Bote, C.J., 70 (1998) 1
Rey, A.I., see Lopez-Bote, C.J., 72 (1998) 33
Reyes, J.L., see Ly, J., 70 (1998) 265
Rhule, S.W.A., Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167
Ribaillier, D., see Fauduet, H., 56 (1995) 99
Richard, D., see Touré, S.F., 74 (1998) 63
Richards, C., see Fron, M., 61 (1996) 235
Richards, C.J., Pedersen, J.F., Britton, R.A., Stock, R.A. and Krehbiel, C.R., In vitro starch disappearance procedure modifications, 55 (1995) 35
Richter, G.H., see Flachowsky, G., 60 (1996) 117
Ricke, S.C., see Ha, S.D., 75 (1998) 145
Ricke, S.C., see Ramirez Piñeres, M.A., 64 (1997) 113
Ricke, S.C., see Ramirez Piñeres, M.A., 65 (1997) 139
Rigsby, L.L., see Akin, D.E., 63 (1996) 305
Rigsby, L.L., see Karunanandaa, K., 55 (1995) 179
Rinne, M., Huhtanen, P. and Jaakkola, S., Grass maturity effects on cattle fed silage-based diets.2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19
Rinne, M., Jaakkola, S. and Huhtanen, P., Grass maturity effects on cattle fed silage-based diets.1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Riondet, C., see Julliand, V., 70 (1998) 161
Rios, A.M., see Hossain, S.M., 73 (1998) 307
Rioux, R., see Plaisance, R., 68 (1997) 139
Roa V., M.L., Bárcena-Gama, J.R, González M., S., Mendoza M., G., Ortega C., M.E. and García B., C., Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*^{1026}) on digestion and the environment in the rumen of cattle, 64 (1997) 327
Robinson, F.E. and Wilson, J.L., Reproductive failure in overweight male and female broiler breeders, 58 (1996) 143
Robinson, P.H., Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
Robinson, P.H., Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51
Robinson, P.H., see Singh, C.K., 52 (1995) 63
Rocha, R., see García, J., 54 (1995) 33
Rode, L., see Chikunya, S., 63 (1996) 333
Rode, L.M., see Kung Jr., L., 59 (1996) 167
Rode, L.M., see Wang, Y., 74 (1998) 143
Rodríguez, C.A., see González, J., 73 (1998) 71
Rodríguez, C.A., see Pereira, J.C., 74 (1998) 107
Rodriguez, C.A., see Perez, J.F., 62 (1996) 251
Rodríguez, M.L., Ortiz, L.T., Treviño, J., Rebolé, A., Alzueta, C. and Centeno, C., Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341
Rogers, M., Jouany, J.P., Thivend, P. and Fontenot, J.P., The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
Roigé, M.B., Tapia, M.O. and Rubio, R., Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367
Rollin, P., see Fauduet, H., 56 (1995) 99
Romero, A., see Waliszewski, K.N., 67 (1997) 253
Rooke, J., see Rouzbehan, Y., 62 (1996) 151
Rooke, J.A., Moss, A.R., Mathers, A.I. and Crawshaw, R., Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
Rooke, J.A., see Rouzbehan, Y., 59 (1996) 279
Rooke, J.A., Slessor, M., Fraser, H. and Thomson, J.R., Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175
Roothaert, R.L. and Paterson, R.T., Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39
Rosa, E. and Heaney, R., Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111
Rose, C., see Raju, A.A, 66 (1997) 139
Rossi, J.E., Goetsch, A.L. and Galloway, Sr., D.L., Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
Rossi, J.E., Goetsch, A.L., Patil, A.R., Kouakou, B., Park, K.K., Wang, Z.S., Galloway Sr., D.L. and Johnson, Z.B., Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
Rossi, J.E., see Goetsch, A.L., 66 (1997) 271
Rouzbehan, Y., Galbraith, H., Topps, J.H. and Rooke, J., Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151
Rouzbehan, Y., Galbraith, H., Topps, J.H. and Rooke, J.A., The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
Rouzeau, A., see Schmidely, P., 63 (1996) 163
Rowan, T.G., see Lawrence, T.L.J., 51 (1995) 183
Rowan, T.G., see Subuh, A.M.H., 52 (1995) 51
Rowan, T.G., see Subuh, A.M.H., 57 (1996) 257
Royse, D.J., see Karunanandaa, K., 55 (1995) 179
Ruano-Ramos, A., see García-Ciudad, A., 66 (1997) 257
Rubio, R., see Roigé, M.B., 72 (1998) 367
Ruiz, R., see Ly, J., 70 (1998) 265

S

Sabater, C., see Fernández-Carmona, J., 52 (1995) 289
Sahlu, T., see Puchała, R., 55 (1995) 253
Said, A.N., see Tolera, A., 75 (1998) 157
Said, A.N., see Tuah, A.K., 51 (1995) 269
Said, A.N., see Wiegand, R.O., 54 (1995) 175
Salawu, M.B., Acamovic, T., Stewart, C.S. and Deb Hovell, F.D., Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67
Salawu, M.B., Acamovic, T., Stewart, C.S. and Maasdorp, B., Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid

and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
Salawu, M.B., Acamovic, T., Stewart, C.S., Deb Hovell, F.D. and McKay, I., Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219
Sales, J., see Cilliers, S.C., 71 (1998) 371
Sales, J., see Cilliers, S.C., 72 (1998) 283
Salvador, F., see Wiseman, J., 71 (1998) 1
Saminadin, G., see Aumont, G., 51 (1995) 1
Sancha, J.L., see Cañeque, V., 74 (1998) 241
Sánchez, A., see Nahed, J., 73 (1998) 59
Sánchez, J.M., Soto, H. and Vargas, E., Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295
Sanchez, W.K. and Beede, D.K., Is there an optimal cation–anion difference for lactation diets?, 59 (1996) 3
Sanderson, R., see Longland, A.C., 55 (1995) 161
Sandev, S.G., see Hristov, A.N., 72 (1998) 175
Sandoval, M., Henry, P.R., Littell, R.C., Cousins, R.J. and Ammerman, C.B., Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
Sanne, S., see Weisbjerg, M.R., 62 (1996) 179
Santini, F.J., see Elizalde, J.C., 63 (1996) 245
Sanz Arias, R., see Lopez-Bote, C.J., 72 (1998) 33
Sanz, M., see Lopez-Bote, C.J., 70 (1998) 1
Sapienza, D., see Andrighetto, I., 54 (1995) 287
Sarwar, M., see Mahmood, S., 65 (1997) 215
Sauer, W.C., see Caine, W.R., 71 (1998) 177
Sauer, W.C., see Darroch, C.S., 61 (1996) 173
Sauer, W.C., see Fan, M.Z., 52 (1995) 189
Sauer, W.C., see Gabert, V.M., 53 (1995) 243
Sauer, W.C., see Imbeah, M., 52 (1995) 41
Sauer, W.C., see Li, S., 59 (1996) 223
Sauvant, D., see Archimède, H., 54 (1995) 327, 341
Sauvant, D., see Archimède, H., 58 (1996) 267
Sauvant, D., see Chapoutot, P., 65 (1997) 59
Sauvant, D., see Dorleans, M., 61 (1996) 129
Sauvant, D., see Giger-Reverdin, S., 63 (1996) 149
Sauvant, D., see Schmidely, P., 63 (1996) 163
Savage, T.F., see Bradley, G.L., 51 (1995) 141
Savage, T.F., see Bradley, G.L., 55 (1995) 1
Scaife, J.R., see Galbraith, H., 67 (1997) 83
Schöne, F., Kirchheim, U., Schumann, W. and Lüdke, H., Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
Schöne, F., see Flachowsky, G., 64 (1997) 91
Schaarmann, G., see Flachowsky, G., 64 (1997) 91
Schadt, I., see Licitra, G., 69 (1997) 315
Schadt, I., see Licitra, G., 72 (1998) 1
Schanche, J.-S., see Paus, J., 73 (1998) 195
Scherf, H., Machlin, L.J., Frye, T.M., Krautmann, B.A. and Williams, S.N., Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α-tocopherols, 59 (1996) 115
Schiere, J.B. and de Wit, J., Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
Schingoethe, D.J., Balancing the amino acid needs of the dairy cow, 60 (1996) 153
Schingoethe, D.J., Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181
Schmidely, P., Archimède, H., Bas, P., Rouzeau, A., Munoz, S. and Sauvant, D., Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163
Schneider, D.K., see Casler, M.D., 61 (1996) 57
Schneider, M., see Flachowsky, G., 60 (1996) 117
Schroeder, G.E., Erasmus, L.J. and Meissner, H.H., Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249
Schroeder, J.W., Marx, G.D. and Park, C.S., Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111
Schulze, H., see Caine, W.R., 71 (1998) 177
Schumann, W., see Schöne, F., 62 (1996) 97
Schwab, C.G., Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
Schwarz, F.J., Haffner, J. and Kirchgessner, M., Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237
Sciaraffia, F., see Gizzi, G., 73 (1998) 291
Scott, G.B., see Nandra, K.S., 70 (1998) 281
Scott, T.A., Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15
Scott, T.W., see Gulati, S.K., 64 (1997) 127
Scott, T.W., see Gulati, S.K., 66 (1997) 159
Sedgwick, G., see Walshaw, J., 71 (1998) 311
Sell, J.L., Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229
Sellers, R.S., see Johnson, Z.B., 68 (1997) 1

Selmer-Olsen, I., see Svihus, B., 64 (1997) 257
Senaud, J., see Jouany, J.P., 75 (1998) 1
Seoane, J.R., see Ouellet, D.R., 68 (1997) 307
Seoane, J.R., see Plaisance, R., 68 (1997) 139
Serrano, X., Baucells, M.D., Barroeta, A.C. and Puchal, F., Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275
Serrano, X., see Blanch, A., 61 (1996) 335
Sethuraman, A., see Akin, D.E., 63 (1996) 305
Shah, S.B.A., see Habib, G., 55 (1995) 263
Shaver, R.D., see Batajoo, K.K., 71 (1998) 165
Shelford, J.A., see Makoni, N.F., 53 (1995) 221
Shelford, J.A., see von Keyserlingk, M.A.G., 57 (1996) 291
Shelton, H.M., see Dalzell, S.A., 68 (1997) 353
Shen, H.S, Ni, D.B. and Sundstøl, F., Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
Shen, H.S, Sundstøl, F. and Ni, D.B., cStudies on untreated and urea-treated rice straw from three cultivation seasons 2.Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193
Shermer, W.D., see Dibner, J.J., 62 (1996) 1
Shin, H.T., see Bae, H.D., 65 (1997) 165
Short, F.J., Gorton, P., Wiseman, J. and Boorman, K.N., Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215
Short, K.D., see Yoon, I.K., 60 (1996) 13
Sial, M.A., see Rasool, S., 72 (1998) 347
Sibanda, S., Jingura, R.M. and Topps, J.H., The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295
Siddiqui, M.M., see Habib, G., 72 (1998) 373
Silanikove, N., see Aharoni, Y., 71 (1998) 251
Sileshi, Z., Owen, E., Dhanoa, M.S. and Theodorou, M.K., Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
Siljander-Rasi, H., see Valaja, J., 51 (1995) 193
Siljander-Rasi, H., see Valaja, J., 72 (1998) 221
Siljander-Rasi, H., Valaja, J., Alaviuhkola, T., Rantamäki, P. and Tupasela, T., Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Silva, A.G., Wanderley, R.C., Pedroso, A.F. and Ashbell, G., Ruminal digestion kinetics of citrus peel, 68 (1997) 247
Silva, C.G., see Hossain, S.M., 71 (1998) 217
Silva, C.G., see Hossain, S.M., 73 (1998) 307
Simbaya, J., Slominski, B.A., Guenter, W., Morgan, A. and Campbell, L.D., The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219
Sinclair, F.L., see Thapa, B., 67 (1997) 97
Sinclair, F.L., see Thapa, B., 68 (1997) 37
Singh, A., see Rahal, A., 68 (1997) 165
Singh, A., see Verma, A.K., 59 (1996) 255
Singh, C.K., Robinson, P.H. and McNiven, M.A., Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
Singh, K., Honig, H., Wermke, M. and Zimmer, E., Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137
Singh, K.K., see Chaudhary, L.C., 56 (1995) 111
Singh, M., see Rahal, A., 68 (1997) 165
Singh, P., Verma, A.K., Pathak, N.N. and Biswas, J.C., Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183
Singh, R., see Lallo, C.H.O., 67 (1997) 213
Sirohi, S.K. and Rai, S.N., Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57
Sivakanesan, R., see Ravindran, V., 57 (1996) 335
Skadhauge, B., see Jacobsen, E.E., 65 (1997) 5
Sklan, D., see Arieli, A., 51 (1995) 287
Sklan, D., see Plavnik, I., 55 (1995) 247
Slessor, M., see Rooke, J.A., 70 (1998) 175
Slominski, B.A., see Simbaya, J., 61 (1996) 219
Smeds, K., see Laurinen, P., 74 (1998) 213
Smith, G.C., Morgan, J.B., Sofos, J.N. and Tatum, J.D., Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207
Smith, J.W., see Larbi, A., 72 (1998) 81
Smithard, R., see Mahmood, S., 65 (1997) 215
Smits, B., see Liu, Y., 52 (1995) 257
Sniffen, C.J., see Bernal-Santos, G., 63 (1996) 201
Sniffen, C.J., see Chalupa, W., 58 (1996) 65
Sniffen, C.J., see Licitra, G., 72 (1998) 1
Sniffen, C.J., see Van Saun, R.J., 59 (1996) 13

Snyman, L.D. and Joubert, H.W., Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
Soebarinoto, J., see Williams, B.A., 57 (1996) 183
Soevik, T., Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277
Soevik, T., Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207
Soevik, T., Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191
Sofos, J.N., see Smith, G.C., 59 (1996) 207
Soller, H., see Krishnamoorthy, U., 52 (1995) 177
Solomon, R., see Miron, J., 57 (1996) 75
Soto, H., see Sánchez, J.M., 71 (1998) 295
Souza, G.B., see Nogueira, A.R.A., 74 (1998) 79
Souza, O., see Cañeque, V., 74 (1998) 241
Sowell, B.F., see Bowman, J.G.P., 55 (1995) 105
Spais, A.B., see Christaki, E., 65 (1997) 287
Spanghero, M., see Susmel, P., 53 (1995) 81
Spears, J.W., Beef nutrition in the 21st century, 58 (1996) 29
Spears, J.W., Organic trace minerals in ruminant nutrition, 58 (1996) 151
Spicer, H.M., see Goonewardene, L.A., 74 (1998) 135
Squires, V., see Swingle, R.S., 63 (1996) 137
Sretenović, L., see Adamović, M., 71 (1998) 359
Srinivas, B. and Gupta, B.N., Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275
Srivastava, A., see Chaudhary, L.C., 51 (1995) 281
Srivastava, A., see Chaudhary, L.C., 56 (1995) 111
Stangassinger, M., see Kovács, P.L., 64 (1997) 143
Stangassinger, M., see Kovács, P.L., 71 (1998) 327
Steen, R.W.J., see Dawson, L.E.R., 67 (1997) 61
Steen, R.W.J., see Gordon, F.J., 70 (1998) 339
Steen, R.W.J., see Park, R.S., 68 (1997) 235
Steen, R.W.J., see Park, R.S., 72 (1998) 155
Steen, R.W.J., see Pippard, C.J., 57 (1996) 87
Steen, R.W.J., see Porter, M.G., 56 (1995) 217
Steenfeldt, S., Bach Knudsen, K.E., Børsting, C.F. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
Steenfeldt, S., Müllertz, A. and Fris Jensen, J., Enzyme supplementation of wheat-based diets for broilers. 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27
Steenfeldt, S., Hammershøj, M., Müllertz, A. and Fris Jensen, J., Enzyme supplementation of wheat-based diets for broilers. 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45
Steenfeldt, S., see Børsting, C.F., 53 (1995) 317
Steenfeldt, S., see Bach Knudsen, K.E., 52 (1995) 205
Stefanon, B., see Guzzon, P., 67 (1997) 37
Stefanon, B., see Susmel, P., 53 (1995) 81
Steg, A., see Givens, D.I., 54 (1995) 55
Steg, A., see Hindle, V.A., 51 (1995) 103
Steg, A., see Liu, Y., 52 (1995) 257
Steingass, H., see Krishnamoorthy, U., 52 (1995) 177
Stekar, J.M., see Verbič, J., 54 (1995) 133
Stern, M.D., see Howie, S.A., 63 (1996) 1
Stern, M.D., see Mansfield, H.R., 55 (1995) 47
Stern, M.D., see Yoon, I.K., 60 (1996) 13
Stewart, C.S., see Salawu, M.B., 69 (1997) 67, 207, 219
Stewart, J.L., Dunsdon, A.J., Kass, M., López Ortíz, S., Larbi, A., Premaratne, S., Tangendjaja, B., Wina, E. and Vargas, J.E., Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111
Stewart, J.L., see Wood, C.D., 75 (1998) 125
Sticker, L.S., see Ameny, G.A., 53 (1995) 305
Stock, R.A., see Mendoza, G.D., 54 (1995) 315
Stock, R.A., see Mendoza, G.D., 74 (1998) 329
Stock, R.A., see Richards, C.J., 55 (1995) 35
Štohandlová, M., see Komprda, T., 67 (1997) 141
Stoićević, L., see Adamović, M., 71 (1998) 359
Stritzler, N.P., Jensen, B.B. and Wolstrup, J., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225
Stritzler, N.P., Wolstrup, J., Eggum, B.O. and Jensen, B.B., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in

rapeseed meals of different glucosinolate content, 57 (1996) 257
Südekum, K.-H., see Kovács, P.L., 64 (1997) 143
Südekum, K.-H., see Kovács, P.L., 71 (1998) 327
Suleiman, A., see Walshaw, J., 71 (1998) 311
Summers, J.D., Canola meal and acid-base balance, 53 (1995) 109
Sundstøl, F., see Laswai, G.H., 65 (1997) 45
Sundstøl, F., see Shen, H.S., 73 (1998) 243
Sundstøl, F., see Shen, H.S., 74 (1998) 193
Sundstøl, F., see Tolera, A., 75 (1998) 157
Susmel, P., see Guzzon, P., 67 (1997) 37
Susmel, P., Spanghero, M., Mills, C.R. and Stefanon, B., Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81
Suzuki, Y., Okano, K. and Kato, S., Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227
Svihus, B., Newman, C.W., Newman, R.K. and Selmer-Olsen, I., Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
Swift, M.L., see Beames, R.M., 62 (1996) 189
Swift, M.L., see von Keyserlingk, M.A.G., 57 (1996) 291
Swingle, R.S., Glenn, E.P. and Squires, V., Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137
Syrjälä-Qvist, L., see Tesfa, A.T., 56 (1995) 143
Szymczyk, B., Gwiazda, S. and Hanczakowski, P., Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169
Szymczyk, B., Gwiazda, S. and Hanczakowski, P., The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297
Szymczyk, B., see Hanczakowski, P., 52 (1995) 339

T

Taboada, E., see de Blas, J.C., 70 (1998) 151
Tait, R.M. and Fisher, L.J., Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69
Taiwo, A.A., Adebowale, E.A., Greenhalgh, J.F.D. and Akinsoyinu, A.O., Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133
Takahashi, J., Ikeda, M., Matsuoka, S. and Fujita, H., Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273
Taliaferro, C.M., see Dabo, S.M., 67 (1997) 299
Tamminga, S., see Bruining, M., 73 (1998) 37
Tamminga, S., see Caine, W.R., 71 (1998) 177
Tamminga, S., see Ibrahim, M.N.M., 54 (1995) 81
Tamminga, S., see Kaitho, R.J., 65 (1997) 151
Tamminga, S., see Kaitho, R.J., 72 (1998) 355
Tamminga, S., see Valk, H., 63 (1996) 63
Tamminga, S., see Williams, B.A., 57 (1996) 183
Tan, Z.L., Chen, H.P., He, L.H., Fang, R.J. and Xing, T.X., Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
Tanaka, Y., see Komaki, H., 70 (1998) 363
Tangendjaja, B., see Stewart, J.L., 75 (1998) 111
Taniguchi, K., see Zhao, Y., 59 (1996) 265
Tanko, R.J., see Kallah, M.S., 68 (1997) 153
Tapia, M.O., see Roigé, M.B., 72 (1998) 367
Tarawali, G., see Njwe, R.M., 51 (1995) 317
Tatum, J.D., see Smith, G.C., 59 (1996) 207
Teeter, R.G. and Belay, T., Broiler management during acute heat stress, 58 (1996) 127
Teeter, R.G., Wiernusz, C.J. and Belay, T., Animal nutrition in the 21st centuryA poultry perspective, 58 (1996) 37
Tegbe, T.S.B., see Kaankuka, F.G., 62 (1996) 229
Teguia, A., Njwe, R.M. and Nguekouo Foyette, C., Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283
Teguia, A., Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155
ter Elst, E.R., see Qin, G., 57 (1996) 313
Ternois, F., see Archimède, H., 58 (1996) 267
Tesfa, A.T., Virkajärvi, P., Tuori, M. and Syrjälä-Qvist, L., Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
Théwis, A., see Beckers, Y., 61 (1996) 305
Thacker, P.A. and Baas, T.C., Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet

on the performance of growing-finishing pigs, 63 (1996) 187
Thacker, P.A., Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing–finishing pigs, 71 (1998) 89
Thacker, P.A., see Li, D., 73 (1998) 173
Thacker, P.A., see Mustafa, A.F., 64 (1997) 273
Thapa, B., Walker, D.H. and Sinclair, F.L., Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97
Thapa, B., Walker, D.H. and Sinclair, F.L., Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37
Theodorou, M.K., see Longland, A.C., 55 (1995) 161
Theodorou, M.K., see Sileshi, Z., 61 (1996) 73
Theurer, C.B., see Al-Dehneh, A., 68 (1997) 327
Thivend, P., see Rogers, M., 65 (1997) 113
Thomas, M. and van der Poel, A.F.B., Physical quality of pelleted animal feed1. Criteria for pellet quality, 61 (1996) 89
Thomas, M., van Vliet, T. and van der Poel, A.F.B., Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
Thomas, M., van Zuilichem, D.J. and van der Poel, A.F.B., Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
Thomke, S., Pettersson, H., Neil, M. and Håkansson, J., Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207
Thomke, S., see Pettersson, Å., 62 (1996) 203
Thomson, J.R., see Rooke, J.A., 70 (1998) 175
Thonney, M.L., see Bernal-Santos, G., 63 (1996) 201
Thos, J., see Lopez-Bote, C.J., 70 (1998) 1
Thos, J., see Lopez-Bote, C.J., 72 (1998) 33
Tigere, A., see Manyuchi, B., 63 (1996) 123
Tigere, A., see Manyuchi, B., 69 (1997) 17
Tisserand, J.L., see Ben Salem, H., 68 (1997) 101
Titterton, M. and Maasdorp, B.V., Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
Titterton, M., see Maasdorp, B.V., 69 (1997) 241
Todorov, N., see Djouvinov, D.S., 71 (1998) 67
Toivonen, V., see Pölönen, I., 71 (1998) 197
Tolera, A., Khazaal, K. and Ørskov, E.R., Nutritive evaluation of some browse species, 67 (1997) 181
Tolera, A., Sundstøl, F. and Said, A.N., The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157
Tolman, G.H., Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159
Tomáš, K., see Jiří, T., 57 (1996) 129
Tománková, O. and Kopečný, J., Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71
Tománková, O., see Kopečný, J., 71 (1998) 109
Toppo, S., Verma, A.K., Dass, R.S. and Mehra, U.R., Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101
Topps, J.H., Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
Topps, J.H., see Baloyi, J.J., 69 (1997) 179
Topps, J.H., see Dzowela, B.H., 55 (1995) 207
Topps, J.H., see Manyuchi, B., 63 (1996) 123
Topps, J.H., see Manyuchi, B., 69 (1997) 17
Topps, J.H., see Masama, E., 69 (1997) 233
Topps, J.H., see Matizha, W., 69 (1997) 187
Topps, J.H., see Mupangwa, J.F., 69 (1997) 167
Topps, J.H., see Rouzbehan, Y., 59 (1996) 279
Topps, J.H., see Rouzbehan, Y., 62 (1996) 151
Topps, J.H., see Sibanda, S., 68 (1997) 295
Tortuero, F. and Fernández, E., Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255
Toscas, P.J., see Kennedy, P.M., 66 (1997) 111
Toullec, R. and Formal, M., Digestion of wheat protein in the preruminant calfileal digestibility and blood concentrations of nutrients, 73 (1998) 115
Touré, S.F., Michalet-Doreau, B., Traoré, E., Friot, D. and Richard, D., Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63
Tovar-Gómez, M.R., Emile, J.C., Michalet-Doreau, B. and Barrière, Y., In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77
Traoré, E., see Touré, S.F., 74 (1998) 63
Treviño, J., see Alzueta, C., 52 (1995) 249
Treviño, J., see Rodríguez, M.L., 71 (1998) 341
Trocino, A., see Xiccato, G., 71 (1998) 229
Tsirgogianni, D., see Belibasakis, N.G., 52 (1995) 227
Tsirgogianni, D., see Belibasakis, N.G., 57 (1996) 175

Tsirgogianni, D., see Belibasakis, N.G., 60 (1996) 87
Tsirgogianni, D., see Belibasakis, N.G., 64 (1996) 53
Tuah, A.K., Obese, F.Y., Ørskov, E.R., Okai, D.B., Adomako, D., Amaning, K.O., Said, A.N. and Greenhalgh, J.F.D., The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269
Tuah, A.K., see Bonsi, M.L.K., 52 (1995) 101
Tuah, A.K., see Bonsi, M.L.K., 64 (1996) 11
Tuori, M., see Tesfa, A.T., 56 (1995) 143
Tupasela, T., see Siljander-Rasi, H., 60 (1996) 1
Turner, N.D., see Ashok, G., 53 (1995) 267
Turner, N.D., see Gandi, J., 68 (1997) 195
Turtle, L.P., see Lawrence, T.L.J., 51 (1995) 183

U

Udedibie, A.B.I. and Carlini, C.R., Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95
Udedibie, A.B.I. and Carlini, C.R., Crack and cookA simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*-seeds, 74 (1998) 179
Udedibie, A.B.I. and Opara, C.C., Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157
Udén, P., see Chai, W., 74 (1998) 281
Udén, P., see Mbwile, R.P., 65 (1997) 87
Udén, P., see Mbwile, R.P., 66 (1997) 181
Udén, P., see Mero, R.N., 69 (1997) 341
Udén, P., see Mero, R.N., 70 (1998) 79, 97, 111
Uden, P., see Mero, R.N., 72 (1998) 387
Ullrey, D.E. and Allen, M.E., Nutrition and feeding of ostriches, 59 (1996) 27
Ummuna, V.N., see Wiegand, R.O., 54 (1995) 175
Umunna, N.N., see Bonsi, M.L.K., 64 (1996) 11
Umunna, N.N., see Kaitho, R.J., 65 (1997) 151
Umunna, N.N., see Kaitho, R.J., 72 (1998) 355
Umunna, N.N., see Nsahlai, I.V., 61 (1996) 275
Undi, M. and Wittenberg, K.M., Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291
Undi, M., Moshtaghi-Nia, S.A., Wittenberg, K.M. and Ingalls, J.R., A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179
Undi, M., see Wittenberg, K.M., 60 (1996) 301
Unsworth, E.F., see Pippard, C.J., 57 (1996) 87
Unsworth, E.F., see Porter, M.G., 56 (1995) 217
Urbaniak, M. and Przybecki, T., Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121
Ushida, K., see Matsui, H., 71 (1998) 207

V

Vadiveloo, J. and Phang, O.C., Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
Vadiveloo, J., Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
Vadiveloo, J., Erratum to Factors contributing to varietal differences in the nutritive value of rice straw [Animal Feed Science and Technology 54 (1995) 45], 61 (1996) 375
Valaja J., see Laurinen, P., 74 (1998) 213
Valaja, J. and Näsi, M., Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267
Valaja, J., Alaviuhkola, T. and Siljander-Rasi, H., Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193
Valaja, J., Plaami, S. and Siljander-Rasi, H., Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
Valaja, J., see Buraczewska, L., 58 (1996) 201
Valaja, J., see Siljander-Rasi, H., 60 (1996) 1
Valk, H., Kappers, I.E. and Tamminga, S., In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
van Bruchem, J., see Bruining, M., 73 (1998) 37
van Bruchem, J., see Kaitho, R.J., 65 (1997) 151
van Bruchem, J., see Kaitho, R.J., 72 (1998) 355
van Bruchem, J., see Williams, B.A., 57 (1996) 183
van der Klis, J.D., Kwakernaak, C. and de Wit, W., Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

van der Merwe, J.P., see Brand, T.S., 53 (1995) 345
van der Poel, A.F.B., Fransen, H.M.P. and Bosch, M.W., Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
van der Poel, A.F.B., see Marsman, G.J.P., 56 (1995) 21
van der Poel, A.F.B., see Qin, G., 57 (1996) 313
van der Poel, A.F.B., see Thomas, M., 61 (1996) 89
van der Poel, A.F.B., see Thomas, M., 64 (1997) 173
van der Poel, A.F.B., see Thomas, M., 70 (1998) 59
van Gelder, A.H., see Cone, J.W., 61 (1996) 113
van Gelder, A.H., see Cone, J.W., 66 (1997) 31
van Leeuwen, P., see Gdala, J., 62 (1996) 239
van Leeuwen, P., see Gdala, J., 67 (1997) 115
van Nevel, C.J., see Mbanzamihigo, L., 62 (1996) 215
van Saun, R.J. and Sniffen, C.J., Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13
van Soest, P.J., see Bernal-Santos, G., 63 (1996) 201
van Soest, P.J., see Licitra, G., 57 (1996) 347
van Soest, P.J., see Licitra, G., 72 (1998) 1
van Vliet, T., see Thomas, M., 70 (1998) 59
van Vuuren, A.M., see Hindle, V.A., 51 (1995) 103
van Zuilichem, D.J., see Thomas, M., 64 (1997) 173
Vanacker, J.M., see de Boever, J.L., 51 (1995) 243
Vanacker, J.M., see De Boever, J.L., 60 (1996) 103
Vanacker, J.M., see De Boever, J.L., 66 (1997) 211
Vanacker, J.M., see de Smet, A.M., 51 (1995) 297
Vande Ginste, J. and De Schrijver, R., Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303
Vandycke, E., see Mbanzamihigo, L., 67 (1997) 339
Vanhatalo, A., Aronen, I. and Varvikko, T., Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
Varga, G.A., see Aldrich, J.M., 63 (1996) 257
Varga, G.A., see Hongerholt, D.D., 74 (1998) 1
Varga, G.A., see Karunanandaa, K., 55 (1995) 179
Varga, G.A., see Karunanandaa, K., 61 (1996) 1
Varga, G.A., see Karunanandaa, K., 63 (1996) 273
Vargas, E., see Sánchez, J.M, 71 (1998) 295
Vargas, J.E., see Stewart, J.L., 75 (1998) 111
Vargas, J.E., see Wood, C.D., 75 (1998) 125
Vargas, R.E., see León, A., 73 (1998) 231
Vargas, R.E., see Melcion, J.-P., 73 (1998) 217
Varvikko, T., see Vanhatalo, A., 55 (1995) 139
Veira, D.M., see Ouellet, D.R., 68 (1997) 307
Velasco, S., see Cañeque, V., 74 (1998) 239
Vázquez de Aldana, B.R., see García-Ciudad, A., 66 (1997) 257
Velasco, S., see Caneque, V. 74 (1998) 241
Venkatesh, M., Krishnamoorthy, U., Mohammed, F. and Hegde, B.P., Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271
Ventura, M.R., see Pieltain, M.C., 73 (1998) 187
Verbič, J., Stekar, J.M. and Resnik-Čepon, M., Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133
Verma, A.K., Mehra, U.R. and Dass, R.S., Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339
Verma, A.K., Mehra, U.R., Dass, R.S. and Singh, A., Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255
Verma, A.K., see Singh, P., 72 (1998) 183
Verma, A.K., see Toppo, S., 64 (1997) 101
Vermaak, L.M., see Cilliers, J.W., 53 (1995) 45
Verstegen, M.W.A., see Caine, W.R., 71 (1998) 177
Verstegen, M.W.A., see Gdala, J., 62 (1996) 239
Verstegen, M.W.A., see Houdijk, J.G.M., 71 (1998) 35
Verstegen, M.W.A., see Marsman, G.J.P., 56 (1995) 21
Verstraete, W., see Nollet, L., 71 (1998) 49
Vieira, R.A.M., Pereira, J.C., Malafaia, P.A.M. and de Queiroz, A.C., Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
Vieira, R.A.M., Pereira, J.C., Malafaia, P.A.M. and de Queiroz, A.C., The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151
Villafuerte, L., see Nahed, J., 68 (1997) 213
Villamide, M.J. and Fraga, M.J., Prediction of the digestible crude protein and protein digestibility

of feed ingredients for rabbits from chemical analysis, 70 (1998) 211
Villamide, M.J., Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211
Villamide, M.J., see Fuente, J.M., 56 (1995) 45
Vipond, J.E., Lewis, M., Horgan, G. and Noble, R.C., Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
Virkajärvi, P., see Tesfa, A.T., 56 (1995) 143
Visscher, G.J.W., see Cone, J.W., 61 (1996) 113
Viveros, A., see Arija, I., 70 (1998) 137
von Keyserlingk, M.A.G., see Makoni, N.F., 53 (1995) 221
von Keyserlingk, M.A.G., Swift, M.L., Puchala, R. and Shelford, J.A., Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291
Voragen, A.G.J., see Marsman, G.J.P., 56 (1995) 21
Vroons-de Bruin, J., see Hindle, V.A., 51 (1995) 103
Vukic Vranjes, M. and Wenk, C., The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

W

Wadhwa, M., Paul, D., Kataria, P. and Bakshi, M.P.S., Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11
Wagner, P., see Gdala, J., 65 (1997) 15
Waliszewski, K.N., Romero, A. and Pardio, V.T., Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253
Walker, D.H., see Thapa, B., 67 (1997) 97
Walker, D.H., see Thapa, B., 68 (1997) 37
Wall, G.W., see Akin, D.E., 53 (1995) 29
Wallace, R.J., see Chikunya, S., 63 (1996) 333
Waller, S.S., see Chriyaa, A., 65 (1997) 183
Waller, S.S., see Chriyaa, A., 66 (1997) 85
Walshaw, J., Mathison, G.W., Fenton, T.F., Sedgwick, G., Hsu, H., Recinos-Diaz, G. and Suleiman, A., Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 311
Wanderley, R., see Al-Dehneh, A., 68 (1997) 327
Wanderley, R.C., see Silva, A.G., 68 (1997) 247
Wang, G.J., Marquardt, R.R., Guenter, W., Zhang, Z. and Han, Z., Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47
Wang, Y., McAllister, T.A., Newbold, C.J., Rode, L.M., Cheeke, P.R. and Cheng, K.-J., Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143
Wang, Y., see Li, D., 73 (1998) 173
Wang, Z.S., see Goetsch, A.L., 66 (1997) 271
Wang, Z.S., see Rossi, J.E., 62 (1996) 163
Wanner, M., see Machmüller, A., 71 (1998) 117
Warnants, N., see Eeckhout, W., 52 (1995) 29
Wawrzyński, M., see Hanczakowski, P., 52 (1995) 339
Webster, A.J.F., see Dewhurst, R.J., 51 (1995) 211
Weinberg, Z.G., Ashbell, G., Hen, Y. and Azrieli, A., The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
Weinberg, Z.G., see Ashbell, G., 52 (1995) 271
Weisbjerg, M.R., Hvelplund, T., Hellberg, S., Olsson, S. and Sanne, S., Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
Weisbjerg, M.R., see Dakowski, P., 58 (1996) 213
Weisbjerg, M.R., see Madsen, J., 69 (1997) 53
Weisbjerg, M.R., see Mupeta, B., 69 (1997) 271
Wen-Shyg Chiou, P., Chen, C.R., Chen, K.J. and Yu, B., Wet brewers'grains or bean curd pomance as partial replacement of soybean meal for lactating cows, 74 (1998) 123
Wen-shyg Chiou, P., Chen, K.-L. and Yu, B., Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161
Chiou, P.W.-S., see Hsu, J., 74 (1998) 289
Wen-shyg Chiou, P., Chen, K.-L. and Yu, B., Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49
Wenk, C., see Vukic Vranjes, M., 54 (1995) 21
Wermke, M., see Singh, K., 61 (1996) 137

West, J.W., see Mandebvu, P., 73 (1998) 263, 281
Wheeler, K.P.A., see Moss, A.R., 68 (1997) 11
Wheeler, R.A., Chaney, W.R., Johnson, K.D. and Butler, L.G., *Leucaena* forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1
White, J.S., Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1
Whitehead, C.C., Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91
Whitehead, C.C., The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205
Whittemore, C.T., An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
Widiez, J.L., see Carré, B., 71 (1998) 19
Wiegand, R.O., Reed, J.D., Said, A.N. and Ummuna, V.N., Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
Wiernusz, C.J., see Teeter, R.G., 58 (1996) 37
Wilkinson, N.S., see McDowell, L.R., 60 (1996) 273
Williams, A.G., see Hillman, K., 52 (1995) 237
Williams, B.A., Chuzaemi, S., Soebarinoto, J., van Bruchem, J., Boer, H. and Tamminga, S., A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
Williams, B.A., see Groot, J.C.J., 64 (1996) 77
Williams, J.E., Belyea, R.L., Hsieh, F.H. and Firman, J.D., Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123
Williams, P.E.V., Animal production and European pollution problems, 53 (1995) 135
Williams, P.E.V., Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173
Williams, S.N., see McDowell, L.R., 60 (1996) 273
Williams, S.N., see Scherf, H., 59 (1996) 115
Wilman, D., Foulkes, G.R. and Givens, D.I., A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
Wilman, D., Foulkes, G.R. and Givens, D.I., The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111
Wilson, J.L., see Robinson, F.E., 58 (1996) 143
Wina, E., see Stewart, J.L., 75 (1998) 111
Windham, W.R., see Akin, D.E., 53 (1995) 29
Wiryawan, K.G., Miller, H.M. and Holmes, J.H.G., Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297
Wiseman, J., Powles, J. and Salvador, F., Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
Wiseman, J., see Short, F.J., 59 (1996) 215
Wittenberg, K.M., see Undi, M., 61 (1996) 291
Wittenberg, K.M., see Undi, M., 63 (1996) 179
Wittenberg, K.M., Undi, M. and Bossuyt, C., Establishing a feed value for moulded hay, 60 (1996) 301
Wittmann, M., see Kreuzer, M., 73 (1998) 1
Wold, J.E., see Corley III, R.N., 72 (1998) 295
Woldeghebriel, A., see Corley, R.N., 68 (1997) 183
Wolstrup, J., see Stritzler, N.P., 70 (1998) 11, 225
Wood, C.D. and Manyuchi, B., Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265
Wood, C.D. and Plumb, V.E., Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen micro-organisms, 56 (1995) 195
Wood, C.D., see Dryhurst, N., 71 (1998) 131
Wood, C.D., Stewart, J.L. and Vargas, J.E., Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125
Woodward, A. and Reed, J.D., Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Wright, J.B. and Brown, D.L., Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC–MS analysis, 69 (1997) 195
Wu, G., see Ramirez Piñeres, M.A., 64 (1997) 113
Wu, G., see Ramirez Piñeres, M.A., 65 (1997) 139
Wu, S.-S., see Chiou, P.W.-S., 68 (1997) 339
Wu, Y.-M., see Liu, J.-X., 52 (1995) 131

X

Xandé, A., see Aumont, G., 51 (1995) 1
Xiccato, G., Trocino, A. and Carazzolo, A., Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229
Xing, T.X., see Tan, Z.L., 53 (1995) 337
Xu, N.-Y., see Liu, J.-X., 52 (1995) 131

Y

Yamashita, M., see Komaki, H., 70 (1998) 363
Yanke, L.J., see Bae, H.D., 65 (1997) 165
Yano, F., see Matsui, T., 60 (1996) 131
Yano, H., see Matsui, T., 60 (1996) 131
Yaremcio, B.J., see Goonewardene, L.A., 74 (1998) 135
Ye, H.-W., see Liu, J.-X., 65 (1997) 79
Ye, J.-A., see Liu, J.-X., 65 (1997) 79
Yi, Z. and Kornegay, E.T., Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361
Yiakoulaki, M.D., Papadoyannis, I.N. and Nastis, A.S., Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163
Yokoe, Y., see Goto, M., 58 (1996) 239
Yokota, H.-o., see Ohshima, M., 62 (1996) 141
Yokota, H.-o., see Ohshima, M., 66 (1997) 129
Yoon, I.K., Lindquist, K.J., Hongerholt, D.D., Stern, M.D., Crooker, B.A. and Short, K.D., Variation in menhaden fish meal characteristics and their effects on ruminal protein degradation as assessed by various techniques, 60 (1996) 13
Yu, B., Hsu, J.-C. and Chiou, P.W.S., Effects of β-glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353
Yu, B., see Chiou, P.W.-S., 54 (1995) 93
Yu, B., see Chiou, P.W.-S., 55 (1995) 215
Yu, B., see Chiou, P.W.-S., 68 (1997) 339
Yu, B., see Hsu, J.-C., 60 (1996) 93
Yu, B., see Wen-shyg Chiou, P., 73 (1998) 161
Yu, B., see Wen-Shyg Chiou, P., 74 (1998) 123
Yu, B., see Wen-shyg Chiou, P., 67 (1997) 49
Zabielski, R., see Puchała, R., 66 (1997) 75

Z

Zakraoui, F., see Martín-Orúe, S.M., 71 (1998) 269
Zaman, M.S. and Owen, E., The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165
Zaman, M.S., McNiven, M.A., Grimmelt, B. and MacLeod, J.A., Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
Zanchi, R., see Gizzi, G., 73 (1998) 291
Zdunczyk, Z., Juskiewicz, J., Frejnagel, S. and Gulewicz, K., Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143
Zemmelink, G., see Ibrahim, M.N.M., 54 (1995) 81
Zhang, B., see Leske, K.L., 54 (1995) 275
Zhang, B., see Leske, K.L., 61 (1996) 377
Zhang, Z., see Marquardt, R.R., 60 (1996) 321
Zhang, Z., see Wang, G.J., 66 (1997) 47
Zhao, Y., Taniguchi, K. and Obitsu, T., Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
Zimmer, E., see Singh, K., 61 (1996) 137
Zimmer, N. and Cordesse, R., Digestibility and ruminal digestion of non- nitrogenous compounds in adult sheep and goats:Effects of chestnut tannins, 61 (1996) 259
ZoBell, D.R., see Goonewardene, L.A., 74 (1998) 135
Zollitsch, W., Knaus, W., Aichinger, F. and Lettner, F., Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

ELSEVIER

Animal Feed Science and Technology 75 (1998) 217–335

ANIMAL FEED SCIENCE AND TECHNOLOGY

Subject index

Animal Feed Science and Technology, volumes 51–75, 1995–1998

A

AAS
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Acacia angustissima
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

***Acacia cyanophylla* Lindl.**
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Acacia saligna
Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

***Acacia* sp.**
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Acceptability
Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

Acid oil
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Acid protease
Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Acidotic effect
Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297

Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Adaptation
Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Additives
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Adsorption
Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Adsorption isotherms
In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Adult
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101
Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Aerobic deterioration
A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87

Aerobic stability
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre

analysis of peas and wheat silages, 55 (1995) 287

Aflatoxins

Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Age

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Age of cutting

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Agricultural

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Air classification

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Alchornia cordifolia

Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157

Alfalfa

Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175

Alfalfa hay

Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Alfalfa leaf extracts

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Alfalfa silage

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Alfalfa stems

A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Alkali treatment

The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Alkaline hydrogen peroxide

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Alkaline hydrogen peroxide treatment
The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Alkaloids
Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Alpha-galactosides
The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

Alternate protein sources
Alternate protein sources for salmon and trout diets, 59 (1996) 71

Altitude
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Amaranthus hypochondriacus
Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Amines
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

Amino acid composition
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Amino acid digestibility
Digestible amino acids for poultry and swine, 59 (1996) 147
Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Amino acid pattern similarity
Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Amino acid supplementation
Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265

Amino acids
Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189
The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
Balancing the amino acid needs of the dairy cow, 60 (1996) 153
Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Ammonia
Animal production and European pollution problems, 53 (1995) 135
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133

Ammonia treatment—energetical and ecological aspects
Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

Ammonia treatment
Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149
Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239
Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117
Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Ammoniated rice straw
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Ammoniation
Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373
A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Amylopectin
Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Anaerobic fungi
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161
Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Anaerobic storage
Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Analysis
Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207
Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191

Angora goats
Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Animal byproduct protein
Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Animal drugs
Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Animal growth
Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Animal production
Animal production and European pollution problems, 53 (1995) 135

Animal protein
Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Animal waste
Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145

Anion-cation balance
Canola meal and acid-base balance, 53 (1995) 109

Anthesis
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Anti-nutritionals
Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Antibiotics supplementation
Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Antifungal compounds
Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217

Antigrowth factor
Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257

Antinutritional factors
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological para–meters during extrusion of soybean meal, 56 (1995) 21
Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159
Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

Antioxidants
Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1
Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α-tocopherols, 59 (1996) 115
Antioxidants improve cattle immunity following stress, 62 (1996) 59
Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Apparent digestibility
In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Apparent metabolisable energy
Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Apparent metabolizable energy determination
Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15

Apparent metabolizable energy value
Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Aquaculture feeds
Alternate protein sources for salmon and trout diets, 59 (1996) 71

Arabinoxylan
Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Arabinoxylans; Performance
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Arabinoxylans
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

ARC
Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Ardacin
Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Artificial rumen
Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343

Aspergillus niger
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Aspergillus oryzae
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Associative effect
Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Atriplex
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Attachment
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Autoclaving
Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Availability
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Available energy
Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29

Available lysine
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Available phosphorus
Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303
Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Average daily gain
A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Avian herbivore
Nutrition and feeding of ostriches, 59 (1996) 27

Avoparcin
Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Awassi lambs
Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Azolla
The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

B

Bacteria
Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Bacterial production
Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275

Bacterial protein
Incorporation of recycled urea–N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Bag mobility
Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Bagasse
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Balance trials
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Bale
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Banana
Nutritive value of banana (*Musa acuminata L.*) fruits for ruminants, 73 (1998) 187

Barley
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165
Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255
The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45
The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37
A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

Effects of β-glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353
Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329
A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Barley extrusion
The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Barley rootlets
Rumen degradability and intestinal digestibility of brewers'grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Barley straw
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133
Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239
Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Basil
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

BDG
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Bean curd pomance
Wet brewers'grains or bean curd pomance as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Beef cattle
Need for escape protein by grazing cattle, 60 (1996) 191
Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Beef
Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119

Bees
Black gram as a pollen substitute for honey bees, 54 (1995) 367

Beet pulp
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Benzoic acid
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Bermudagrass
In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263

Betaine supplementation
Effect of betaine on fat content in growing lambs, 73 (1998) 329

Bicarbonate
The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Big bale grass silage
The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

Bio-assay method
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Bioavailability
Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Biodegradation
Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Biohydrogenation
Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Biological additives
Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255

Biological value
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Biomass production
Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

Biomass
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Biopotency
Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α-tocopherols, 59 (1996) 115

Biosolids
Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Black gram
Black gram as a pollen substitute for honey bees, 54 (1995) 367
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Blood components
Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Blood parameters
Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Blood-mucosa products
Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279

Borage meal
Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Botanical composition
Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Brachystegia spiciformis

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Brewer's dried grain

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Brewer's wet grains

Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175

Brewers' grains

Rumen degradability and intestinal digestibility of brewers'grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Broiler

Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bioassay method, dietary Ca-level and feed form, 69 (1997) 329

Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Effects of β-glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353

Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Broiler breeder

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Broiler chicken

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Broiler chicks

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Broiler litter
Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Ruminal digestion kinetics of citrus peel, 68 (1997) 247
Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155
Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Broiler performance
Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257

Broilers
Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Bromegrass
Development and application of a selection criterion for particle size breakdown of smooth bromegrass leaves, 61 (1996) 57

Bromelain
Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71

Bromoethansulfonic acid
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Brown-midrib
In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Browse
Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
Nutritive evaluation of some browse species, 67 (1997) 181
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis)* determined by GC–MS analysis, 69 (1997) 195
Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Browse plants
Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65
Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Browse Plus
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Bubalus bubalis
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Buffaloes
Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281
Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345

Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255
The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Buffered propionic acid
Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Builder's sand
Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Bulls
Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

By products
Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Wet brewers' grains or bean curd pomance as partial replacement of soybean meal for lactating cows, 74 (1998) 123

By-product feedstuffs
Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

By-products—distillery waste
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

C

Ca salts of fatty acids
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Ca soaps of rapeseed fatty acids
Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Ca-level
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Caecal fermentation
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Caecum
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Cajanus cajan
Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Calcium
An estimation of the minimal P requirements for growing–finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29
Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Calcium hydroxide treatment
The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165

Calcium oxide
In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301
Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Calcium source
Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Calf
Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Calliandra calothyrsus
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Calves
Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275
A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Canavalia
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*seeds, 74 (1998) 179

Canavalia ensiformis (or jackbean)
Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Canavanine
Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Canola
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Canola meal
Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243
Variation in feed ingredient quality: oilseed meals, 59 (1996) 129
The effects of protease and carbohydrase supplementation on the nutritive value of canola meal

for poultry: In vitro and in vivo studies, 61 (1996) 219
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179
In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Canola oil
The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111

Canola Seed
Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing–finishing pigs, 71 (1998) 89
Canola meal and acid-base balance, 53 (1995) 109

Carbohydrates
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Carbon dioxide concentration
Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Carcass characteristics
Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Carcass composition
Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Carcass traits
Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Carotenoids
Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Casein
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Cassia
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Catalytic level
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229

Catfish
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Cation–anion balance
Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Cation–anion difference
Is there an optimal cation–anion difference for lactation diets?, 59 (1996) 3

Cattle
Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227
Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
Rumen fermentation characteristics and digestibility of cattle diets containing different whey:-maize ratios, 53 (1995) 81
Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93
Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47
Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1
Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195
Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87
Feeding minerals to cattle on pasture, 60 (1996) 247
Vitamin E supplementation for the ruminant, 60 (1996) 273
Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245
Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143
Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*[1026]) on digestion and the environment in the rumen of cattle, 64 (1997) 327
Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325
Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3- hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29
A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Cattle-beef silage
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Cattle—calf
Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39

Cattle dairy
Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75
Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175
Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Cattle feeding
The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Cattle—general
Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97
The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213

Cattle—growing
Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

Cattle immunity
Antioxidants improve cattle immunity following stress, 62 (1996) 59

Cattle manure
Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257

Cecum
Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121
Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Cell rupture
The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Cell wall
Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19
Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69
Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Cell wall constituents
Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137
Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Cell wall degradation
A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111

Cell wall methods
Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295

Cell-wall components
The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Cellulase
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Cellulolysis
Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267

Cellulose
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Cellulose breakdown
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Cellulose crystallinity
Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Cenchrus ciliaris
In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Cereal
Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Cereal grain
Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Cereal-rich concentrate
Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Chamaecytisus palmensis
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Chemical analyses
Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257
A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Chemical components

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Chemical composition

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179
Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167
Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179
Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201
Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169
Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Chemical constituents

The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Chemical preservation

Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

Chemical quality

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Chemical structure

Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179

Chemometrics

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Chicks

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Chicken-broiler

Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247

Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45
Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155
Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283

Chicken – general
Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335
The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219
Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Chicken intestines
Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Chickens
Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15
Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203
The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41
The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205
Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19
Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Chicks feeding
The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Chinese milk vetch silage
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Chlorella
The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Chloroplast
Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Cholesterol
Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257

Chondrocyte
The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Chromic oxide
Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Chromium
Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Chyme components
Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Ciliate protozoa
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Citric acid
Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Citrus pulp
Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87

Clinoptilolite
Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297

Cloning
Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Clotting
A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Clover
Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

Coating
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Cobalt
Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201
Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Cockerel
Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Cocoa pod husk
The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Colibacillosis
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Collared peccary
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Colocasia corm meal
Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335

Colostomy
Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Colostrum
Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

Columbus grass
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Combustion
A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Compacting behaviour
Influence of wheat meal variability upon compacting behaviour during pelleting, 51 (1995) 255

Comparative slaughter
Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Compartmental analysis
Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

Complete diets
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369

Components
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Composition
Nutritive value of peas for nonruminant diets, 60 (1996) 209
Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223
Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

Compound feeds
The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77

Concanavalin A
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia* seeds, 74 (1998) 179

Concentrate
Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Concentrate feeds
Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305

Condensed tannin analysis
Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Condensed tannins
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Conditioning
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Consumer demand
Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Continuous culture
Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Cooking
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*seeds, 74 (1998) 179

Cooling
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Copper
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Relative bioavailability of copper in a copper–lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281
Trace mineral requirements of grazing cattle, 59 (1996) 61
Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Corn
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Corn grain
Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

Correlation
Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Costa Rica
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Cotton fiber
Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231

Cottonseed
Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Cottonseed meal
Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Cotton seed cake
Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

Cotton stalks
Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

Cows
Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225

Cowpea
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Crab
Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Cracking
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*seeds, 74 (1998) 179

Crambe meal
Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257

Creatinine
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Creep feeding
Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Creole pigs
Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Crop growth stage
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Crop residues
Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

Crop residues as animal feed
Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Crossbred cows
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Crude enzymes
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Crude protein
Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Crude protein digestibility
Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Crustacean wastes
Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Cultivar
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Curve fitting
Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77
Description of gas production profiles with a three-phasic model, 66 (1997) 31

Cutting cycle
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

1-cyano-2-hydroxy-3-butene
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal Diceros bicornis, 51 (1995) 183

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC–MS analysis, 69 (1997) 195

Cymbopogon-Themeda

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

D

Dairy

Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 97

Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143

Considerations in the nutritional modification of milk composition, 59 (1996) 185

Practical approaches to feeding the high producing cow, 59 (1996) 199

Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Dairy calves and heifers

Nutrition and management of replacement cattle, 59 (1996) 155

Dairy cattle

Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215

Is there an optimal cation–anion difference for lactation diets?, 59 (1996) 3

Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Dairy cattle production

Relationship between forage quality and dairy cattle production, 59 (1996) 51

Dairy cow feeding

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Dairy cows

Effect of feeding yeast culture (Yea-sacc^{1026}) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247

Diet, production and reproduction in dairy cows, 59 (1996) 173

Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225
Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339
Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131
Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Dairy goat
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Dairy ruminants
Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Dairying
Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Database software
A new feed description and numbering system designed for feed value database, 54 (1995) 1

Deamination
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Deep stacking
Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Deer
Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343
A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351

Degradability
Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99
Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Degradability in sacco
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Degradation
Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133
The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
In situ degradation of feed purines, 71 (1998) 67

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Degradation kinetics
Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287

Degradation rate
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Dehulling
Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Dehydrated alfalfa
Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121

Dehydrated lucerne
Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Delignification
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Deoxynivalenol
Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

Detachment procedures
Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

Detergent fibre
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Detergent
An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281

Determination
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Diarrhoea
An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

Diaryliodonium
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Diceros bicornis
Identification of 18:3 (*n*-3) linolenic acid, 18:3 (*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC–MS analysis, 69 (1997) 195

Diet
Considerations in the nutritional modification of milk composition, 59 (1996) 185
Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121
Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363
Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Diet composition
Precision in swine feeding programs: An integrated approach, 59 (1996) 137

Diet selection
Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265

Dietary enzyme
The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Dietary factors
Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79

Dietary fat
Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Dietary fibre
Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183
Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215
Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Dietary levels
Nutritive value of peas for nonruminant diets, 60 (1996) 209

Dietary markers—intestinal tract
Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

Dietary protein
Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Differential scanning calorimetry
Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309

Digesta kinetics
Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Digesta markers
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Digesta passage kinetics
Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159

Digested xylan to digested cellulose ratio
Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Digestibility
Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29
Rumen fermentation characteristics and digestibility of cattle diets containing different whey:-maize ratios, 53 (1995) 81
Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using

rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33
A comparison of the neutral detergent–cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
A review of ratite nutrition, 60 (1996) 241
Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183
Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
Lupins (*L. luteus, L. albus, L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305
The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*,

Tayassu tajacu) raised in French Guyana, 64 (1997) 215

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79

Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257

Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265

Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing–finishing pigs, 71 (1998) 89

Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145

Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205

Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231

Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture

content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213
Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241
Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259
Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Digestibility—amino acids
The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213

Digestibility—carbohydrates
Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Digestibility—distillery waste
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Digestibility—fiber
Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231

Digestibility—fibre
Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Digestibility—forages
Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Digestibility markers
Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41

Digestibility methodology
Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

Digestibility parameters
The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Digestibility prediction
The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Digestibility proteins
Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239

Digestibility-straw
Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Digestible amino acids
Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173

Digestible energy
The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

Digestible lysine and methionine
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Digestion
Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Establishing a feed value for moulded hay, 60 (1996) 301
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*[1026]) on digestion and the environment in the rumen of cattle, 64 (1997) 327

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Digestion kinetics

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263

Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

Digestive enzymes

Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329

Digestive interactions

Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327

Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341

Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

2,3-dihydroxypyridine

Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253

Direct-fed microbial

Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Disappearance
In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Distillers byproducts
The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Distillers grains
Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201

Distillery waste
Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193

DM degradability in sacco
Nutritive evaluation of some browse species, 67 (1997) 181

Double-muscling
Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79

Dried yeast
Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Drug assays
Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Dry
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Dry heat treatment
Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Dry matter
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Dry matter and nitrogen degradability
Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Dry matter degradability (DMD)
Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Dry matter degradation
Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297
Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Dry matter digestibility
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Dry matter disappearance
Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73

Dry matter intake
Practical approaches to feeding the high producing cow, 59 (1996) 199

Dry season
Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Drying
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

DT104
A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Duckweed
Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339

Dumas
A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Duodenal protein
Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Duodenum
Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Durability
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

E

Economics
Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45

Edibility
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95

Edible regrowth
Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Effective degradability
Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Efficiency
The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Egg production
The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Egg weight
Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Elasticity
Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Electrometric titration
Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217

Elephant-grass
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Emu
A review of ratite nutrition, 60 (1996) 241

Endogenous fatty acids
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Energetic supplement
Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Energy
Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13
Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181
Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37
Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151
Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Energy and protein value
The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Energy digestibility
Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239

Energy efficiency
Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Energy metabolism
Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45
Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Energy requirements
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Energy utilisation
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Energy values
The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
Triticale (*Tritico secale*) as substitute for maize in pig diets, 53 (1995) 345
Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211
Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Energy/protein requirements
Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Ensilage
Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137

Ensiling
Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229
Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Entero–hepatic function
Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79

Enterotoxaemia
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Environment
Considerations in the nutritional modification of milk composition, 59 (1996) 185

Environmental temperature
Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289

Enzymatic solubility
Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245

Enzymes
Animal production and European pollution problems, 53 (1995) 135
Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55
Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219
Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187
Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Enzyme addition
The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Enzyme preparations
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283
Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

Enzyme supplementation
Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229
Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27
Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Enzyme treatment
The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205

The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45

Equine
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Equipment
Emerging feed mill technology: keeping competitive, 53 (1995) 157

Escape protein
Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Essential fatty acids
Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC–MS analysis, 69 (1997) 195

Ethanol treatment
Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Ethiopian highland sheep
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Ethoxyquin
Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1
Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Eucalyptus
Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Ewe
Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Excreta
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Exogenous enzymes
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Expander conditioning
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Expander treatment
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Expanding
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Expansion
Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247

Experimental design
A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Experimental silos
Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Extent of digestion
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Extraction
Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Extruded feed
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Extrusion cooking
Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275

Extrusion
Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247
Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123
Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283
Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Exudative moisture loss
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

F

Faecal dry matter content
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Faecal pH
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Faeces
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Fat application
Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Fat content and secretion
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Fats
In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181
Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335
Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63
The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Fat supplements
In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

Fat thickness
Effect of betaine on fat content in growing lambs, 73 (1998) 329

Fatty acid composition
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Fatty acid digestibility
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Fatty acid pattern
Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Fatty acids
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325
Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91
The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137
Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35
Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63
Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289
Effect of betaine on fat content in growing lambs, 73 (1998) 329

Feather meal
Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Fecal analysis
Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Fecal nitrogen excretion
Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

Feed
Factors affecting uniformity of a mix, 53 (1995) 211
Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217
Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63
Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Feed additives
Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Feed attributes of sorghum stovers
Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Feed blocks
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255

Feed conversion
Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Feed description system
A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feed efficiency
Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337
A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Feed enzymes
Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Feed evaluation
An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Feed expansion
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Feed form
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Feed formulation
Precision in swine feeding programs: An integrated approach, 59 (1996) 137

Feed ingredients
Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189
Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Feed intake
Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Feed interactions
Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265
The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

Feed microflora
Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Feed Mixing
Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Feed mixtures
Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191

Feed numbers
A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feed particles
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Feed processing
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Feed production
A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Feed purines
In situ degradation of feed purines, 71 (1998) 67

Feed quality
Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15
Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Feed raw material
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Feed resource
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Feed texture
Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

Feed traits
A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feedblocks
Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Feeding
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
Nutrition and feeding of ostriches, 59 (1996) 27
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33

Feeding level
Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97

Feeding value
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

Feeds
A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Feedstuffs
Why do we need a new NRC data base?, 53 (1995) 99
Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
Mycotoxins, 69 (1997) 155
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Feedstuffs from rapeseed processing
Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver [1,2], 62 (1996) 97

Fermentability
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Fermentation
Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Fermentation pattern
Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Fermentation in vitro
Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Fermentation kinetics
Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113

Fermentation pattern
Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137

Fermentation profile
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Fermented alfalfa juice
A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Ferric chloride treatment
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Ferrous sulphate
Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45

Fertiliser nitrogen
The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Fertilization
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Fertilizer
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Fetal nutrition
Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Fiber
Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Fiber degradability
Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Fibre
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123
Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289
Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253
Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93
Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*[1026]) on digestion and the environment in the rumen of cattle, 64 (1997) 327
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325
An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281

Fibre analysis
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

Fibre components
Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Fibre degradation
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Fibrobacter succinogenes
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Ficin
Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245

Field drying
Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

Finishing
Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167

Finishing broilers
Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

First trimester
Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Fish feeds
Alternate protein sources for salmon and trout diets, 59 (1996) 71

Fish meal
Variation in menhaden fish meal characteristics and their effects on ruminal protein degradation as assessed by various techniques, 60 (1996) 13
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Fish nutrition
Alternate protein sources for salmon and trout diets, 59 (1996) 71
A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Fish protein
Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digest-

ibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

Fish silage
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Flow injection
Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Fodder trees
Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39
Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Fodder utilization
Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Fodder-production potential
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Fodders
Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325
Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213
Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Food processing wastes
Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Food safety
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Forage Brassica
Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Forage particle size
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Forage quality
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
Relationship between forage quality and dairy cattle production, 59 (1996) 51
Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Forages
Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1
Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
Need for escape protein by grazing cattle, 60 (1996) 191
Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271
Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Forage sorghum
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Formaldehyde treatment
Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

Formic acid
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Formic acid treatment
Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279

Fractionation
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Fragmentation
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Free-choice
Feeding minerals to cattle on pasture, 60 (1996) 247

Free-range
Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33

Freezing
Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Fresh forage
The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Fresh whey
An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

Fructo-oligosaccharides
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Fumaric acid
The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243

Functional properties
Effect of hot aqueous ethanol treatment on antinutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Fungal biomass
Establishing a feed value for moulded hay, 60 (1996) 301
Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Fungal contamination
Mycotoxins, 69 (1997) 155

Fungal sporangia
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Fungi
Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179

Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Fur animals
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

G

α-Galactosidase
The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Gas measurement
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Gas production
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen microorganisms, 56 (1995) 195
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113
Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Description of gas production profiles with a three-phasic model, 66 (1997) 31
Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19
Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193
Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Gas production in vitro
Nutritive evaluation of some browse species, 67 (1997) 181

Gastrointestinal anatomy
Nutrition and feeding of ostriches, 59 (1996) 27

Gastrointestinal tract
Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361

General
Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81
Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 107
Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

General feed mixtures
Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277
Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Generation time
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Genetics
The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263

Genotypes
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

Gliricidia sepium
Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111
Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

β-glucan
Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

β-Glucanase
Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
Effects of β-glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353
Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329

β-glucanase activity
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Glucosinolates
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1
Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99
Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Goats
Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317
Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327
Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
Digestibility and ruminal digestion of non- nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259
Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89
Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163
In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163
Nutritive value of banana (*Musa acuminata L.*) fruits for ruminants, 73 (1998) 187
Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Goose
Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Grain
Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Grain feeding
Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Grain legumes
Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Grain replacement
The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Grains
In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165

Grass
Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295
Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341
Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Grass hay
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Grass maturity
Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1
Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Grass silage
The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339
Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41
The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Grassland
Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Grazing
Need for escape protein by grazing cattle, 60 (1996) 191
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Grazing animals
Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Grazing behaviour
Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317
Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Green crop cereals
Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Green fractions of LPC
Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169

Greengram
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Grinding
Feed manufacturing technology: current issues and challenges, 62 (1996) 49
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Gross energy
The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1

Groundnut hay
The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Groundnut meal
Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

Growing
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193
Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41
Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279
The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167
Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173

Growing broilers
Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157

Growing bulls
Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387

Growing calves
The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Growing cattle
The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Growing lambs
The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Growing pigs
Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265
The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Growing steers
Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

growing–finishing
An estimation of the minimal P requirements for growing–finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29

Growth
Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
Nutrition and management of replacement cattle, 59 (1996) 155
Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275
Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91
Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337
Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83
The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185
Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217
Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Growth parameters
The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Growth performance
Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15
Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45
Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175
Effects of β-glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353
Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Growth performance—rabbit
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Growth promoters
Animal production and European pollution problems, 53 (1995) 135

Growth rate
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Gut function
Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

H

Haemagglutinins
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Haematological status
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Halophytes
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Hardness
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Hay
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
Establishing a feed value for moulded hay, 60 (1996) 301
Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309
Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Hay preservation
Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

HCl extraction
Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Health
Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103
Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Heat damage
The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Heat processing
Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Heat treatment
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223
Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97
Rumen degradability and intestinal digestibility of brewers'grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Heat-moisture treatment
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

Heifers
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Helianthus tuberosus
Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Hemagglutination
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*seeds, 74 (1998) 179

Hemicellulase
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

Hen day egg production
Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255

Hens
Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Herbage
Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Herbicides
Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

High fibre diets
Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91
Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

High grain diet
Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

High pressure homogenization
The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Highlands
Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213
Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Hindgut digestion
The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Hindgut fermentation
Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

HSCAS
Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Hull content
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Humid tropics
Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Hybrids
Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Hydrated sodium calcium aluminosilicate
Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Hydration
Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Hydrogen peroxide
In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Hydrolysis
In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

I

Ileal digesta
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Ileal digestibility
The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Immunity
Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103
Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Immunoglobulins
Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

In ovo
Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

In sacco
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219
Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

In sacco degradability
Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

In sacco degradation kinetics
Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

In sacco digestion
Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

In situ
Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227
Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115
Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183
In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99
Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

In situ degradation
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

In situ technique
Ruminal digestion kinetics of citrus peel, 68 (1997) 247

In vitro
Description of gas production profiles with a three-phasic model, 66 (1997) 31
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353
Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

In vitro and in sacco digestibility
In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

In vitro assay
Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

In vitro cell wall digestibility
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

In vitro degradation
Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

In vitro digestibility
Nutritive value of banana (*Musa acuminata L.*) fruits for ruminants, 73 (1998) 187

In vitro dry matter digestibility
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

In vitro gas production
Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

In vitro rumen nitrogen degradability
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

In vitro rumen protein degradability
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

In vitro system
Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

In vitro techniques
Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

In vivo
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

In vivo digestibility
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

In vivo dry matter digestibility
Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Incubation sequence
Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Indigenous browse
Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Indigenous knowledge
Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97
Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Ingredients
Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Inhibitors
Effects of protease inhibitors on degradation of $H_3[^{14}C]$-casein by ruminal microorganisms, 64 (1997) 113

Inoculant
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239

Inoculate sources
In vitro starch disappearance procedure modifications, 55 (1995) 35

Inositol phosphates
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Intake
Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267
Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301
Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297
Establishing a feed value for moulded hay, 60 (1996) 301

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291
Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61
Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen–reticulum, 68 (1997) 259
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309
In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
Nutritive value of banana (*Musa acuminata L.*) fruits for ruminants, 73 (1998) 187
Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Intake level

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Intake prediction
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Interaction
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Interannual variations
Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Intercropping
Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Intestinal digestibility
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
Rumen degradability and intestinal digestibility of brewers'grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Intestinal digestibility of N
Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305

Intestinal digestion
Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Intestinal viscosity
Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Intramuscular fat
Effect of betaine on fat content in growing lambs, 73 (1998) 329

J

Jackbean (*Canavaliaensiformis*)
Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231

Jatropha curcas
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

Jerusalem artichoke
Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

K

Karl Fischer titration
A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67

Kenaf
Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Kernel
The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279

Kidney
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Kinetics
Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Kinetics of fermentation
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Kjeldahl
A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Kudzu (*Pueraria lobata*)
Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183

L

L-cysteine
Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Lablab
Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Laboratory scale
Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Lactate
The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Lactating cows
Balancing the amino acid needs of the dairy cow, 60 (1996) 153

Lactating dairy cows
Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
Wet brewers' grains or bean curd pomance as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Lactation diet
Is there an optimal cation–anion difference for lactation diets?, 59 (1996) 3

Lactation performance
Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Lactic acid
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

Lactic acid bacteria
A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Lactic acid fermentation
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Lactobacilli
Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39
Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

***Lactobacillus* sp.**
Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in

the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

Lactobacillus
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Lag phase
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Lamb performance
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Lambs
Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121
The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69
The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
Effect of betaine on fat content in growing lambs, 73 (1998) 329

Laser-induced fluorescence
Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Layer
Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Layer performance
Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Laying hens
Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41
Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Leaf meal
Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157

Leaf protein
Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169
The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Leaves
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211
Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Lecithin
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Lectin
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

Lectin activity
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Leg weakness
The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Leghorn and broiler chickens
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Legume forage
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Legume grains
Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49

Legumes
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167
Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271
Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95

Legume seeds
Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325

Legume straws
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Legume supplements
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387

Lentinus edodes
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Leucaena
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101
The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1
Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45
Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353
Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein

supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

Leucaena leaf meal
Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3- hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Leucaena leucocephala
Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153

Leucaena meal
Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265

Leucaena pallida
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

***Leucaena* spp.**
Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Level of intake
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Lignin
Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Lime
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Lime treatment
Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Limiting amino acids
Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87

Linseed
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149
Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Lipid composition
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65

Lipid oxidation
Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207
Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283

Lipids
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Liquid marker
Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Liquid potato feed
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Liquid supplementation
Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105

Live weight gain
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes*

guianensis and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Liver

Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Liver enzymes

Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3- hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Liver function

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Liveweight

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Liveweight gain

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Location

Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247

Low-molecular weight sugars

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Low-quality forage

Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159

Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105

Lucerne

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305

Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287

Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137

Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Lucerne hay

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Lucerne leaf meal

The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11

Lupins

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Lupin seed meal

The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing

pigs as evaluated by different techniques, 53 (1995) 279
Lupins (*L. luteus, L. albus, L. angustifolius*) as a protein source for young pigs, 62 (1996) 239

Lupin seeds
Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Lysine
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267
Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

M

Magadi soda
Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Magnesium
Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Maillard reaction products
Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201

Maillard reaction
The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Maintenance
Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Maize cobs
The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Maize grain
Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Maize silage
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
A comparison of the neutral detergent–cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211
The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Maize stover
Effects of supplementation with foliage from the tree legumes *Acacia angustissima, Cajanus*

cajan, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365
The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Maize-legume silage
Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Maize
Rumen fermentation characteristics and digestibility of cattle diets containing different whey:-maize ratios, 53 (1995) 81
Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133
Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237
Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155
Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77
The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295
Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329
The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Malt distillers
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 67

Management
Nutrition and management of replacement cattle, 59 (1996) 155

Manganese
Trace mineral requirements of grazing cattle, 59 (1996) 61
Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Manipulation of milk fatty acids
Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Manoxol
Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281

Manure
Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Marine oil
A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Mathematical models
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Maturity stage
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Maturity
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Meal
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223

Mean retention time
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Meat meal
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Meat quality
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Medicago sativa
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Mediterranean area
Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Metabolic disorders
Practical approaches to feeding the high producing cow, 59 (1996) 199

Metabolic rate
Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Metabolisable energy
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369
Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231

Metabolisable protein
Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Metabolism
Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Metabolizable energy
Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Methaemoglobin
Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Methane
The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Methionine
Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Methionine sulfoxide
Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Methodology
Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Methods
A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281

Mexico
Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Microbes
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Microbial activity
Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Microbial attachment
Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Microbial biomass
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Microbial contamination
Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Microbial ecology
Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47

Microbial enzymes
Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Microbial non-ammonia-nitrogen
Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Microbial protein
Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

Microbial synthesis
Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265

Microbial treatment
Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

Microbial-N yield
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microbiology
The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Microflora
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Micronization
Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing–finishing pigs, 71 (1998) 89

Micronized feed
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Microscopy
Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Mid lactation
Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Milk
Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175
Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87
The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137
Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341
A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Milk composition
Considerations in the nutritional modification of milk composition, 59 (1996) 185
Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53
Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Milk fat
Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Milk fatty acids
Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Milk fever
Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Milk flavour
Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Milk production
Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97
Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Milk protein
Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Milk replacer
A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Milk urea
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Milk yield
Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149
Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Millet
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Mimosine biodegradation
Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3- hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Mimosine metabolism
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Minerals general
Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Minerals
Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15
Why do we need a new NRC data base?, 53 (1995) 99
The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
Feeding minerals to cattle on pasture, 60 (1996) 247
Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Mineral balance
Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Mineral composition
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Mineral content
Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Mineral supplementation
Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253

Mink
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

Mite
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Mixed crop silage
Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Mixed diet
Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Mixed silages
The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295

Mixing
Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Mixtures
Factors affecting uniformity of a mix, 53 (1995) 211

MMC
Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Mobile bag
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

Mobile bag technique
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Mobile nylon bags
Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305

Modelling
Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287
Description of gas production profiles with a three-phasic model, 66 (1997) 31

Models
The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Modified soyprotein
Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Moist heat treatment
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Moisture
Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Molassed sugar beet pulp
Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237
The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

Molasses
Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233
Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Mold
Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Mold inhibitors
Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

Molybdenum
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Monensin
Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Monosaccharide components
Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Monosaccharides
Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Montmorillonite
In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Moringa oleifera
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Morphological fractions
Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Morphological parts
Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Mortality
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Mould
Establishing a feed value for moulded hay, 60 (1996) 301

Moulding
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Multiphasic model
Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Multipurpose tree species
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Multipurpose trees
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Mung beans
Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Mungo kernels
Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155

Musa paradisiaca
Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Muscle area
Effect of betaine on fat content in growing lambs, 73 (1998) 329

Mushroom mycelium
The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Mycotoxins
Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197
Mycotoxins, 69 (1997) 155

N

^{15}N
Incorporation of recycled urea–N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327
Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

N
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

N fertilisation
In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

n–3 fatty acid
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and

lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

n-Alkane
Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Naked oats
Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Natural diet
Nutrition and feeding of ostriches, 59 (1996) 27

Navy bean
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

NDF
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Near-infrared analysis
Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51

Near infrared difference spectra
Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Near Infrared Reflectance Spectroscopy (NIRS)
The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149
Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Near infrared spectroscopy
Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225
The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Nepal
Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97
Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Net energy
An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Neutral detergent fiber
Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127
In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263

Neutral detergent–cellulase method
A comparison of the neutral detergent–cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55

Niacin
Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181
Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

NIRS
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339
Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Nitrate toxicity
Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Nitrite
Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Nitrogen
Amino acid metabolism in ruminants, 59 (1996) 167
Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Nitrogen balance
Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27
Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Nitrogen degradation
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Nitrogen emission
Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

Nitrogen excretion
Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Nitrogen fertilization
Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Nitrogen fractions
Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351
Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Nitrogen metabolism
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Nitrogen retention

Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297

Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Nitrogen utilization

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Nitrogen

Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1

Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

NMR

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Non ruminants

Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173

Non-starch polysaccharide

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Non-starch polysaccharides

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohy-

drates and dietary protein in young pigs, 67 (1997) 115
Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361
Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

Nonstructural carbohydrate
Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Northern Nigeria
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

NRC
Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Nutrient components
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Nutrient composition
Why do we need a new NRC data base?, 53 (1995) 99

Nutrient content
Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Nutrient digestibility
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11
Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341
Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Nutrient disappearance
Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Nutrient recovery
Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Nutrient requirements
Nutrition and feeding of ostriches, 59 (1996) 27
Precision in swine feeding programs: An integrated approach, 59 (1996) 137
A review of ratite nutrition, 60 (1996) 241
Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Nutrient retention; Broilers
Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Nutrient retention
Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91
Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Nutrient uniformity
Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Nutrient utilisation
The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21
Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339
Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Nutrient
Nutrional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation

and some blood constituents in the rat, 71 (1998) 185
Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29

Nutrition

Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139
Nutrition and management of replacement cattle, 59 (1996) 155
Considerations in the nutritional modification of milk composition, 59 (1996) 185
Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161
Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Nutritional value

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323
The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Nutritive value

Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1
Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295
The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343
A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9
Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183
Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229
Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319
Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro

gas production and near infrared reflectance spectroscopy, 74 (1998) 259
Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111
The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Nutritive value—colocasia corm meal
Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335

Nutritive value—raw
Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263

Nutritive value-broiler litter
Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165

nutritive value-straw-plant juice
Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1

Nylon bag
Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179
A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Nylon bag technique
Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211
In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
Degradation of tropical roughages and concentrate feeds in the rumen, 54 (1995) 81
Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343

O

Oak leaves
A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351
Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Oat hay
Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Oats
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Odour
Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Oestrogen
Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Offspring performance
Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Oil
Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Oilseed meals
Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

Oilseeds
Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231
The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Old World bluestem
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Oligonucleotide probe
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Oligosaccharides
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253
The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Omasum
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Opaque-2
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Orange peel
Ruminal digestion kinetics of citrus peel, 68 (1997) 247

Organic matter
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Organic matter digestibility (OMD)
Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Organic matter digestibility prediction
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Oryza sativa
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Ostrich
Nutrition and feeding of ostriches, 59 (1996) 27
A review of ratite nutrition, 60 (1996) 241

Ostriches
The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369
Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Oxidation
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Oxidative stability
Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Oxidised oil
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Ozonated cotton stalks
Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

P

Palatability
Establishing a feed value for moulded hay, 60 (1996) 301
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Palm kernel
Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Palm kernel meal
Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167

Palm oil slurry
The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191

Pancreas
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Pancreatin
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Paraquat
Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Partially fried chips
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Particle size
Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203
Development and application of a selection criterion for particle size breakdown of smooth bromegrass leaves, 61 (1996) 57
Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25
Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143
Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325
Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Particles
Factors affecting uniformity of a mix, 53 (1995) 211

Partitioning factor
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African

roughages in relation to ruminant liveweight gain, 69 (1997) 131

Pashmina kids
Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Passage
Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Pasta
Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Pasture
Feeding minerals to cattle on pasture, 60 (1996) 247
Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
Forage quality of native pastures in a Mediterranean area, 69 (1997) 315
Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Pasture evaluation
Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

Pathogenic bacteria
Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207

Pathogens
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Pea chips
The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Pea cultivar
The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Peas
Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159
Nutritive value of peas for nonruminant diets, 60 (1996) 209
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Pectin
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Pectinase
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

PEG
Nutritive evaluation of some browse species, 67 (1997) 181

Pellet binders
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Pellet quality
Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
Physical quality of pelleted animal feed 1. Criteria for pellet quality, 61 (1996) 89
Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Pelleting
Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187
Physical quality of pelleted animal feed 1. Criteria for pellet quality, 61 (1996) 89
Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Pellets
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Pennisetum clandestinum
Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Pentosanase
Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Peppermint
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Pepsin
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Peptostreptococcus productus
Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

PER
Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Perennial peanut
Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Perennial ryegrass
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Performance
An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193
A review of ratite nutrition, 60 (1996) 241
Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47
Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197
Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79
The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191
Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71
A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289
Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Peroxidation
Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Pet food
Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283

pH
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187
Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Phenolic acids
Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Phenolic compounds
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen microorganisms, 56 (1995) 195
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Phenolics
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141
Nutritive evaluation of some browse species, 67 (1997) 181

Pholiota nameko
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Phosphoric acid
Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217

Phosphorus balance
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201

Phosphorus
An estimation of the minimal P requirements for growing–finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29
Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bioassay method, dietary Ca-level and feed form, 69 (1997) 329
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Physical characteristics
Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Physical quality
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Physical structure
Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Phytase
Availability for growing pigs of minerals and protein of a high phytate barley–rapeseed meal

diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361
In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315
Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Phytate

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223
In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315
Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Pig – starter

Effect of β-glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223

Pig—growing

Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Pig

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193
An estimation of the minimal P requirements for growing–finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29
Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279
Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
Triticale (*Tritico secale*) as substitute for maize in pig diets, 53 (1995) 345
Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301
Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239
Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15
Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167
Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361

A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
Effect of β-glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hulless barley varieties, 72 (1998) 329

Piglets

Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

Pigs

Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173
The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187
Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
The influence of α-galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1
Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 211

Pigs grower
Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Pigs weaner
Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Pilot scale
Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Pipecolic acid
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Piromyces
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Pisum sativum
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Plane of nutrition
Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Plant environment
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Plant materials
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Plantain foliage meal
Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Plants
Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Plasma characteristics
Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Plasma nutrients
Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Plasma urea
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Pollen substitute
Black gram as a pollen substitute for honey bees, 54 (1995) 367

Pollution
Animal production and European pollution problems, 53 (1995) 135

Polyethylene glycol (PEG)
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Polyphenolics
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Polysaccharides
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Poultry
Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173
In vitro stability of a β-glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
Digestible amino acids for poultry and swine, 59 (1996) 147
Nutritive value of peas for nonruminant diets, 60 (1996) 209
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Poultry chicken
Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

Poultry droppings
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

Poultry feeding
Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Poultry litter
The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133
Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347
Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29

Poultry mash
Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Poultry meat
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Poultry offal
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Praseodymium
Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Pre-ensiling physical constitution
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Prediction
Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309
Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Prediction equations
Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Prediction of dry matter intake
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibil-

ity/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Prediction of liveweight gain
The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Prepartum nutrition
Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Preruminant calf
Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Preservation
Preservation of brewers years slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Proanthocyanidins
Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121
Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Probiotic yeast
Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Probiotic
Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Processing
Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155
Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337

Production
Diet, production and reproduction in dairy cows, 59 (1996) 173

Propionic acid
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Propylene glycol
Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Protease
Study of the use of a protease with the van Soest procedure, 61 (1996) 129
Effects of protease inhibitors on degradation of $H_3[^{14}C]$-casein by ruminal microorganisms, 64 (1997) 113
Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175
Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177
Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1

Protection
In-vitro assessment of fat supplements for ruminants, 64 (1997) 127
Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Proteins
Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193

Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93
Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215
The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213
Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13
Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
Need for escape protein by grazing cattle, 60 (1996) 191
Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257
Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1
Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1
A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21
Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231
Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Protein (poultry)

Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191

Protein degradability

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Protein degradation
In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15
Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71
Variation in menhaden fish meal characteristics and their effects on ruminal protein degradation as assessed by various techniques, 60 (1996) 13

Protein denaturation
Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Protein digestibility
Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109
Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Protein digestion
Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Protein level
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79

Protein meals
The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229

Protein quality
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Protein source
Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Protein supplement
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Protein supplementation
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Protein utilization
The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275
Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267
Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239

Protein value
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Protein—swine
Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Protein-rich supplements
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Proteinous by-product
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

proteins and amino acids
Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Proteins general
Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Proteins—degradation
Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97
Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245

Proteins—ruminants
Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277
Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

Proteolysis
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139
Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Protozoa
Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237
Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117
Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Provenance
Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

Proximate analyses
The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227
Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Purine derivatives
Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341
Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

Purines
Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

Q

Quail
Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Quality
The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53
Emerging feed mill technology: keeping competitive, 53 (1995) 157

Quality control
Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

Quebracho tannins
Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67
Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Quercus semecarpifolia
Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Quinoa germ
Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Quinoa grain
Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

R

Rabbit
Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123
Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289
Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33
Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183
Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121
Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Rabbits
Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211
Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151
Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Radiation treatment
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Raffinose oligosaccharides
The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Rapeseed
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Rapeseed meal
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1
Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99
Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257
The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213
Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Rapeseed press cake
Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97

Rat
The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205
Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169
A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189
Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231
The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Rat intestinal absorption
Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Rate of passage
Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Raw full-fat soybean
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Reaction period
Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Rearing calves
Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79

Recycled urea
Incorporation of recycled urea–N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Red Sokoto goats
Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Redgram
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Reductive acetogenesis
Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Release of nutrients
Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

Reproduction
Diet, production and reproduction in dairy cows, 59 (1996) 173
Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151
Vitamin E supplementation for the ruminant, 60 (1996) 273

Requirements
Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

Response surface analysis
Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Review
Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295

Rhea
A review of ratite nutrition, 60 (1996) 241

Rhodes grass
Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Rice bran
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Rice polishings
The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Rice
Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45

Rice straw
Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305
Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Roasting
Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217
Detoxification of jackbean(*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value forpoultry, 73 (1998) 231

Roosters
The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369

Roughage to concentrate ratio
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Roughages
In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205

Roxarsone
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Rumen bacteria
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Rumen bypass
Amino acid metabolism in ruminants, 59 (1996) 167

Rumen contents
Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Rumen degradability
Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115
Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351
Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Rumen degradation

Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165

Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205

Rumen DM degradation

Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Rumen enzymology

Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211

Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1

In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267

The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Rumen fementation

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:-maize ratios, 53 (1995) 81

Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47

Effect of feeding yeast culture (Yea-sacc^{1026}) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247

Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101
The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131
In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261
Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291
Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Rumen fungi
Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Rumen in-vitro studies
Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Rumen incubation
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Rumen inoculum studies
Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177

Rumen manipulation
Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Rumen metabolism
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Rumen microbial ecology
Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

Rumen microbiology
Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281
Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237
Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Rumen microorganism
Effects of protease inhibitors on degradation of $H_3[^{14}C]$-casein by ruminal microorganisms, 64 (1997) 113
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27
Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269
Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Rumen model
Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Rumen pH
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Rumen protected amino acids
Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
Amino acid metabolism in ruminants, 59 (1996) 167

Rumen-degradable protein
Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Rumen
Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71
Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 125
Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227
Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*^{1026}) on digestion and the environment in the rumen of cattle, 64 (1997) 327
The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139
Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151
Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen–reticulum, 68 (1997) 65
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41
Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225
Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49
In situ degradation of feed purines, 71 (1998) 67
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325
Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta

passage from the reticulo-rumen of steers, 71 (1998) 327
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99
Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329
Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Ruminal availability
Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Ruminal characteristics
Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Ruminal degradability
Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1
Nutritive value of banana (*Musa acuminata L.*) fruits for ruminants, 73 (1998) 187

Ruminal degradation kinetics
In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Ruminal degradation
Relationship between forage quality and dairy cattle production, 59 (1996) 51
Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Ruminal digestion
Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Ruminal fermentation
Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Ruminal fluid
In vitro starch disappearance procedure modifications, 55 (1995) 35

Ruminal hydrogenation
Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Ruminal turnover
Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Ruminal undegradable protein
Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Ruminant nutrition
The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

Ruminant production
Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Ruminant
Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37
Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1
Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23
Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Ruminants
The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295
Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305
Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179
Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247
The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79
Mycotoxins, 69 (1997) 155
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109
Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251
Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

RUSITEC
Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Rye
Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

S

S. enterica
A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Saccharomyces cerevisiae
The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Salicornia meal
Nutrient composition and feeding value of Salicornia bigelovii torr meal in broiler diets, 65 (1997) 257

Salicornia
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Salmonella
A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Salseed meal
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Salt
Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Sample preservation
Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Sampling
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Santoquin
Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1

Saponins
Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Seal meal
Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Seasons
A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19
Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Secondary plant compounds
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Seed size
The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Seeds
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95
Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia*seeds, 74 (1998) 179

Selection of sorghum cultivars
Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Selective feeding
Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79

Selenium
Trace mineral requirements of grazing cattle, 59 (1996) 61
Vitamin E supplementation for the ruminant, 60 (1996) 273

Sepiolite
Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Sesame
The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Sesbania sesban
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Sesbania
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101
Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Sesbania *sp.*
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Setaria anceps
Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Sheanut cake
Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Shear forces
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Shear strength
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Shearing force
A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Shearing technique
A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Sheep feeding
Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Sheep—lamb
Relative bioavailability of copper in a copper–lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281

Sheep
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101
Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165
The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Digestibility and ruminal digestion of non- nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259
Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237
Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63
Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315
Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Shell thickness
Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Shrimp
Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Shrimp silage
Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Shrimp waste
Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Shrublands
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Shrubs
Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Silage

Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351
The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153
Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241
Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347
Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Silage additive

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311
A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Silage dry matter

Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217
A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67

Silage—animal waste

Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325

Silage—corn

Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Silage—general

A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87

Silage—grass

Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291
Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103

Silage—sudax fodder

Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325

Silage-rygrass straw:corn juice

Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility

in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195

silage-straw:corn juice
Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1

Simulation model
Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen–reticulum, 68 (1997) 259

Siratro
Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Slaughterhouse offal
Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Small intestinal AA availability
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Snail meal
The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Sodium hydrogen treatment
The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Sodium hydroxide
In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129
In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301
Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Solubility
Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Soluble fiber
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Sorghum
Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41
Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295
Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329
Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Sorghum almum
Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Sorghum proportion
Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Sorghum rootlets
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Southern Mexico
Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

sow
Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

Soy protein
The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

Soya bean
Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229

Soya-bean meal
Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257
Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

Soyabean oil
Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Soybean meal
The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
Variation in feed ingredient quality: oilseed meals, 59 (1996) 129
Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205
Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177

Soybean trypsin inhibitors
Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177

Soybean
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Species
Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227
Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Spectrophotometry
Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Splanchnic fluxes
Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Spontaneous heating
The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

SR
Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Stack
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Stalk quality
In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Starch digestion
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151
Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Starch–ethanol process
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Starch
In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
In vitro starch disappearance procedure modifications, 55 (1995) 35
Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183
Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19
In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Stargrass
Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Starter diets
Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333

Status
Vitamin E supplementation for the ruminant, 60 (1996) 273

Steers
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249
A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Stem diameter
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Stem strength
Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Steroidal saponins
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Stocking density
Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317

Stomach digestion
Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327

Storage
Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Storage stability
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Straw degradation
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225

Straw-cereal
Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Straw
Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165
Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137
Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Struthio camelus
Nutrition and feeding of ostriches, 59 (1996) 27

Suaeda
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Subterranean clover
Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Sudax fodder
Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347

Sugar cane molasses
Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265

Sugar cane
Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Sugarbeet Pulp
Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249
Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Sugarbeet
Fermentation pattern and changes in cell wall constituents of straw–forage silages, straws and partners during storage, 61 (1996) 137

Sugarcane molasses
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Sulphur
Canola meal and acid-base balance, 53 (1995) 109
The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Sun-dried cassava peel
Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Sunflower hulls
Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Sunflower meal
Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Sunflower oilcake
Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Sunflower seed
Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Sunflower
The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Supernatant
Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

Supplement diet
Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Supplement feeding
Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Supplement source
The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Supplementation
Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79
Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265
The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305
Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of

cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225
The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

Supplements
Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237
Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Supply pattern
The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Survival
Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Sweet lupin seed meal and fractions
Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Sweet potato performance
Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Swine
Precision in swine feeding programs: An integrated approach, 59 (1996) 137
Digestible amino acids for poultry and swine, 59 (1996) 147
Nutritive value of peas for nonruminant diets, 60 (1996) 209
Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273
Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing–finishing pigs, 71 (1998) 89

T

Tagasaste
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Tallow
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Tannery fleshings
Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Tannins
Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
Digestibility and ruminal digestion of non- nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295
Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

Tanzania
Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tapioca
The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Tayassu peccari
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Tayassu tajacu
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

TBARS
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Techniques—in vitro
Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103

Techniques—near-infrared analysis
Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103

Techniques
Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113
Study of the use of a protease with the van Soest procedure, 61 (1996) 129
Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325
A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189

Technology
Emerging feed mill technology: keeping competitive, 53 (1995) 157

Teff straw
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Temperature
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Thermal treatment
The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313

Thioglucosidase
Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-bu-

tene in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Threonine digestibility
Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Threonine requirements
Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Thyroid gland: Liver
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Thyroid hormones
Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3- hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Tibial dyschondroplasia
The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Tifton 85 bermudagrass
Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

Tilapia
Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Time
Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Tissue tocopherol
Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Tissue
Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Titanium dioxide
Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

TME
Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Toasting
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Tobacco
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Tocopherols
Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325

α-tocopherol
Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α-tocopherols, 59 (1996) 115
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α-tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149
Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33

Total tract digestibility
Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Toxicity
Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Toxicology
Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Trace minerals
Trace mineral requirements of grazing cattle, 59 (1996) 61
Antioxidants improve cattle immunity following stress, 62 (1996) 59

trans-galacto-oligosaccharides
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Transitional diet
Practical approaches to feeding the high producing cow, 59 (1996) 199

Tree fodders
Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97
Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Tree leaves
Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51

Tree legumes
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Trees
Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Trichomes
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Triticale
Triticale (*Tritico secale*) as substitute for maize in pig diets, 53 (1995) 345

Tropical feedstuffs
Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
Degradation of tropical roughages and concentrate feeds in the rumen, 54 (1995) 81
Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Tropical forages
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Tropical grasses
Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79

Tropical legumes
Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

Tropical regions
Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Tropical
Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79
Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tropics
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

True digestibility
In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Trypsin inhibitors
Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of Jatropha meal, 67 (1997) 223
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319
Questions and answers to edibility problem of the *Canavalia ensiformis* seeds – A review, 74 (1998) 95

Turkey
The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Turnover
Description of gas production profiles with a three-phasic model, 66 (1997) 31

Turnover time
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

U

Ultrastructure
Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Undegraded dietary protein
Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Uniformity
Factors affecting uniformity of a mix, 53 (1995) 211

Unsaturated
The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Urea
Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

Urea molasses mineral block
Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101
Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Urea treatment
The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165
Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89
Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347
Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193
Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Urea–molasses–mineral block
Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275

Urea-treated olive cake
Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Urease activity
The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Urinary allantoin
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Urinary urea
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Utilization
Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337

UV microspectrophotometry
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

V

van Soest procedure
Study of the use of a protease with the van Soest procedure, 61 (1996) 129

Variability
Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15

Vegetative phases
In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Veld herbage
Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Vernonia
Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Vetch
Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

VFA
Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Vinasse
Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Vitamin D
The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205
Effect of microbial phytase, vitamin D_3, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Vitamin E
Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α-tocopherols, 59 (1996) 115
Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207
Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229
Vitamin E supplementation for the ruminant, 60 (1996) 273
Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91
The effects of dietary α-tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35
Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Vitamins
Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103
Antioxidants improve cattle immunity following stress, 62 (1996) 59

Volatile fatty acids
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275

Voluntary intake
Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79
Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Vomitoxin
Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

W

Warner–Bratzler blade
A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Washing procedure
Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115

Water retention
Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Waxy corn
Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Weaner goats
Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

Weaner pig
Preservation of brewers years slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353
An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193
The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191

weaner
Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229

Weaning
Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275

Wet brewers' grains
Wet brewers'grains or bean curd pomance as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Wheat by-products
Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Wheat Endoxylanase
Effects of endoxylanase addition to wheat-based diets on physico–chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Wheat grain
The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Wheat meal
Influence of wheat meal variability upon compacting behaviour during pelleting, 51 (1995) 255

Wheat protein
Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Wheat straw
Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263
The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69
Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117
The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357
Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373
Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57
In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301
Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Wheat
The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205
Effect of free-air CO_2 enrichment (FACE) on forage quality of wheat, 53 (1995) 29
The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55
Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
The effect of a wheat–fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55
Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Whey
Rumen fermentation characteristics and digestibility of cattle diets containing different whey:-maize ratios, 53 (1995) 81

Whit-rot fungi
Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

White fish meal
Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

White lupin
Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

White rot fungi
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

White-lipped peccary
Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

White-rotted woody materials
Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Whole barley
Changes in extract viscosity, amino acid content, and soluble and insoluble β-glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Whole blood treatment
Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Whole cottonseed
Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Whole crop
Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Whole tract digestion
Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327

Whole-crop wheat
Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Wild ungulates
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Wilted
Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Winter oats
The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Wool growth
Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

X

X-ray diffraction
Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Xylanase
Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Xylanases
Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Y

Yeast
The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
Preservation of brewers years slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Yeast culture
The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
Effect of feeding yeast culture (Yea-sacc^{1026}) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247
Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*^{1026}) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Yolk
Effect of free-range feeding on $n-3$ fatty acid and α-tocopherol content and oxidative stability of eggs, 72 (1998) 33

Young growing pigs
Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Yucca extract
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Yucca schidigera
Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Yucca
Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121

Z

Zinc
Trace mineral requirements of grazing cattle, 59 (1996) 61
Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237